

SF 8410

MATERIAL SAFETY DATA SHEET

8410

6-1-04

PART NUMBER: 8410 HMIS CODES H F R
PRODUCT NAME: INTER-MIX 30 FLOWABLE SEAM SEALER 2 1 0
CHEMICAL FAMILY: EPOXY SEALER

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Wesmar Products, Inc.

1440 NW 45th St

EMERGENCY PHONE : Seattle, Wa 98107

INFORMATION PHONE : (206) 782-8186

===== SECTION II - HAZARDOUS INGREDIENTS =====

REPORTABLE COMPONENTS	CAS NUMBER	Vapor Pressure mm Hg @ TEMP	WT. %	
PROPRIETARY MERCAPTAN POLYMER	TRADE SECRET	N/D	N/A	30-50
OSHA PEL: N/E, ACGIH TLV: NE, OTHER NE				
LD50: 2.6G/KG:RAT-ORL				
SILICA DIOXIDE	112945-52-5		N/A	2-10
OSHA PEL: 6 MG/M3, ACGIH TLV: 10 MG/M3				
OTHER: N.E., LD50: >10,000 MG/KG: RAT-ORL				
LD50: >5000 MG/KG (RABBIT) DERMAL				
REACTION PRODUCT OF EPICHLOROHYDRIN-BISPHENOL A	25085-99-8		N/A	20-40
OSHA PEL: N/E, ACGIH TLV: N/E, OTHER: N/E				
LD50: NA, LC50: N/A				
BISPHENOL A MODIFIED EPOXY RESIN	TRADE SECRET		N/A	5-15
OSHA PEL: N/E, ACGIH TLV: N/E, OTHER: N/E				
LD50: >4 G/KG:RAT-ORL, LD50: >2 G/KG RAB-DER				
2,4,6-TRI (DIMETHYLAMINOMETHYL) PHENOL	90-72-2	<0.01	70F	2-7
OSHA PEL: N/E, ACGIH TLV: N/E, OTHER: N/E				
LD50: 1670 MG/KG:RAT-ORL, LC50: N/E				
LD50: 1242 MG/KG (RABBIT)DERMAL				
CARBON BLACK	1333-86-4	N/D	N/A	0-1
OSHA PEL: 3.5 MG/M3, ACGH TLV: N/E,OTHER N/E				
LD50: NA, LC50: N/A				
TITANIUM DIOXIDE	13463-67-7		N/A	0-1
OSHA PEL: 15MG/M3, ACGH TLV: 10 MG/M3				
OTHER: N/E, LD50: >25 G/KG: RAT-ORL				
LC50: 6.82 MG/L (4 HR):RAT-INH				
TALC MAGNESIUM SILICATE	14807-96-6		N/A	1-10
OSHA PEL: 20 MP/PT, ACGH TLV: 2 MG/M3				
LD50: N/A, LC50: N/A				
QUARTZ	14608-60-7		N/A	0-3
OSHA PEL: 10 MG/M3 / %SiO2 + 2,				
AGCH TLV: 0.1 MG/M3, LD50: N/A, LC50: N/A				

===== SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS =====

BOILING RANGE: N/A SPECIFIC GRAVITY (H2O=1) :1.23
VAPOR DENSITY: NOT DETERMINED
EVAPORATION RATE: NOT DETERMINED
MATERIAL V.O.C.: NEGLIGIBLE
GLIGIBLE
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: GRAY PASTE, MERCAPTAN ORDOR

MATERIAL SAFETY DATA SHEET

6-1-04

VAPOR PRESSURE: N/A
COEFFICIENT OF WATER/OIL DIST: N/A

ph: N/A
ODOR THRESHOLD: N/A

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: >200 DEG F METHOD USED: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A
EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL, WATER FOG
SPECIAL FIREFIGHTING PROCEDURES IN LARGE FIRE: SELF CONTAINED BREATHING APPATUS

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
FLAMMABILITY - T.D.G.R. CLASS: N/A
SENSITIVITY TO IMPACT: N/A
SENSITIVITY TO STATIC DISCHARGE: N/A

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE
INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS, AMINES, MERCAPTAN, STRONG OXIDANTS
HAZARDOUS DECOMPOSITION PRODUCTS: HES, AMINES, CO, CO2, H2S, SO2, NO2
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
MAY RESULT IN IRRITATION OF THE NOSE, THROAT AND RESPIRATORY TRACT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
SKIN: SLIGHTLY IRRITATING, NOT A SENSITIZER. EYE: MILDLY IRRITATING.
SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: REDNESS

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
NO TOXICITY DATA IS FOUND, BUT MAY CAUSE IRRITATION OF THE MOUTH AND THROAT,
ESOPHAGUS AND GASTROINTESTINAL SYSTEM.

HEALTH HAZARDS (ACUTE AND CHRONIC)
EYES: REDNESS, TEARING. SKIN: MODERATE IRRITATION. BREATHING: NASAL AND RESPIRATORY
IRRITATION. INGESTION: NAUSEA GASTROINTESTINAL IRRITATION.
CARCINOGENICITY: N/A
NTP CARCINOGEN: NO IARC MONOGRAPHS: NO OSHA REGULATED: YES
TERATOGENICITY: N/A
MUTAGENICITY: N/A
TOXICOLOGICALLY SYNERGISTIC PRODUCTS: N/A

EMERGENCY AND FIRST AID PROCEDURES:
EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES AND CALL PHYSICIAN.
SKIN: WASH THOROUGHLY WITH PLENTY OF WATER AND SOAP.
INHALATION: IF AFFECTED, REMOVE TO FRESH AIR. IF NECESSARY GIVE ARTIFICIAL
RESPIRATION. KEEP VICTIM QUIET AND WARM. CALL A PHYSICIAN IMMEDIATELY.
INGESTION: SEEK PHYSICIAN IMMEDIATELY. SHOW MSDS OR LABEL. SEEK MEDICAL ADVICE
REGARDING INDUCTION OF VOMITING.

N/A = NOT AVAILABLE N/D = NOT DETERMINED N/E = NOT ESTABLISHED

MATERIAL SAFETY DATA SHEET

6-1-04

===== SECTION VII - SPILL OR LEAK PROCEDURES =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
SOAK UP WITH ABSORBENT MATERIAL AND PLACE IN A LABELED WASTE CONTAINER FOR DISPOSAL.
WASTE DISPOSAL METHOD:
DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS, DO NOT
CONTAMINATE LAKES, STREAMS, OR OTHER WATER SUPPLY.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
STORE IN A COOL, DRY, WELL VENTILATED AREAS, KEEP CLOSURE TIGHT TO PREVENT LEAKAGE.
PREVENT SKIN AND EYE CONTACT BY USING IMPERVIOUS CLOTHING, SELECTED WITH REGARD FOR
EXPOSURE POTENTIAL.

===== SECTION VIII-SAFE HANDLING AND PROTECTION INFORMATION =====

RESPIRATORY PROTECTION: USE ONLY IN WELL VENTILATED AREAS.
VENTILATION-LOCAL: RECOMMENDED SPECIAL: KEEP AWAY FROM HEAT/FLAME.
MECHANICAL: REQUIRED OTHER: N/A
PROTECTIVE GLOVES: SOLVENT RESISTANT EYE PROTECTION: GOGGLES
OTHER PROTECTIVE EQUIPMENT:
IF VENTILATION IS INADEQUATE, WEAR APPROVED RESPIRATORY EQUIPMENT
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.
SENSITIZATION: YES POSSIBLE SKIN.
IRRITANT: YES EYES & SKIN
SYNERGISTIC AGENTS: NO
OTHER PRECAUTIONS:
KEEP OUT OF REACH OF CHILDREN. KEEP ONLY IN ORIGINAL LABELED CONTAINERS. ALWAYS
READ AND FOLLOW DIRECTIONS ON PRODUCT LABEL OR DATA SHEET. ADDITIONAL TECHNICAL DATA
SHEETS AND/OR MATERIAL SAFETY DATA SHEETS (MSDS) ARE AVAILABLE UPON REQUEST.

===== SECTION IX:- REGULATORY INFORMATION =====

STATE REGULATIONS:

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 - PROPOSITION 65
WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
CALIFORNIA PROPOSITION 65: MAY CONTAIN TRACE AMOUNTS OF PHENYL GLYCIDYL ETHER (CAS#
122-60-1), QUARTZ (CAS#14608-60-7)
OTHER REGULATIONS:
SARA SECTION 311/312: DELAYED (CHRONIC) HEALTH HAZARD.

===== SECTION X - DISCLAIMER =====

THE INFORMATION AND RECOMMENDATIONS PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF
THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT
WARRANTY OF ANY KIND AND INTERNATIONAL EPOXIES & SEALERS DISCLAIMS ANY AND ALL
LIABILITY OR LEGAL RESPONSIBILITY OR USE OR RELIANCE UPON SAME.

SF 8411

MATERIAL SAFETY DATA SHEET

8411

6-1-04

PART NUMBER: 8411 HMIS CODES H F R
PRODUCT NAME: INTER-MIX 15 NON-SAG SEAM SEALER 2 1 0
CHEMICAL FAMILY: EPOXY ADHESIVE/SEALER

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Wesmar Products, Inc.
1440 NW 45th St
EMERGENCY PHONE : Seattle, Wa 98107
INFORMATION PHONE : (206) 782-8186

===== SECTION II - HAZARDOUS INGREDIENTS =====

REPORTABLE COMPONENTS	CAS NUMBER	Vapor Pressure mm Hg @ TEMP	WT. %
PROPRIETARY MERCAPTAN POLYMER OSHA PEL: N/E, ACGIH TLV: NE, OTHER NE LD50: 2.6G/KG:RAT-ORL	TRADE SECRET	N/D N/A	35-45
SILICA DIOXIDE OSHA PEL: 6 MG/M3, ACGIH TLV: 10 MG/M3 OTHER: N.E., LD50: >10,000 MG/KG: RAT-ORL LD50: >5000 MG/KG (RABBIT) DERMAL	112945-52-5	N/A	3-8
REACTION PRODUCT OF EPICHLOROHYDRIN-BISPHENOL A OSHA PEL: N/E, ACGIH TLV: N/E, OTHER: N/E LD50: NA, LC50: N/A	25085-99-8	N/A	35-50
BISPHENOL A MODIFIED EPOXY RESIN OSHA PEL: N/E, ACGIH TLV: N/E, OTHER: N/E LD50: >4 G/KG:RAT-ORL, LD50: >2 G/KG RAB-DER	TRADE SECRET	N/A	1-10
2,4,6-TRI (DIMETHYLAMINOMETHYL) PHENOL OSHA PEL: N/E, ACGIH TLV: N/E, OTHER: N/E LD50: 1670 MG/KG:RAT-ORL, LC50: N/E LD50: 1242 MG/KG (RABBIT)DERMAL	90-72-2	<0.01 70F	3-10
CARBON BLACK OSHA PEL: 3.5 MG/M3, ACGH TLV: N/E,OTHER N/E LD50: NA, LC50: N/A	1333-86-4	N/D N/A	0-1
TITANIUM DIOXIDE OSHA PEL: 15MG/M3, ACGH TLV: 10 MG/M3 OTHER: N/E, LD50: >25 G/KG: RAT-ORL LC50: 6.82 MG/L (4 HR):RAT-INH	13463-67-7	N/A	0-1
POLYHYDROXYCARBOXYLIC ACID AMIDES SOLUTION OSHA PEL: 100 PPM, ACGIH TLV: 100PPM, OTHER: N/E. LD50: >2500 MG/KG: RAT-ORL	TRADE SECRET	5mm 70F	0-2

===== SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS =====

BOILING RANGE: N/A SPECIFIC GRAVITY (H2O=1) :1.18
VAPOR DENSITY: NOT DETERMINED
EVAPORATION RATE: NOT DETERMINED
MATERIAL V.O.C.: NEGLIGIBLE
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: GRAY PASTE, MERCAPTAN ORDOR
VAPOR PRESSURE: N/A ph: N/A
COEFFICIENT OF WATER/OIL DIST: N/A ODOR THRESHOLD: N/A

MATERIAL SAFETY DATA SHEET

6-1-04

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: >200 DEG F METHOD USED: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A
EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL, WATER FOG
SPECIAL FIREFIGHTING PROCEDURES IN LARGE FIRE: SELF CONTAINED BREATHING APPATUS

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
FLAMMABILITY - T.D.G.R. CLASS: N/A
SENSITIVITY TO IMPACT: N/A
SENSITIVITY TO STATIC DISCHARGE: N/A

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE
INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS, AMINES, MERCAPTAN, STRONG OXIDANTS
HAZARDOUS DECOMPOSITION PRODUCTS: HES, AMINES, CO, CO2, H2S, SO2, NO2
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
MAY RESULT IN IRRITATION OF THE NOSE, THROAT AND RESPIRATORY TRACT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
SKIN: SLIGHTLY IRRITATING, NOT A SENSITIZER. EYE: MILDLY IRRITATING.
SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: REDNESS

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
NO TOXICITY DATA IS FOUND, BUT MAY CAUSE IRRITATION OF THE MOUTH AND THROAT,
ESOPHAGUS AND GASTROINTESTINAL SYSTEM.

HEALTH HAZARDS (ACUTE AND CHRONIC)
EYES: REDNESS, TEARING. SKIN: MODERATE IRRITATION. BREATHING: NASAL AND RESPIRATORY
IRRITATION. INGESTION: NAUSEA GASTROINTESTINAL IRRITATION.
CARCINOGENICITY: N/A
NTP CARCINOGEN: NO IARC MONOGRAPHS: NO OSHA REGULATED: YES
TERATOGENICITY: N/A
MUTAGENICITY: N/A
TOXICOLOGICALLY SYNERGISTIC PRODUCTS: N/A

EMERGENCY AND FIRST AID PROCEDURES:
EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES AND CALL PHYSICIAN.
SKIN: WASH THOROUGHLY WITH PLENTY OF WATER AND SOAP.
INHALATION: IF AFFECTED, REMOVE TO FRESH AIR. IF NECESSARY GIVE ARTIFICIAL
RESPIRATION. KEEP VICTIM QUIET AND WARM. CALL A PHYSICIAN IMMEDIATELY.
INGESTION: SEEK PHYSICIAN IMMEDIATELY. SHOW MSDS OR LABEL. SEEK MEDICAL ADVICE
REGARDING INDUCTION OF VOMITING.

N/A = NOT AVAILABLE N/D = NOT DETERMINED N/E = NOT ESTABLISHED

MATERIAL SAFETY DATA SHEET

6-1-04

===== SECTION VII - SPILL OR LEAK PROCEDURES =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
SOAK UP WITH ABSORBENT MATERIAL AND PLACE IN A LABELED WASTE CONTAINER FOR DISPOSAL.
WASTE DISPOSAL METHOD:
DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS, DO NOT
CONTAMINATE LAKES, STREAMS, OR OTHER WATER SUPPLY.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
STORE IN A COOL, DRY, WELL VENTILATED AREAS, KEEP CLOSURE TIGHT TO PREVENT LEAKAGE.
PREVENT SKIN AND EYE CONTACT BY USING IMPERVIOUS CLOTHING, SELECTED WITH REGARD FOR
EXPOSURE POTENTIAL.

===== SECTION VIII-SAFE HANDLING AND PROTECTION INFORMATION =====

RESPIRATORY PROTECTION: USE ONLY IN WELL VENTILATED AREAS.
VENTILATION-LOCAL: RECOMMENDED SPECIAL: KEEP AWAY FROM HEAT/FLAME.
MECHANICAL: REQUIRED OTHER: N/A
PROTECTIVE GLOVES: SOLVENT RESISTANT EYE PROTECTION: GOGGLES
OTHER PROTECTIVE EQUIPMENT:
IF VENTILATION IS INADEQUATE, WEAR APPROVED RESPIRATORY EQUIPMENT
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.
SENSITIZATION: YES POSSIBLE SKIN.
IRRITANT: YES EYES & SKIN
SYNERGISTIC AGENTS: NO
OTHER PRECAUTIONS:
KEEP OUT OF REACH OF CHILDREN. KEEP ONLY IN ORIGINAL LABELED CONTAINERS. ALWAYS
READ AND FOLLOW DIRECTIONS ON PRODUCT LABEL OR DATA SHEET. ADDITIONAL TECHNICAL DATA
SHEETS AND/OR MATERIAL SAFETY DATA SHEETS (MSDS) ARE AVAILABLE UPON REQUEST.

===== SECTION IX:- REGULATORY INFORMATION =====

STATE REGULATIONS:

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 - PROPOSITION 65
WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
CALIFORNIA PROPOSITION 65: MAY CONTAIN TRACE AMOUNTS OF PHENYL GLYCIDYL ETHER (CAS#
122-60-1), MAY CONTAIN TRACE AMOUNTS OF BENZENE (CAS# 71-43-2) AND TOLUENE (CAS# 108-
88-3).
OTHER REGULATIONS:
SARA SECTION 311/312: DELAYED (CHRONIC) HEALTH HAZARD.

===== SECTION X - DISCLAIMER =====

THE INFORMATION AND RECOMMENDATIONS PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF
THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT
WARRANTY OF ANY KIND AND INTERNATIONAL EPOXIES & SEALERS DISCLAIMS ANY AND ALL
LIABILITY OR LEGAL RESPONSIBILITY OR USE OR RELIANCE UPON SAME.