

WM 392613927

**Material Safety Data Sheet
RESERVOIR CONCENTRATE**

WESMAR CO. INC.

Wesmar Products, Inc
1440 NW 45th St
Seattle, WA 98107
(206) 782-8186

DATE PREPARED:..... MAY 21, 2005

REVISED DATE:..... MAY 21, 2005

24 HOUR EMERGENCY PHONE NUMBER:

CHEMTREC:..... 800-424-9300

SECTION I - IDENTIFICATION

PRODUCT NAME:RESERVOIR CONCENTRATE
CHEMICAL FAMILY:FLAMMABLE, CORROSIVE MATERIAL
FORMULA:N/A
CAS NUMBER:N/A

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER	ACGIH/TLV	STEL/PEL
Methanol	> 80	67-56-1	200 PPM	250 PPM

See section VI for additional TLV information.

SECTION III - PHYSICAL DATA

APPEARANCE:.....Clear blue liquid with pleasant odor.
BOILING POINT:.....148° F.
VAPOR PRESSURE:.....NOT EST.
VAPOR DENSITY (AIR=1):.....NOT EST.
SPECIFIC GRAVITY:0.79
pH:.....Not Determined
SOLUBILITY IN WATER:Completely soluble in water.

SECTION IV - FIRE AND EXPLOSION DATA

FLASHPOINT:53° F
LOWER EXPLOSIVE LIMIT:....6.0
UPPER EXPLOSIVE LIMIT:....36.5
EXTINGUISHING MEDIA:Use water spray, dry chemical, CO2, or alcohol foam. Do not use a direct water stream.

SPECIAL FIRE FIGHTING PROCEDURES:.....Avoid contact with fire fighting personnel as burns may result from contact with skin. When fighting a fire near or involving this product, wear a self-contained breathing apparatus (SCBA).

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....FLAMMABLE LIQUID. AVOID HEAT, SPARKS AND OPEN FLAME. This material may produce a floating fire hazard.

Material Safety Data Sheet

RESERVOIR CONCENTRATE

SECTION V - REACTIVITY DATA

STABILITY:.....Stable

INCOMPATIBILITY:.....Strong oxidizing agents, aluminum, zinc, any metal that displaces hydrogen, acids and alkalis.

HAZARDOUS

DECOMPOSITION:.....May liberate carbon monoxide, carbon dioxide, formaldehyde and unidentified organic compounds in black smoke.

HAZARDOUS

POLYMERIZATION:.....Will not occur.

SECTION VI - HEALTH DATA

THRESHOLD LIMIT VALUE:..The TLV in section II is the ACGIH/TLV-TWA and OSHA/PEL, (the time weighted average concentration for an eight hour work day.) The STEL is the (short term exposure limit.) (Ceil) is the ceiling limit.

OSHA PEL:.....Since this product is a mixture, there is no defined PEL(s) established by OSHA. Hazardous components are listed in the Hazardous Ingredients Section of this data sheet.

LISTED CARCINOGEN:.....This product does not contain any components listed by NTP, IARC, or OSHA as carcinogens at the OSHA reportable levels.

MEDICAL CONDITION AGGRAVATED

BY EXPOSURE:.....Existing skin and/or respiratory disorders may be aggravated by exposure.

EYES:.....May cause severe eye irritation with possible permanent eye damage and impairment of vision.

SKIN (DERMAL):.....Skin contact may cause irritation while prolonged exposure may cause chemical burns.

INGESTION:.....Swallowing 100 to 250 ml of methanol can be fatal. Swallowing lesser quantities can cause blindness, dizziness, headaches or nausea. Absorption of methanol is rapid but excretion is slow, resulting in delayed effects or compounding effects of repeated exposure. Initial symptoms may only be mild intoxication but these may become more severe 12-18 hours later. Toxic effects are exerted on the central nervous system, especially the optic nerve.

INHALATION:.....Prolonged or repeated exposure or breathing very high concentrations may cause headaches, nausea, vomiting, dizziness, visual disturbances, giddiness, intoxication, sleepiness, unconsciousness and death.

CHRONIC OVEREXPOSURE:..None known

SECTION VII FIRST AID

EYES:.....In case of contact, immediately flush eyes with lots of running water for at least 15 minutes. Get immediate medical assistance.

SKIN (DERMAL):.....Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing and shoes before reuse.

INGESTION:.....NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. (If available, give several glasses of milk.) If vomiting occurs spontaneously, keep airway clear and give more water. GET MEDICAL ATTENTION IMMEDIATELY.

Material Safety Data Sheet

RESERVOIR CONCENTRATE

INHALATION:.....Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen as directed by medical personnel.

SECTION VIII EMPLOYEE PROTECTION

EYE PROTECTION:Chemical safety splash goggles and full face shield (8" min.) to protect against splashing in compliance with OSHA regulations are advised. OSHA regulations also permit other type safety glasses. (Consult your industrial hygienist) Contact lenses should not be worn when working with any chemicals.

RESPIRATORY PROTECTION: Respiratory protection should be worn if levels exceed defined PEL(s) for this product or any hazardous component listed in the Hazardous Ingredient Section of this DATA SHEET.

PROTECTIVE CLOTHING:.....Impervious protective clothing and chemical resistant safety shoes should be worn to minimize contact. Emergency shower and eyewash facility should be in close proximity. (ANSI Z358.1)

VENTILATION:.....Local exhaust sufficient to maintain TLV below permissible exposure limits.

SECTION IX - SPILL AND DISPOSAL DATA

SPILL:.....Wear proper protective clothing to prevent skin contact and inhalation. Eliminate any sources of ignition. Do not smoke. Small spills may be wiped up. Large spills should be absorbed with inert material and held for disposal.

WASTE DISPOSAL:Consult all LOCAL, STATE, and FEDERAL regulations with regard to proper and suitable disposal methods.

SECTION X - TRANSPORTATION DATA

HAZARD CLASS AND LABEL: 3 (FLAMMABLE)

PROPER SHIPPING NAME:Methanol, solution 3 UN-1230 PG-II

UN NUMBER:UN-1230

PACKAGING GROUP:PG-II

REPORTABLE QUANTITY:.....N/A

SECTION XI - OTHER REGULATORY INFORMATION

TSCA STATUS:.....All components in this product are listed on the TSCA inventory.

SARA SECTION 313:.....

C A S #	CHEMICAL NAME	PERCENT BY WEIGHT

.....
NFPA HEALTH:1

NFPA FLAMMABILITY:.....3

NFPA REACTIVITY:.....0

NFPA OTHER:.....N/A

Material Safety Data Sheet
RESERVOIR CONCENTRATE

SECTION XII - PRECAUTIONARY LABEL STATEMENTS

HANDLING:Store away from acids, oxidizing compounds and other incompatible materials.
Keep containers tightly closed when not in use. Store away from heat or flames.
Do not weld, cut or grind on or near any empty containers as vapors may ignite.
KEEP OUT OF REACH OF CHILDREN.

SECTION XIII - ADDITIONAL INFORMATION

REFERENCES:The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. WESMAR CO. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

FOOT NOTES:NOT EST. = Not established, N/A = Not applicable