

Regex Cheat Sheet

Regex Syntax

Characters¶

Character	Matches
<code>a</code>	<code>a</code> character
<code>.</code>	Any character (except newline)
<code>\.</code>	<code>.</code> character
<code>\\</code>	<code>\</code> character
<code>*</code>	<code>*</code> character

Character Classes¶

	Matches	Description
<code>[abcd]</code>	Any one of the letters <code>a</code> through <code>d</code>	Set of characters
<code>[^abcd]</code>	Any character but <code>a</code> , <code>b</code> , <code>c</code> , or <code>d</code>	Complement
<code>[a-d]</code>	Any one of the letters <code>a</code> through <code>d</code>	Range of characters
<code>[a-dz]</code>	Any of <code>a</code> , <code>b</code> , <code>c</code> , <code>d</code> , or <code>z</code>	Range of characters

Special Sequences¶

Type	Expression	Equivalent To
Word Character	<code>\w</code>	<code>[a-zA-Z0-9_]</code>
Non-word Character	<code>\W</code>	<code>[^a-zA-Z0-9_]</code>
Digit Character	<code>\d</code>	<code>[0-9]</code>
Non-digit Character	<code>\D</code>	<code>[^0-9]</code>

Whitespace Character	<code>\s</code>	<code>[\t\n\r\f\v]</code>
Non-whitespace Character	<code>\S</code>	<code>[^ \t\n\r\f\v]</code>

Anchors

Anchor	Matches
<code>^</code>	Start of the string
<code>\$</code>	End of the string
<code>\b</code>	Boundary between word and non-word characters

Groups

Group Type	Expression
Capturing	<code>(...)</code>
Non-capturing	<code>(?: ...)</code>

Quantifiers/Repetition

Quantifier	Modification
<code>{5}</code>	Match expression exactly 5 times
<code>{2,5}</code>	Match expression 2 to 5 times
<code>{2,}</code>	Match expression 2 or more times
<code>{,5}</code>	Match expression 0 to 5 times
<code>*</code>	Match expression 0 or more times
<code>{,}</code>	Match expression 0 or more times
<code>?</code>	Match expression 0 or 1 times
<code>{0,1}</code>	Match expression 0 or 1 times
<code>+</code>	Match expression 1 or more times

<code>{1,}</code>	Match expression 1 or more times
-------------------	----------------------------------

Non-greedy quantifiers¶

Quantifier	Modification
<code>{2,5}?</code>	Match 2 to 5 times (less preferred)
<code>{2,}??</code>	Match 2 or more times (less preferred)
<code>{,5}?</code>	Match 0 to 5 times (less preferred)
<code>*?</code>	Match 0 or more times (less preferred)
<code>{,}??</code>	Match 0 or more times (less preferred)
<code>??</code>	Match 0 or 1 times (less preferred)
<code>{0,1}?</code>	Match 0 or 1 times (less preferred)
<code>+?</code>	Match 1 or more times (less preferred)
<code>{1,}??</code>	Match 1 or more times (less preferred)

Alternators¶

Quantifier	Modification
<code>ABC DEF</code>	Match string <code>ABC</code> or string <code>DEF</code>

Lookaround¶

Quantifier	Modification
<code>(?=abc)</code>	Zero-width match confirming <code>abc</code> will match upcoming
<code>(?!abc)</code>	Zero-width match confirming <code>abc</code> will not match upcoming

Python

Function	Purpose
<code>re.search</code>	Return a match object if pattern found in string
<code>re.finditer</code>	Return an iterable of match objects (one for each
<code>re.findall</code>	Return a list of all matched strings (different whe
<code>re.split</code>	Split string by regex delimiter & return string list
<code>re.compile</code>	Compile a regular expression pattern for later us

flags¶

Flag	Description
<code>re.IGNORECASE</code>	Match uppercase and lowercase characters in
<code>re.VERBOSE</code>	Ignore whitespace characters and allow <code>#</code> co