Scientific Contribution Cultivation

Expert inference validation report

Focus question
What value, alignment, and enablement does the result actually support?

Run Id
fixture.scientific_contribution_cultivation.base

Target
scientific

Trace Id
trace.f4d2776bd2e9d716

Workflow Id
scientific_contribution_cultivation

Workflow Name
Scientific Contribution Cultivation

Workflow Version
1.0.0

Canonical packet SHA-256
8e246c2bca24ed676240dd8a7dd68bcf6656d0c7e3165012016224c929e5e163

Contents

1 Expert reading contract **1**
1.1 Status legend . . . 1

2 Validation dashboard **1**

3 Declared route and topology **1**

4 Profile topology and workflow-specific contrasts **2**

5 Expert inference dossiers **2**
5.1 Inference 1: scientific_contribution_cultivation.base.maintain_atlas.inference . . . 2
5.2 Inference 2: scientific_contribution_cultivation.base.manage_subgoal.inference . . . 3
5.3 Inference 3: scientific_contribution_cultivation.base.detect_contribution.inference . . . 5
5.4 Inference 4: scientific_contribution_cultivation.base.assess_value.inference . . . 6
5.5 Inference 5: scientific_contribution_cultivation.base.audit_enablement.inference . . . 7
5.6 Inference 6: scientific_contribution_cultivation.base.package_enablement.inference . . . 8
5.7 Inference 7: scientific_contribution_cultivation.base.paper_handoff.inference . . . 9

6 Alternatives, falsifiers, and failed paths **10**

7 Cross-cutting validation ledgers **12**
7.1 Scope transitions . . . 12
7.2 Authority boundaries . . . 13
7.3 Open and discharged obligations . . . 13
7.4 Handoffs . . . 13

A Complete chronological lifecycle ledger **13**

B Claim ledger **15**

C Typed evidence ledger **16**

D Decision and gate ledger **17**

E Artifact and receipt ledger **18**

F Specialized projection ledger **18**

G Causal and workflow graph ledger **18**
G.1 Nodes . . . 18
G.2 Complete typed edge table . . . 19

H Projection completeness and omission ledger **21**

I Build provenance **22**

1 Expert reading contract

Public rationale boundary

Inspectable public rationale and evidence only. The inventory must not contain private chain-of-thought or derive scientific claims from layout, chronology, control authorization, or artifact integrity.

This document records inspectable premises, public warrants, evidence, conclusions, uncertainty, scope, authority, failures, and obligations. It does not expose private chain-of-thought. Execution authorization, artifact integrity, scientific epistemic status, and workflow disposition are independent. Chronological precedence does not mean logical or evidential support.

1.1 Status legend

Artifact integrity: whether referenced bytes and receipts validate **Scientific epistemic status:** the bounded support assigned to a claim **Workflow disposition:** what the workflow did with the item

2 Validation dashboard

Control coverage

1.0

Semantic coverage

1.0

Evidence resolution

1.0

Visible trace gaps

0

Required expert contrasts

["technical result versus novelty claim", "scientific value versus venue alignment", "candidate contribution versus enablement evidence"]

3 Declared route and topology

Route spine

Result atlas to contribution handoff

Topology mode

linear

Step	Skill	Mode / observed state	Consumes	Produces
maintain_atlas	result-atlas-maintainer	required / observed	["ResultAtlasSlice"]	["UpdatedResultAtlas"]
manage_subgoal	contribution-oriented-subgoal-manager	required / observed	["UpdatedResultAtlas"]	["ContributionSubgoalPacket"]
detect_contribution	scientific-contribution-detector	required / observed	["ContributionSubgoalPacket"]	["ContributionCandidate"]
assess_value	contribution-value-assessor	required / observed	["ContributionCandidate"]	["ContributionValueAssessment"]
audit_alignment	main-problem-alignment-auditor	validator_only / observed	["ContributionValueAssessment"]	["MainProblemAlignmentAudit"]

Step	Skill	Mode / observed state	Consumes	Produces
audit_ enablement	completed-subgoal-enablement-auditor	required / observed	["ContributionValueAssessment"]	["EnablementAudit"]
package_ enablement	subgoal-enablement-handoff-packager	conditional / observed	["EnablementAudit"]	["EnablementHandoff"]
paper_handoff	scientific-contribution-paper-handoff	conditional / observed	["ContributionValueAssessment", "MainProblemAlignmentAudit"]	["PaperArgumentHandoff"]

4 Profile topology and workflow-specific contrasts

Projection lens

scientific_contribution_cultivation

Topology mode

linear

Required expert contrasts

["technical result versus novelty claim", "scientific value versus venue alignment", "candidate contribution versus enablement evidence"]

Declared profile topology

No specialized topology applies

Observed specialist roles

No specialist fan-out applies

A specialist fork or join is a workflow relation, not proof that specialist conclusions are mutually consistent. Finite, endpoint, asymptotic, and continuum boundaries remain separate unless an explicit validated inference connects them.

5 Expert inference dossiers

Each dossier is bound to its semantic event ID. Control-only events appear in the lifecycle appendix and are not scientific claims.

5.1 Inference 1: scientific_contribution_cultivation.base.maintain_atlas.inference

---

Trace disposition

Complete public dossier

Step / skill

maintain_atlas / result-atlas-maintainer

Question

At maintain_atlas, how does ResultAtlasSlice bear on UpdatedResultAtlas? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "ResultAtlasSlice: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

compute_result_atlas_delta

Bounded public warrant

At maintain_atlas, compute_result_atlas_delta checks ResultAtlasSlice before emitting UpdatedResultAtlas. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

maintain_atlas produces UpdatedResultAtlas: Classify the result as enabling rather than a main contribution.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.maintain_atlas.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.e2317250be1238

Alternative / falsifier / failure links

alternative.8f98438ff889f6, falsifier.c7494b39cb846c

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["maintain_atlas-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

5.2 Inference 2: scientific_contribution_cultivation.base.manage_subgoal.inference

---

Trace disposition

Complete public dossier

Step / skill

manage_subgoal / contribution-oriented-subgoal-manager

Question

At manage_subgoal, how does UpdatedResultAtlas bear on ContributionSubgoalPacket? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "UpdatedResultAtlas: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

classify_and_assess_contribution

Bounded public warrant

At manage_subgoal, classify_and_assess_contribution checks UpdatedResultAtlas before emitting ContributionSubgoalPacket. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

manage_subgoal produces ContributionSubgoalPacket: Classify the result as enabling rather than a main contribution.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.manage_subgoal.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.d986086b27c4d4

Alternative / falsifier / failure links

alternative.a07789f1d42204, falsifier.890a989dfa0a1b

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["manage_subgoal-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

5.3 Inference 3: scientific_contribution_cultivation.base.detect_contribution.inference

Trace disposition

Complete public dossier

Step / skill

detect_contribution / scientific-contribution-detector

Question

At detect_contribution, how does ContributionSubgoalPacket bear on ContributionCandidate? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "ContributionSubgoalPacket: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

classify_and_assess_contribution

Bounded public warrant

At detect_contribution, classify_and_assess_contribution checks ContributionSubgoalPacket before emitting ContributionCandidate. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

detect_contribution produces ContributionCandidate: Classify the result as enabling rather than a main contribution.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.detect_contribution.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.2faa795ff1bb29

Alternative / falsifier / failure links

alternative.59468aadad14c0, falsifier.29d3d58987ff94

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["detect_contribution-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

5.4 Inference 4: scientific_contribution_cultivation.base.assess_value.inference

---

Trace disposition

Complete public dossier

Step / skill

assess_value / contribution-value-assessor

Question

At assess_value, how does ContributionCandidate bear on ContributionValueAssessment? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "ContributionCandidate: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

classify_and_assess_contribution

Bounded public warrant

At assess_value, classify_and_assess_contribution checks ContributionCandidate before emitting ContributionValueAssessment. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

assess_value produces ContributionValueAssessment: Classify the result as enabling rather than a main contribution.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.assess_value.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.7e7302343db763

Alternative / falsifier / failure links

alternative.e3c0528b2b8d73, falsifier.321e54e46eb6e9

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["assess_value-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

5.5 Inference 5: scientific_contribution_cultivation.base.audit_enablement.inference

---

Trace disposition

Complete public dossier

Step / skill

audit_enablement / completed-subgoal-enablement-auditor

Question

At audit_enablement, how does ContributionValueAssessment bear on EnablementAudit? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "ContributionValueAssessment: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

evaluate_counterfactual_enablement

Bounded public warrant

At audit_enablement, evaluate_counterfactual_enablement checks ContributionValueAssessment before emitting EnablementAudit. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

audit_enablement produces EnablementAudit: Classify the result as enabling rather than a main contribution.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.audit_enablement.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.bbffda2c2d830a

Alternative / falsifier / failure links

alternative.e92e313363a2fd, falsifier.5e9bc01324458c

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["audit_enablement-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

5.6 Inference 6: scientific_contribution_cultivation.base.package_enablement.inference

---

Trace disposition

Complete public dossier

Step / skill

package_enablement / subgoal-enablement-handoff-packager

Question

At package_enablement, how does EnablementAudit bear on EnablementHandoff? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "EnablementAudit: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

evaluate_counterfactual_enablement

Bounded public warrant

At package_enablement, evaluate_counterfactual_enablement checks EnablementAudit before emitting EnablementHandoff. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

package_enablement produces EnablementHandoff: Classify the result as enabling rather than a main contributi on.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.package_enablement.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.aa033e3c6ef16c

Alternative / falsifier / failure links

alternative.c757a54684eedb, falsifier.2b33e72161bbae

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["package_enablement-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

5.7 Inference 7: scientific_contribution_cultivation.base.paper_handoff.inference

---

Trace disposition

Complete public dossier

Step / skill

paper_handoff / scientific-contribution-paper-handoff

Question

At paper_handoff, how does ContributionValueAssessment bear on PaperArgumentHandoff? Is the result a main contribution, an enabling result, or support-only evidence?

Typed premises

[{"statement": "ContributionValueAssessment: The atlas records a correct scoped result with mechanism evidence.", "type": "artifact"}]

Transformation / operator

classify_and_assess_contribution

Bounded public warrant

At paper_handoff, classify_and_assess_contribution checks ContributionValueAssessment before emitting PaperArgumentHandoff. Authority boundary: May classify and package supported contribution candidates; may not inflate novelty, target alignment, or paper readiness.

Conclusion

paper_handoff produces PaperArgumentHandoff: Classify the result as enabling rather than a main contributi on.

Uncertainty

bounded by the declared artifact and open obligations

Assumptions

None recorded

Scope before / after / model / regime

{"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}

Causal parents

["scientific_contribution_cultivation.base.paper_handoff.control"]

Artifact integrity status

integrity_valid

Scientific epistemic status

evidence_backed

Workflow disposition

accepted

Evidence links

evidence.810cdce87803d5

Alternative / falsifier / failure links

alternative.8456f8458037b7, falsifier.7c3fd6644c4f8c

Obligation links

None recorded

Artifact / receipt links

None recorded

Authority

{"absent": ["unscoped-epistemic-upgrade"], "exercised": ["paper_handoff-assessment"], "prohibitions_checked": ["no hidden scope promotion"]}

Handoff

None recorded

---

6 Alternatives, falsifiers, and failed paths

ID	Kind	Inference	Description	Disposition
alternative.8f98438ff889f6	alternative	scientific_contribution_cultivation.base.maintain_atlas.inference	Do not emit UpdatedResultAtlas: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected
falsifier.c7494b39cb846c	falsifier	scientific_contribution_cultivation.base.maintain_atlas.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded

ID	Kind	Inference	Description	Disposition
alternative.a07789f1d42204	alternative	scientific_contribution_cultivation.base.manage_subgoal.inference	Do not emit ContributionSubgoalPacket: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected
falsifier.890a989dfa0a1b	falsifier	scientific_contribution_cultivation.base.manage_subgoal.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded
alternative.59468aadad14c0	alternative	scientific_contribution_cultivation.base.detect_contribution.inference	Do not emit ContributionCandidate: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected
falsifier.29d3d58987ff94	falsifier	scientific_contribution_cultivation.base.detect_contribution.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded
alternative.e3c0528b2b8d73	alternative	scientific_contribution_cultivation.base.assess_value.inference	Do not emit ContributionValueAssessment: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected
falsifier.321e54e46eb6e9	falsifier	scientific_contribution_cultivation.base.assess_value.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded
alternative.4b3ed109e72eeb	alternative	scientific_contribution_cultivation.base.audit_alignment.inference	Do not emit MainProblemAlignmentAudit: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	accepted
falsifier.600be71c5d9287	falsifier	scientific_contribution_cultivation.base.audit_alignment.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded
alternatives_and_failure.32e1e543d2cc5247	failure	scientific_contribution_cultivation.base.audit_alignment.inference	audit_alignment rejects MainProblemAlignmentAudit: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	Not recorded
alternative.e92e313363a2fd	alternative	scientific_contribution_cultivation.base.audit_enablement.inference	Do not emit EnablementAudit: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected
falsifier.5e9bc01324458c	falsifier	scientific_contribution_cultivation.base.audit_enablement.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded
alternative.c757a54684eedb	alternative	scientific_contribution_cultivation.base.package_enablement.inference	Do not emit EnablementHandoff: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected

ID	Kind	Inference	Description	Disposition
falsifier.2b33e72161bbae	falsifier	scientific_contribution_cultivation.base.package_enablement.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded
alternative.8456f8458037b7	alternative	scientific_contribution_cultivation.base.paper_handoff.inference	Do not emit PaperArgumentHandoff : Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	rejected
falsifier.7c3fd6644c4f8c	falsifier	scientific_contribution_cultivation.base.paper_handoff.inference	Prior work showing the same enablement removes the contribution claim.	Not recorded

7 Cross-cutting validation ledgers

7.1 Scope transitions

Semantic ID	Complete recorded detail
scientific_contribution_cultivation.base.maintain_atlas.inference	{"event_id": "scientific_contribution_cultivation.base.maintain_atlas.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "maintain_atlas"}
scientific_contribution_cultivation.base.manage_subgoal.inference	{"event_id": "scientific_contribution_cultivation.base.manage_subgoal.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "manage_subgoal"}
scientific_contribution_cultivation.base.detect_contribution.inference	{"event_id": "scientific_contribution_cultivation.base.detect_contribution.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "detect_contribution"}
scientific_contribution_cultivation.base.assess_value.inference	{"event_id": "scientific_contribution_cultivation.base.assess_value.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "assess_value"}
scientific_contribution_cultivation.base.audit_alignment.inference	{"event_id": "scientific_contribution_cultivation.base.audit_alignment.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "audit_alignment"}
scientific_contribution_cultivation.base.audit_enablement.inference	{"event_id": "scientific_contribution_cultivation.base.audit_enablement.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "audit_enablement"}
scientific_contribution_cultivation.base.package_enablement.inference	{"event_id": "scientific_contribution_cultivation.base.package_enablement.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "package_enablement"}
scientific_contribution_cultivation.base.paper_handoff.inference	{"event_id": "scientific_contribution_cultivation.base.paper_handoff.inference", "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "step_id": "paper_handoff"}

7.2 Authority boundaries

Semantic ID	Complete recorded detail
scientific_contribution_cultivation.base.maintain_atlas.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.maintain_atlas.inference", "exercised": ["maintain_atlas-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "maintain_atlas"}
scientific_contribution_cultivation.base.manage_subgoal.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.manage_subgoal.inference", "exercised": ["manage_subgoal-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "manage_subgoal"}
scientific_contribution_cultivation.base.detect_contribution.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.detect_contribution.inference", "exercised": ["detect_contribution-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "detect_contribution"}
scientific_contribution_cultivation.base.assess_value.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.assess_value.inference", "exercised": ["assess_value-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "assess_value"}
scientific_contribution_cultivation.base.audit_alignment.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.audit_alignment.inference", "exercised": ["audit_alignment-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "audit_alignment"}
scientific_contribution_cultivation.base.audit_enablement.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.audit_enablement.inference", "exercised": ["audit_enablement-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "audit_enablement"}
scientific_contribution_cultivation.base.package_enablement.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.package_enablement.inference", "exercised": ["package_enablement-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "package_enablement"}
scientific_contribution_cultivation.base.paper_handoff.inference	{"absent": ["unscoped-epistemic-upgrade"], "event_id": "scientific_contribution_cultivation.base.paper_handoff.inference", "exercised": ["paper_handoff-assessment"], "prohibitions_checked": ["no hidden scope promotion"], "step_id": "paper_handoff"}

7.3 Open and discharged obligations

Semantic ID	Complete recorded detail
obligation.c93c42a3bbc708	{"event_id": "scientific_contribution_cultivation.base.audit_alignment.inference", "obligation_id": "obligation.c93c42a3bbc708", "requirement": "Prior work showing the same enablement removes the contribution claim.", "status": "open"}

7.4 Handoffs

Semantic ID	Complete recorded detail
scientific_contribution_cultivation.handoff	{"accepted": true, "destination_workflow_id": "manuscript_result_elaboration", "event_id": "scientific_contribution_cultivation.handoff"}

A Complete chronological lifecycle ledger

This ledger records execution order. A precedes relation is not evidential support or entailment.

Event ID	Seq.	Family	Step	Disposition	Parents
scientific_contribution_cultivation.base.maintain_atlas.control	1	authorization	maintain_atlas	authorized	None
scientific_contribution_cultivation.base.maintain_atlas.inference	2	inference	maintain_atlas	accepted	["scientific_contribution_cultivation.base.maintain_atlas.control"]
scientific_contribution_cultivation.base.manage_subgoal.control	3	authorization	manage_subgoal	authorized	["scientific_contribution_cultivation.base.maintain_atlas.inference"]
scientific_contribution_cultivation.base.manage_subgoal.inference	4	inference	manage_subgoal	accepted	["scientific_contribution_cultivation.base.manage_subgoal.control"]
scientific_contribution_cultivation.base.detect_contribution.control	5	authorization	detect_contribution	authorized	["scientific_contribution_cultivation.base.manage_subgoal.inference"]
scientific_contribution_cultivation.base.detect_contribution.inference	6	inference	detect_contribution	accepted	["scientific_contribution_cultivation.base.detect_contribution.control"]
scientific_contribution_cultivation.base.assess_value.control	7	authorization	assess_value	authorized	["scientific_contribution_cultivation.base.detect_contribution.inference"]
scientific_contribution_cultivation.base.assess_value.inference	8	inference	assess_value	accepted	["scientific_contribution_cultivation.base.assess_value.control"]
scientific_contribution_cultivation.base.audit_alignment.control	9	authorization	audit_alignment	authorized	["scientific_contribution_cultivation.base.assess_value.inference"]
scientific_contribution_cultivation.base.audit_alignment.inference	10	failure	audit_alignment	failed	["scientific_contribution_cultivation.base.audit_alignment.control"]
scientific_contribution_cultivation.base.audit_enablement.control	11	authorization	audit_enablement	authorized	["scientific_contribution_cultivation.base.audit_alignment.inference"]
scientific_contribution_cultivation.base.audit_enablement.inference	12	inference	audit_enablement	accepted	["scientific_contribution_cultivation.base.audit_enablement.control"]
scientific_contribution_cultivation.base.package_enablement.control	13	authorization	package_enablement	authorized	["scientific_contribution_cultivation.base.audit_enablement.inference"]
scientific_contribution_cultivation.base.package_enablement.inference	14	inference	package_enablement	accepted	["scientific_contribution_cultivation.base.package_enablement.control"]

Event ID	Seq.	Family	Step	Disposition	Parents
scientific_contributi on_cultivation.base. paper_handoff.control	15	authorizat ion	paper_handoff	authorized	["scientific_contributi on_cultivation.base. package_enablement. inference"]
scientific_contributi on_cultivation.base. paper_handoff. inference	16	inference	paper_handoff	accepted	["scientific_contributi on_cultivation.base. paper_handoff.control"]
scientific_contributi on_cultivation.handoff	17	handoff	Not recorded	handed_off	["scientific_contributi on_cultivation.base. paper_handoff. inference"]

B Claim ledger

Semantic ID	Complete recorded detail
scientific_contributi on_cultivation.base. maintain_atlas. inference	{"claim_id": "scientific_contribution_cultivation.base.maintain_atlas. inference", "epistemic_status": "evidence_backed", "event_id": "scientific_ contribution_cultivation.base.maintain_atlas.inference", "evidence_ids": ["evidence.e2317250be1238"], "integrity_status": "integrity_valid", "obligatio n_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "maintain_atlas produces UpdatedResultAtlas: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}
scientific_contributi on_cultivation.base. manage_subgoal. inference	{"claim_id": "scientific_contribution_cultivation.base.manage_subgoal. inference", "epistemic_status": "evidence_backed", "event_id": "scientific_ contribution_cultivation.base.manage_subgoal.inference", "evidence_ids": ["evidence.d986086b27c4d4"], "integrity_status": "integrity_valid", "obligatio n_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "manage_subgoal produces ContributionSubgoalPacket: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}
scientific_contributi on_cultivation.base. detect_contribution. inference	{"claim_id": "scientific_contribution_cultivation.base.detect_contribution. inference", "epistemic_status": "evidence_backed", "event_id": "scientific_ contribution_cultivation.base.detect_contribution.inference", "evidence_ids": ["evidence.2faa795ff1bb29"], "integrity_status": "integrity_valid", "obligatio n_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "detect_contribution produces ContributionCandidate: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}
scientific_contributi on_cultivation.base. assess_value.inference	{"claim_id": "scientific_contribution_cultivation.base.assess_value.inference", "epistemic_status": "evidence_backed", "event_id": "scientific_contribution_ cultivation.base.assess_value.inference", "evidence_ids": ["evidence.7e7302343d b763"], "integrity_status": "integrity_valid", "obligation_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "assess_value produces ContributionValueAssessment: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}

Semantic ID	Complete recorded detail
scientific_contribution_cultivation.base.audit_alignment.inference	{"claim_id": "scientific_contribution_cultivation.base.audit_alignment.inference", "epistemic_status": "quarantined", "event_id": "scientific_contribution_cultivation.base.audit_alignment.inference", "evidence_ids": ["evidence.2523197ca70408"], "integrity_status": "integrity_valid", "obligation_ids": ["obligation.c93c42a3bbc708"], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "audit_alignment rejects MainProblemAlignmentAudit: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.", "trace_incomplete": false, "workflow_disposition": "failed"}
scientific_contribution_cultivation.base.audit_enablement.inference	{"claim_id": "scientific_contribution_cultivation.base.audit_enablement.inference", "epistemic_status": "evidence_backed", "event_id": "scientific_contribution_cultivation.base.audit_enablement.inference", "evidence_ids": ["evidence.bbffda2c2d830a"], "integrity_status": "integrity_valid", "obligation_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "audit_enablement produces EnablementAudit: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}
scientific_contribution_cultivation.base.package_enablement.inference	{"claim_id": "scientific_contribution_cultivation.base.package_enablement.inference", "epistemic_status": "evidence_backed", "event_id": "scientific_contribution_cultivation.base.package_enablement.inference", "evidence_ids": ["evidence.aa033e3c6ef16c"], "integrity_status": "integrity_valid", "obligation_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "package_enablement produces EnablementHandoff: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}
scientific_contribution_cultivation.base.paper_handoff.inference	{"claim_id": "scientific_contribution_cultivation.base.paper_handoff.inference", "epistemic_status": "evidence_backed", "event_id": "scientific_contribution_cultivation.base.paper_handoff.inference", "evidence_ids": ["evidence.810cdce87803d5"], "integrity_status": "integrity_valid", "obligation_ids": [], "scope": {"after": "enablement handoff", "before": "result candidate", "model": "main-problem alignment", "regime": "result atlas"}, "text": "paper_handoff produces PaperArgumentHandoff: Classify the result as enabling rather than a main contribution.", "trace_incomplete": false, "workflow_disposition": "accepted"}

C Typed evidence ledger

Semantic ID	Complete recorded detail
evidence.e2317250be1238	{"artifact_type": "ResultAtlasSlice", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.maintain_atlas.inference", "evidence_id": "evidence.e2317250be1238", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}
evidence.d986086b27c4d4	{"artifact_type": "UpdatedResultAtlas", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.manage_subgoal.inference", "evidence_id": "evidence.d986086b27c4d4", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}
evidence.2faa795ff1bb29	{"artifact_type": "ContributionSubgoalPacket", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.detect_contribution.inference", "evidence_id": "evidence.2faa795ff1bb29", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}
evidence.7e7302343db763	{"artifact_type": "ContributionCandidate", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.assess_value.inference", "evidence_id": "evidence.7e7302343db763", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}

Semantic ID	Complete recorded detail
evidence.2523197ca70408	{"artifact_type": "ContributionValueAssessment", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.audit_alignment.inference", "evidence_id": "evidence.2523197ca70408", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "refutes"}
evidence.bbffda2c2d830a	{"artifact_type": "ContributionValueAssessment", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.audit_enablement.inference", "evidence_id": "evidence.bbffda2c2d830a", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}
evidence.aa033e3c6ef16c	{"artifact_type": "EnablementAudit", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.package_enablement.inference", "evidence_id": "evidence.aa033e3c6ef16c", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}
evidence.810cdce87803d5	{"artifact_type": "ContributionValueAssessment", "digest": "61c8ddbab2b6d4dded3cbe6cf9348c5fd6c658796985c80675774399043f4a90", "event_id": "scientific_contribution_cultivation.base.paper_handoff.inference", "evidence_id": "evidence.810cdce87803d5", "path": "tests/fixtures/reasoning_trace/evidence/workflow-evidence.json", "relation": "supports"}

D Decision and gate ledger

Semantic ID	Complete recorded detail
scientific_contribution_cultivation.base.maintain_atlas.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.maintain_atlas.control", "family": "authorization", "reason": "", "step_id": "maintain_atlas"}
scientific_contribution_cultivation.base.manage_subgoal.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.manage_subgoal.control", "family": "authorization", "reason": "", "step_id": "manage_subgoal"}
scientific_contribution_cultivation.base.detect_contribution.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.detect_contribution.control", "family": "authorization", "reason": "", "step_id": "detect_contribution"}
scientific_contribution_cultivation.base.assess_value.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.assess_value.control", "family": "authorization", "reason": "", "step_id": "assess_value"}
scientific_contribution_cultivation.base.audit_alignment.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.audit_alignment.control", "family": "authorization", "reason": "", "step_id": "audit_alignment"}
scientific_contribution_cultivation.base.audit_enablement.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.audit_enablement.control", "family": "authorization", "reason": "", "step_id": "audit_enablement"}
scientific_contribution_cultivation.base.package_enablement.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.package_enablement.control", "family": "authorization", "reason": "", "step_id": "package_enablement"}
scientific_contribution_cultivation.base.paper_handoff.control	{"disposition": "authorized", "event_id": "scientific_contribution_cultivation.base.paper_handoff.control", "family": "authorization", "reason": "", "step_id": "paper_handoff"}

E Artifact and receipt ledger

Semantic ID	Complete recorded detail
No artifact and receipt ledger recorded.	

F Specialized projection ledger

Semantic ID	Complete recorded detail
No specialized projection ledger recorded.	

G Causal and workflow graph ledger

Typed edge summary

precedes: 23, contains: 17, supports: 7, refutes: 1, produces: 1

Edge meanings are explicit: precedes is chronology; supports/refutes/constrains are epistemic relations; contains/produces/branches/joins/refines/validates/blocks/hands-off are workflow relations.

G.1 Nodes

Node	Type	Label	Status
scientific_contribution_cultivation.base.maintain_atlas.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.maintain_atlas.inference	event	maintain_atlas produces UpdatedResultAtlas: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.e2317250be1238	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.base.manage_subgoal.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.manage_subgoal.inference	event	manage_subgoal produces ContributionSubgoalPacket: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.d986086b27c4d4	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.base.detect_contribution.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.detect_contribution.inference	event	detect_contribution produces ContributionCandidate: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.2faa795ff1bb29	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.base.assess_value.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.assess_value.inference	event	assess_value produces ContributionValueAssessment: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.7e7302343db763	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.base.audit_alignment.control	event	authorization	Not recorded

Node	Type	Label	Status
scientific_contribution_cultivation.base.audit_alignment.inference	event	audit_alignment rejects MainProblemAlignmentAudit: Demote the novelty claim because the mechanism is known and only the downstream enablement is new.	Not recorded
evidence.2523197ca70408	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
obligation.c93c42a3bbc708	obligation	Prior work showing the same enablement removes the contribution claim.	Not recorded
scientific_contribution_cultivation.base.audit_enablement.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.audit_enablement.inference	event	audit_enablement produces EnablementAudit: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.bbffda2c2d830a	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.base.package_enablement.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.package_enablement.inference	event	package_enablement produces EnablementHandoff: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.aa033e3c6ef16c	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.base.paper_handoff.control	event	authorization	Not recorded
scientific_contribution_cultivation.base.paper_handoff.inference	event	paper_handoff produces PaperArgumentHandoff: Classify the result as enabling rather than a main contribution.	Not recorded
evidence.810cdce87803d5	evidence	tests/fixtures/reasoning_trace/evidence/workflow-evidence.json	Not recorded
scientific_contribution_cultivation.handoff	event	Typed handoff to manuscript_result_elaboration	Not recorded
step:maintain_atlas	step	maintain_atlas	observed
step:manage_subgoal	step	manage_subgoal	observed
step:detect_contribution	step	detect_contribution	observed
step:assess_value	step	assess_value	observed
step:audit_alignment	step	audit_alignment	observed
step:audit_enablement	step	audit_enablement	observed
step:package_enablement	step	package_enablement	observed
step:paper_handoff	step	paper_handoff	observed

G.2 Complete typed edge table

Source	Relation	Target	Adapter / detail
scientific_contribution_cultivation.base.maintain_atlas.control	precedes	scientific_contribution_cultivation.base.maintain_atlas.inference	None
evidence.e2317250be1238	supports	scientific_contribution_cultivation.base.maintain_atlas.inference	None
scientific_contribution_cultivation.base.maintain_atlas.inference	precedes	scientific_contribution_cultivation.base.manage_subgoal.control	None
scientific_contribution_cultivation.base.manage_subgoal.control	precedes	scientific_contribution_cultivation.base.manage_subgoal.inference	None
evidence.d986086b27c4d4	supports	scientific_contribution_cultivation.base.manage_subgoal.inference	None

Source	Relation	Target	Adapter / detail
scientific_contribution_cultivation.base.manage_subgoal.inference	precedes	scientific_contribution_cultivation.base.detect_contribution.control	None
scientific_contribution_cultivation.base.detect_contribution.control	precedes	scientific_contribution_cultivation.base.detect_contribution.inference	None
evidence.2faa795ff1bb29	supports	scientific_contribution_cultivation.base.detect_contribution.inference	None
scientific_contribution_cultivation.base.detect_contribution.inference	precedes	scientific_contribution_cultivation.base.assess_value.control	None
scientific_contribution_cultivation.base.assess_value.control	precedes	scientific_contribution_cultivation.base.assess_value.inference	None
evidence.7e7302343db763	supports	scientific_contribution_cultivation.base.assess_value.inference	None
scientific_contribution_cultivation.base.assess_value.inference	precedes	scientific_contribution_cultivation.base.audit_alignment.control	None
scientific_contribution_cultivation.base.audit_alignment.control	precedes	scientific_contribution_cultivation.base.audit_alignment.inference	None
evidence.2523197ca70408	refutes	scientific_contribution_cultivation.base.audit_alignment.inference	None
scientific_contribution_cultivation.base.audit_alignment.inference	produces	obligation.c93c42a3bbc708	None
scientific_contribution_cultivation.base.audit_alignment.inference	precedes	scientific_contribution_cultivation.base.audit_enablement.control	None
scientific_contribution_cultivation.base.audit_enablement.control	precedes	scientific_contribution_cultivation.base.audit_enablement.inference	None
evidence.bbffda2c2d830a	supports	scientific_contribution_cultivation.base.audit_enablement.inference	None
scientific_contribution_cultivation.base.audit_enablement.inference	precedes	scientific_contribution_cultivation.base.package_enablement.control	None
scientific_contribution_cultivation.base.package_enablement.control	precedes	scientific_contribution_cultivation.base.package_enablement.inference	None
evidence.aa033e3c6ef16c	supports	scientific_contribution_cultivation.base.package_enablement.inference	None
scientific_contribution_cultivation.base.package_enablement.inference	precedes	scientific_contribution_cultivation.base.paper_handoff.control	None
scientific_contribution_cultivation.base.paper_handoff.control	precedes	scientific_contribution_cultivation.base.paper_handoff.inference	None
evidence.810cdce87803d5	supports	scientific_contribution_cultivation.base.paper_handoff.inference	None
scientific_contribution_cultivation.base.paper_handoff.inference	precedes	scientific_contribution_cultivation.handoff	None
step:maintain_atlas	contains	scientific_contribution_cultivation.base.maintain_atlas.control	None

Source	Relation	Target	Adapter / detail
step:maintain_atlas	contains	scientific_contribution_cultivation.base.maintain_atlas.inference	None
step:manage_subgoal	contains	scientific_contribution_cultivation.base.manage_subgoal.control	None
step:manage_subgoal	contains	scientific_contribution_cultivation.base.manage_subgoal.inference	None
step:detect_contribution	contains	scientific_contribution_cultivation.base.detect_contribution.control	None
step:detect_contribution	contains	scientific_contribution_cultivation.base.detect_contribution.inference	None
step:assess_value	contains	scientific_contribution_cultivation.base.assess_value.control	None
step:assess_value	contains	scientific_contribution_cultivation.base.assess_value.inference	None
step:audit_alignment	contains	scientific_contribution_cultivation.base.audit_alignment.control	None
step:audit_alignment	contains	scientific_contribution_cultivation.base.audit_alignment.inference	None
step:audit_alignment	contains	scientific_contribution_cultivation.base.audit_alignment.inference	None
step:audit_enablement	contains	scientific_contribution_cultivation.base.audit_enablement.control	None
step:audit_enablement	contains	scientific_contribution_cultivation.base.audit_enablement.inference	None
step:package_enablement	contains	scientific_contribution_cultivation.base.package_enablement.control	None
step:package_enablement	contains	scientific_contribution_cultivation.base.package_enablement.inference	None
step:paper_handoff	contains	scientific_contribution_cultivation.base.paper_handoff.control	None
step:paper_handoff	contains	scientific_contribution_cultivation.base.paper_handoff.inference	None
step:maintain_atlas	precedes	step:manage_subgoal	None
step:manage_subgoal	precedes	step:detect_contribution	None
step:detect_contribution	precedes	step:assess_value	None
step:assess_value	precedes	step:audit_alignment	None
step:audit_alignment	precedes	step:audit_enablement	None
step:audit_enablement	precedes	step:package_enablement	None
step:package_enablement	precedes	step:paper_handoff	None

H Projection completeness and omission ledger

Packet field	Disposition	Destination	Reason
alternatives_and_failures	rendered	negative-path body	Not recorded

Packet field	Disposition	Destination	Reason
artifacts_and_receipts	summarized_with_complete_appendix	artifact appendix	Not recorded
authority_ledger	rendered	authority body and appendix	Not recorded
claims	summarized_with_complete_appendix	claim ledger appendix	Not recorded
coverage	rendered	validation dashboard	Not recorded
decisions_and_gates	summarized_with_complete_appendix	decision and gate appendix	Not recorded
declared_route	rendered	workflow route body	Not recorded
evidence	summarized_with_complete_appendix	evidence ledger appendix	Not recorded
graph	summarized_with_complete_appendix	graph summary and complete edge appendix	Not recorded
handoffs	rendered	handoff body	Not recorded
identity	rendered	cover identity	Not recorded
inferences	rendered	expert inference dossiers	Not recorded
lens	rendered	cover and print profile	Not recorded
obligations	rendered	obligation body and appendix	Not recorded
profile_topology	rendered	route topology body	Not recorded
schema_version	rendered	build provenance	Not recorded
scope_ledger	rendered	scope body and appendix	Not recorded
specialized_projections	summarized_with_complete_appendix	specialized projection appendix	Not recorded
timeline	summarized_with_complete_appendix	complete chronology appendix	Not recorded

I Build provenance

Source packet lens

{"accent": "#f2c94c", "focus_question": "What value, alignment, and enablement does the result actually support?", "labels": {"claims": "Contribution candidates", "failures": "Novelty and enablement demotions", "handoffs": "Enablement and paper handoffs"}, "lens_id": "scientific_contribution_cultivation", "mandatory_spine": ["maintain_atlas", "manage_subgoal", "detect_contribution", "assess_value", "audit_alignment", "audit_enablement"], "metrics": ["semantic_coverage", "evidence_resolution", "open_obligations", "trace_gaps"], "required_views": ["route", "inferences", "claims", "failures", "scope", "authority", "handoffs", "coverage"], "spine_label": "Result atlas to contribution handoff", "visible_name": "Scientific Contribution Cultivation"}

Packet SHA-256

8e246c2bca24ed676240dd8a7dd68bcf6656d0c7e3165012016224c929e5e163

Renderer version

1.0

Print inventory schema

1.0