IELTS ACADEMIC · STUDENT WORKSHEET

IELTS Academic Set 22

All sections

Name: _____ Date: _____

HOW TO USE THIS WORKSHEET

Work through each IELTS part in order. Reading passages stay with their questions; charts and diagrams appear next to their tasks. Open the live practice page for Listening audio and Speaking recordings.

Staff solutions and scripts are supplied separately.

Listening

Use the separately supplied audio. Write one response for each question.

IELTS Academic Listening Practice - Set 22

Original unofficial practice material aligned to the public IELTS Academic Listening format. It is not an official IELTS test.

You will hear four recordings. You will hear each recording once only. Answer Questions 1-40 as you listen. Enter or select each answer on screen. At the end, you will have 2 minutes to check your answers.

Spelling must be correct. Follow the word and number limit shown for each completion task.

Part 1 - Allotment plot enquiry

A resident speaks to an allotment coordinator.

Questions 1-6

Complete the form below. Write NO MORE THAN TWO WORDS AND/OR A NUMBER for each answer.

1. Preferred allotment site: _____

2. Preferred plot: a _____

3. Regular visit day: _____

4. Minimum membership period: _____

5. Large tool requested: _____

6. Induction date: _____

Questions 7-10

Answer the questions below. Write NO MORE THAN TWO WORDS for each answer.

7. Where should Isla meet the coordinator for the induction?

8. What must Isla bring to the induction?

9. What protective item will the allotment provide?


© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

10. Who handles last-minute access questions?

Part 2 - Rimu Downs Sky Night

An event leader explains operating rules and a rural observing-field route.

Rimu Downs Sky Night - observing field



Questions 11-14

Choose the correct answer, A, B or C.

11. What will happen if low cloud remains over the field at opening time?

- **A** The telescope demonstrations will move under shelter.
- **B** The welcome session beside check-in will last longer.
- **C** Visitors will begin at the northern stations.

12. How should visitors use their numbered rotation token?

- **A** Keep it until the whole event ends.
- **B** Return it after their timed telescope turn.
- **C** Show it only at the binocular station.

13. Why must visitors use red-filtered light on the route?

- **A** It protects observers' night vision.
- **B** It makes route arrows easier to photograph.
- **C** It allows staff to read token numbers.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

14. What is the main reason for relocating the smallest portable telescope?

- **A** To provide a stable station for a visitor using a mobility aid.
- **B** To place it closer to the wind sock.
- **C** To prevent damp grass from damaging its tripod.

Questions 15-20

Label the map below. Choose the correct letter, A-H, for Questions 15-20.

15. Equipment issue point

16. Red-light check

17. Wide-field binocular station

18. Telescope circle

19. Meteor-observation marker

20. Firm-surface viewing pad

Part 3 - Bakery production practical

Two bakery apprentices plan a timed practical.

Questions 21-25

Who will be responsible for each production step? Choose A, B or C for Questions 21-25. You may use any letter more than once.

A	Nora
B	Caleb
C	Nora and Caleb together

21. weigh the dry ingredients

22. check the allergen matrix

23. monitor the shared proofer

24. load products into the oven

25. record the cooling temperatures

Questions 26-30

Choose the correct answer, A, B or C.

26. Why do the apprentices decide to start the seeded loaves first?

- **A** Their ingredients are already measured.
- **B** They must be baked at the lowest temperature.
- **C** They need the longest proofing time.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

27. When will they mix the pastry filling?

A before any dough is mixed

B while the first loaves are proofing

C after the final oven load

28. What do they identify as the main limitation on the schedule?

A only one oven is available

B the proofer cannot hold trays

C the scales are unreliable

29. Why do they reject dividing the enriched dough by eye?

A It would make the dough cool too quickly.

B It would damage the yeast.

C It could produce loaves of uneven size.

30. What final quality priority do they agree on?

A producing the greatest number of items

B achieving an even bake

C using every available ingredient

Part 4 - Mycelium packaging composites

A lecturer explains a bio-based material and a teaching-scale process.

Questions 31-35

Complete the sentences below. Write ONE WORD ONLY for each answer.

31. The basic feedstock often includes agricultural _____.

32. The fine fungal threads are known as _____.

33. As the threads spread, they form a binding _____.

34. After forming, controlled _____ prevents continued fungal growth.

35. A thin _____ can protect the outer surface during brief liquid contact.

Questions 36-40

Complete the notes below. Write NO MORE THAN TWO WORDS for each answer.

36. Available plant matter → first _____ for the trial

37. Larger pieces → _____ for more consistent size

38. During incubation → growth and colonisation affected by _____

39. Colonised mixture → placed into _____ for shaping

40. After direct liquid exposure → measure _____

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com

Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Reading

Answer Questions 1-40. Follow the word limits shown.

Reading the hidden density of trees

A From ring width to density

For more than a century, researchers have compared the widths of annual tree rings. Wide rings often indicate favourable growth, while narrow ones may record drought, cold or competition. Width, however, is only one measurement. Wood formed early in a growing season has large, thin-walled cells, whereas late-season wood is commonly denser. A density profile can therefore reveal changes within a single year that a ruler cannot show. Modern laboratories increasingly combine traditional chronology with X-ray computed tomography, or CT, to measure these internal contrasts without cutting a core into many fragile slices.

B Taking a representative core

Fieldwork still begins with an increment borer, a hollow tool that removes a pencil-thin cylinder from the trunk. The operator normally samples at a standard height and records the direction of the core, because wood can differ around the same tree. A core that misses the centre is not automatically useless, but its curve may need geometric correction. The bore hole is left small, while the extracted core is placed in a labelled holder. Researchers also record tree species, diameter and local conditions so that later measurements are not separated from their ecological context.

C Drying and stabilising the sample

Fresh cores contain variable moisture, and water strongly affects X-ray attenuation. Comparing wet samples would make density differences difficult to interpret. The cores are therefore dried under controlled conditions until their mass becomes stable. They are then fixed in straight supports so that movement during scanning does not blur the image. This preparation may look routine, yet it creates a common baseline. If one sample retains more moisture or bends inside the scanner, the resulting profile can resemble a genuine biological change even though it was produced by handling.

D Calibrating the scanner

A CT scanner does not directly print wood density in familiar units. It records how strongly many narrow X-ray beams are weakened as they pass through the sample. Before a batch is analysed, reference materials of known density are scanned with the cores. Their values form a calibration curve that converts image intensity into estimated physical density. Laboratories repeat this step because settings and equipment can drift. Calibration is also why results from two institutions cannot be compared safely merely because both used CT: their reference standards and reconstruction choices must also be compatible.

E Building a three-dimensional image

During scanning, the core rotates while the instrument records projections from numerous angles. Software reconstructs these into a stack of cross-sectional images. The stack allows analysts to see cracks, resin pockets and regions where the borer compressed soft tissue. Such defects can be marked before a density line is extracted. The three-dimensional view is especially valuable when a ring boundary curves away from the intended measuring path. Instead of accepting a misleading straight line, the analyst can adjust the path so that it follows the actual growth layers.

F Locating annual boundaries

Density values rise and fall along the corrected path, but the computer does not always know where one year ends. In species with a sharp transition, an automated detector may identify the dense latewood peak and the following low-density earlywood. Frost damage, missing rings and gradual boundaries can defeat that rule. Analysts therefore compare the density curve with the visible image and, where possible, with dated patterns from neighbouring trees. This cross-dating step assigns calendar years and prevents a local anomaly from shifting every later measurement by one year.

G Interpreting the archive

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Once the sequence is dated, scientists can calculate annual maximum density, minimum density and other features. The values may be related to temperature, rainfall or disturbance, but association is not simple proof. Tree age, competition and species-specific growth can produce similar signals. Large studies therefore combine many trees and retain metadata about sampling and processing. CT expands what can be recovered from a small core and preserves a digital record for reanalysis; it does not remove the need for careful field design, calibration or cautious ecological reasoning. Archived scans also let a later team test a new measurement rule without borrowing or rescanning the physical core. Even then, researchers must preserve the original image settings and calibration record. Otherwise, a refined algorithm may create a more detailed result whose relationship to real density is uncertain.

1. Which section describes preventing moisture from distorting later comparisons?

- **A** From ring width to density
- **B** Taking a representative core
- **C** Drying and stabilising the sample
- **D** Calibrating the scanner
- **E** Building a three-dimensional image
- **F** Locating annual boundaries
- **G** Interpreting the archive

2. Which section explains why ring width does not show every change within a year?

3. Which section describes checking automatic boundaries against neighbouring trees?

4. Which section explains converting scanner intensity into physical estimates?

5. Which section warns that environmental association is not proof of cause?

6. Which section explains why sampling direction is recorded?

7. Which section describes correcting the measuring route through curved rings?

8. What hollow field tool removes the tree sample?

9. Under what conditions are cores dried?

10. What known-density items create the calibration curve?

11. What process assigns calendar years by comparison with other trees?

12. What visible defect consists of a split in the wood?

13. What information is retained to support cautious interpretation?

Designing quiet areas in noisy cities

A Quiet is not silence

Urban authorities once treated noise mainly as a number to be reduced. Decibel limits remain useful for controlling harmful exposure, but soundscape researchers ask a different question: how do people experience an acoustic setting? A small garden beside a busy road may not be silent, yet visitors can describe it as restorative when leaves, water and distant human activity form a coherent background. A technically quieter underpass may feel unpleasant if its sounds are unpredictable or signal danger. The distinction shifts attention from sound level alone to meaning, expectation and perceived control.

B Finding candidate areas

A first survey often combines noise maps with local knowledge. Maps identify places with comparatively low average exposure, while residents point to courtyards, paths and watersides that formal monitoring has overlooked. Researchers then visit at different times. A space that is calm on a Sunday morning may be dominated by deliveries on weekdays. Short

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

measurements are useful, but repeated observation prevents a temporary lull from being mistaken for a stable quiet area. Access, opening hours and nearby land use are recorded alongside sound levels.

C Listening walks

Teams frequently use guided listening walks. Participants stop at predetermined points, note the sounds they can distinguish and rate qualities such as calmness, vibrancy and safety. The method captures changes along a route rather than reducing a district to one monitor. It also reveals differences among users: birdsong may be welcome to one person but masked by traffic for another. Because a facilitator can influence attention, instructions are kept neutral and the order of stops may be varied between groups.

D What measurements add

Physical measurements still matter. Equivalent continuous sound level summarises energy over time, while peak readings capture brief events. Spectral data show whether energy is concentrated in low-frequency traffic rumble or higher-frequency voices and birds. Researchers can also calculate how often a particular source is audible. None of these indicators independently proves restoration. Their value lies in explaining why ratings differ and in allowing planners to test whether an intervention changed the acoustic environment rather than merely its appearance.

E The role of sight and use

Sound is interpreted with other senses. Dense planting may hide a road and reduce visual reminders of traffic even when the measured level changes little. Seating that faces water can focus attention on splashing and conversation. At the same time, a beautiful space that feels unsafe or excludes some users will not function as a refuge. Good assessments therefore record visibility, maintenance, crowding and the activities a place supports. Acoustic quality is one component of a broader experience, not an isolated property of air pressure.

F Testing restoration

To investigate restorative effects, studies may ask participants about stress or mood before and after a visit. Some also use simple attention tasks or physiological measures. Results must be interpreted carefully: people choose where to visit, and those already in a better mood may stay longer. Weather, companionship and expectations also influence responses. Randomised laboratory playback can control more variables, but headphones cannot reproduce every visual and social feature of a real park. Field and laboratory methods answer complementary questions.

G Planning a network

A single flagship park cannot provide everyday relief for an entire city. Planners increasingly consider a network of small, reachable quiet areas linked to walking routes and public transport. Protecting an existing courtyard can be cheaper than constructing a new acoustic barrier. Interventions may include rerouting service vehicles, limiting particular activities at certain times, adding water features or designing planted edges. The aim is not to ban lively sound everywhere; cities need active places as well as calmer alternatives.

H Limits and accountability

Definitions should remain transparent. If an authority labels a site quiet solely because its average level falls below a threshold, it may ignore users who find the route inaccessible or threatening. Conversely, satisfaction surveys alone can overlook damaging exposure. A defensible programme publishes both acoustic and experiential criteria, reports when measurements were taken and repeats assessment after changes. There is no universal sound that guarantees wellbeing. The strongest evidence comes from converging measures and from acknowledging whose experience is missing.
Long-term stewardship is equally important. A water feature that stops working or planting that blocks sight lines can reverse the qualities recorded in an opening-day survey. Authorities should assign responsibility for maintenance and provide a way for users to report changes. Seasonal audits can then distinguish temporary disturbance from a persistent decline. They also show whether an intervention displaced noise to a neighbouring street. In this sense, a quiet-area label is not a permanent award but a commitment to continued measurement, public access and responsive management.

14. Complete the summary: Noise maps are combined with 14 _____ to find overlooked sites.

15. Complete the summary: 15 _____ prevents a temporary lull being treated as permanent.

16. Complete the summary: Listening-walk instructions should remain 16 _____.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

17. Complete the summary: 17 _____ identifies where sound energy is concentrated.

18. Complete the summary: Planting may reduce 18 _____ of traffic even with little level change.

19. Complete the summary: Some restoration studies add 19 _____, which record bodily responses, alongside reports of mood.

20. Complete the summary: Small quiet areas can be connected by 20 _____ and public transport.

21. A place can be experienced as restorative even when it is not silent.

22. Noise maps alone are sufficient for identifying stable quiet areas.

23. All listening-walk studies use exactly the same number of stops.

24. Visual conditions can affect the way an acoustic setting is interpreted.

25. Laboratory playback reproduces every feature of a real park.

26. The author states that water sounds are preferred by most city residents.

Can digital exchanges make construction circular?

A The timing problem

Construction produces large quantities of material that could, in principle, be used again. A steel beam, raised floor panel or batch of bricks may retain considerable value. Yet demolition contractors often discover what is available only days before a site must be cleared. Potential buyers need time to check dimensions, performance and delivery. When information appears late, disposal remains the predictable option. Digital exchanges attempt to move discovery earlier by turning planned removals into searchable inventories.

B More than a noticeboard

A basic listing platform reduces search costs: sellers describe material and buyers filter by location, quantity and date. But a photograph and a short label rarely support a professional purchasing decision. Designers need dimensions and technical history; contractors need confidence that the lot will be available when promised. Effective exchanges therefore structure the description, require consistent units and retain documents. The platform becomes a coordination service rather than a collection of advertisements.

C Survey before demolition

The inventory is most useful when it begins with a pre-demolition audit. Surveyors identify components, estimate quantities and note how they are fixed. Items that appear reusable may be inaccessible without damaging removal, and hazardous coatings can rule out recovery. Early auditing lets a project team alter the dismantling sequence and invite buyers before machinery arrives. It also changes the status of salvage: recovery becomes a planned work package instead of an improvised request at the end.

D Verification and trust

Uncertainty is costly. A buyer may save on the purchase price but face a larger loss if a component fails inspection after delivery. Exchanges respond with graded descriptions, photographs tied to item records and, for some products, independent testing. Not every brick requires a laboratory certificate, and excessive testing can eliminate the financial advantage of reuse. The appropriate evidence depends on the component's structural role and the consequences of failure. Clear liability rules matter as much as technical data.

E Matching calendars

Supply and demand must overlap in time. A school renovation may need doors in March while suitable doors leave an office in January. If storage is available, the match can survive the gap; if not, the exchange has merely documented a missed opportunity. Some operators therefore add consolidation yards or partner with logistics firms. Storage charges, double handling and weather protection then become part of the calculation. A platform that ignores calendars may report many matches that never become transactions.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

F Distance and carbon

Reuse is not automatically the lowest-impact choice. Heavy, low-value material transported across a country may consume more fuel than a nearby new product, especially if it travels through several depots. Digital systems can estimate distance and vehicle utilisation before recommending a match. These estimates should be treated as decision support, not as exact carbon accounts, because back-haul availability and cleaning requirements vary. Local demand is particularly important for bulky items such as masonry.

G Creating demand

Improved supply information does little if specifications insist on new products. Public clients can create demand by allowing equivalent reused components and by setting proportionate reuse targets. Designers can also work with flexible dimensions rather than selecting a component before checking availability. However, rigid quotas may encourage token purchases or unnecessary transport. The better policy rewards verified outcomes while allowing a project to explain why a particular recovered item was unsuitable.

H Who carries the risk?

Marketplaces often describe themselves as neutral intermediaries, but participants still need to know who is responsible for accuracy, removal and damage in transit. Standard contracts can allocate these duties and state when ownership changes hands. Rating systems may reveal unreliable sellers, although new or small suppliers can be disadvantaged by having no history. Insurance products are emerging, but they depend on reliable records. Trust is produced by a chain of institutions, not by software alone.

I A coordinated market

The strongest exchanges connect audits, design tools, procurement calendars, transport and verification. Their success should be measured in completed reuse, not in page views or theoretical tonnes listed. Policymakers can support common data standards and temporary storage while monitoring whether benefits reach smaller firms. The central lesson is that information solves only one part of the problem. Circular construction requires timing, evidence, logistics and demand to be aligned; otherwise a sophisticated platform simply records material on its way to disposal. Measurement itself can change behaviour. If a marketplace counts every listing as diverted waste, participants receive credit even when the material is later discarded. Transaction records should therefore follow an item through collection, inspection and installation. Such tracking can reveal where proposed matches fail and which services deserve investment. It may show, for example, that buyers routinely withdraw after transport estimates or that small suppliers struggle with documentation. Yet detailed tracking raises questions about commercial confidentiality and administrative cost. A proportionate system can publish aggregate outcomes while restricting sensitive project data. Independent audits of a sample of transactions may provide more credible evidence than demanding exhaustive reports from every user. The purpose of evaluation is not merely to celebrate volume; it is to learn whether the exchange changes procurement practice, reduces disposal and builds a durable market for recovered components.

27. A searchable inventory 27 _____.

A allows recovery to be scheduled as part of the project

B can preserve a match when project dates do not coincide

C may remove the economic benefit of reuse

D should be evaluated by completed reuse rather than online activity

E helps professionals locate possible supply

F can make reuse less beneficial than a nearby new product

G depends on the consequences if the component fails

H guarantees that every listing becomes a transaction

I can stimulate demand without imposing an inflexible quota

J places all legal responsibility on the platform

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

28. An early pre-demolition audit 28 _____.

29. The evidence required for an item 29 _____.

30. Temporary storage 30 _____.

31. Long-distance transport 31 _____.

32. Outcome-based public procurement 32 _____.

33. A successful exchange 33 _____.

34. The writer believes late information is a major barrier to material reuse.

35. The writer believes every component needs laboratory certification.

36. The writer claims consolidation yards are normally owned by local government.

37. The writer believes platform recommendations should account for transport distance.

38. The writer supports rigid reuse quotas in all public projects.

39. The writer argues that reliable reuse markets require institutions as well as software.

40. The writer predicts insurance will replace standard contracts.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Writing

IELTS Academic Writing Practice Set 22

Writing Task 1

The table below shows the weekly outcomes for four types of household appliance handled by a municipal repair programme. Summarise the information by selecting and reporting the main features, and make comparisons where relevant.

Weekly outcomes in a municipal appliance repair programme

Unit: appliances per week; percentages are within each appliance row

Appliance	Repaired immediatelycount (row %	Workshop / partscount (row	Not repairedcount (row %	Total
Kettles	30 (75%)	6 (15%)	4 (10%)	40
Vacuum cleaners	28 (56%)	16 (32%)	6 (12%)	50
Toasters	26 (65%)	8 (20%)	6 (15%)	40
Washing machines	18 (36%)	24 (48%)	8 (16%)	50

Source: WeLearn Original Practice — self-authored synthetic data.

WeLearn Original Practice

Writing Task 2

Some people believe that the public should have a protected right to walk along coastlines even where the adjoining land is privately owned. Others believe that landowners should be able to restrict access. Discuss both views and give your own opinion.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Speaking

IELTS Speaking Practice Set 22

Part 1

Morning light

- Do you like having natural light in the morning?
- How much morning light do you usually get where you live?
- Has your preference for bright mornings changed?
- Does morning light affect your daily routine?

Keeping lists

- When do you usually make lists?
- Do you prefer paper lists or digital ones?
- Are you good at remembering things without a list?
- Do you think you will use lists more in the future?

Small celebrations

- What small occasions do people celebrate where you live?
- Who do you usually celebrate small achievements with?
- Do you prefer simple or elaborate celebrations?
- Tell me about a small celebration you remember well.

Part 2

Cue card

Describe a public building that makes different people feel welcome.

- what the building is and where it is
- what design features or services are useful
- who uses the building
- and explain why it feels welcoming
- How often do you go there?
- Would you change anything about the building?

Part 3

Inclusive civic buildings

- What physical features make a public building accessible?
- How can staff and information make a building more welcoming?
- Is universal design always better than services aimed at particular groups?
- Why are some older public buildings difficult to adapt?

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

- Who should pay for accessibility improvements?
- How can maintenance budgets affect inclusion?
- Should citizens be involved in planning civic buildings?
- How might public buildings change in the future?

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Objective answer sheets

Listening

1		21	
2		22	
3		23	
4		24	
5		25	
6		26	
7		27	
8		28	
9		29	
10		30	
11		31	
12		32	
13		33	
14		34	
15		35	
16		36	
17		37	
18		38	
19		39	
20		40	

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Reading

1		21	
2		22	
3		23	
4		24	
5		25	
6		26	
7		27	
8		28	
9		29	
10		30	
11		31	
12		32	
13		33	
14		34	
15		35	
16		36	
17		37	
18		38	
19		39	
20		40	

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Writing response paper

Task 1 - response page 1 of 2

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 1 - response page 2 of 2

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 1 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 2 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 3 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Speaking notes

Use notes only for the permitted preparation time.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.