IELTS ACADEMIC · STUDENT WORKSHEET

IELTS Academic Set 30

All sections

Name: _____ Date: _____

HOW TO USE THIS WORKSHEET

Work through each IELTS part in order. Reading passages stay with their questions; charts and diagrams appear next to their tasks. Open the live practice page for Listening audio and Speaking recordings.

Staff solutions and scripts are supplied separately.

Listening

Use the separately supplied audio. Write one response for each question.

You will hear four recordings. You will hear each recording once only.

Answer all questions and follow the word limit printed above each group.

A separate two-minute computer answer-check period follows the recording.

Part 1

Questions 1-6

Complete the inspection booking notes. Write NO MORE THAN TWO WORDS AND/OR A NUMBER for each answer.

1. Appliance: freestanding _____

2. Suburb: _____

3. Main fuel: dry _____

4. Roof access hatch: _____

5. Inspection date: _____

6. Report delivery: _____

Questions 7-10

Choose the correct letter, A, B or C.

7. When will an inspection camera be used?

A during every standard visit

B when the first check suggests a problem

C only if the homeowner books it in advance

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

8. Why is the inspection booked for the morning?

A The appliance must be cold.

B The roof light is better then.

C The visit takes longer before midday.

9. Which report has Mireille booked?

A a brief condition note

B a certificate with measurements and photographs

C a report intended only for landlords

10. What should Mireille do before the inspector arrives?


A move the wood burner

B open the roof from outside

C clear the hall cupboard

Part 2

Candidate map / plan



Questions 11-15

Label the plan. Choose the correct letter, A-H.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

11. Where is the clay store?

- **A** Location A
- **B** Location B
- **C** Location C
- **D** Location D
- **E** Location E
- **F** Location F
- **G** Location G
- **H** Location H

12. Where are the pottery wheels?

13. Where is the glaze bench?

14. Where is the kiln room?

15. Where are the drying racks?

Questions 16-20

Choose the correct rule, A-F, for each facility.

16. Which rule applies to the clay reclaim area?

- **A** Only trained staff may enter.
- **B** Keep scrap material damp.
- **C** Add the owner's name and date.
- **D** Use the floor pedal only while seated.
- **E** Do not bring food or drink.
- **F** Sign out measuring tools.

17. Which rule applies to the glaze bench?

18. Which rule applies to the kiln room?

19. Which rule applies to the pottery wheels?

20. Which rule applies to the drying racks?

Part 3

Questions 21-25

Choose the correct letter, A, B or C.

21. Why do the students decide to use simulation actors?

- **A** to reduce the cost of recruitment
- **B** to keep the case consistent
- **C** to make consultations more emotional

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

22. What will be the main outcome measure?

A recall of warning signs and follow-up action

B student confidence after the consultation

C the actor's satisfaction rating

23. How will participants be allocated to conditions?

A according to the time of day

B by their level of placement experience

C randomly within each session

24. Why will the consultations be audio-recorded?

A to create teaching presentations

B to check agreement between coders

C to assess students' eye contact

25. What main change will be made after the pilot?

A Actors will speak faster.

B The fictional case will be shorter.

C More medicines will be included.

Questions 26-30

Complete the sentences. Write NO MORE THAN TWO WORDS for each answer.

26. Actor prompt: describe your _____.

27. The rubric will include a category for _____.

28. Delayed recall will be tested after _____.

29. The coding-sheet category hidden from the assessor is labelled _____.

30. Participants will be _____.

Part 4

Questions 31-36

Complete the lecture notes. Write NO MORE THAN TWO WORDS AND/OR A NUMBER for each answer.

31. The organism's _____ may remain after soft tissue decays.

32. Species distributions are related to _____.

33. Testate-amoeba samples were taken every _____.

34. The target minimum is _____ tests per sample.

35. A _____ calibration links assemblages with measured conditions.

36. The transfer function estimates past _____.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Questions 37-40

Choose the correct interpretation, A-E, for each proxy.

37. What is the principal use of the testate-amoeba assemblage?

A peat composition, decomposition and restoration

B water-table reconstruction

C an exact age without dating

D continuous one-centimetre sampling

E vegetation change

38. What does the pollen record directly identify?

39. What feature is associated with the plant-macrofossil record?

40. What is the stated use of the lipid-biomarker evidence?

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Reading

Read the three passages and answer Questions 1-40. You have 60 minutes, including checking time.

Original unofficial IELTS Academic practice material aligned to the public format; it is not an official IELTS test.

Fresh Water Under Glass

A Solar desalination can turn saline water into a freshwater supply by using heat from the sun. In this experiment, brine occupied a shallow basin sealed by a sloping transparent cover. Sunlight warmed the liquid; the vapour condensed against the glass and ran into a collector, where researchers measured it as distilled water. Two comparable ponds were operated side by side: one retained the standard metal base, while the other carried a nano-ferric-oxide layer, identified as Fe2O3. This paired design isolated the effect of the altered absorber on temperature, evaporation and output. For calculation, each basin was treated as a shallow body whose temperature could be represented by one spatial average.

B The paired installations had identical geometry. Each offered an active surface area of 1 m2 and held brine 30 cm deep. Both stood on metal supports tilted at 36 degrees, the latitude selected for the Tehran site, to improve exposure to the sun. Insulated wooden structures surrounded the basins, and glass sheets covered them. Synthetic seawater prepared from Persian Gulf salt supplied the liquid in both systems. The reference pond retained an ordinary steel base. In the enhanced pond, the investigators added Fe2O3 at the base so that the two designs differed in the feature being tested. Running the ponds together reduced the chance that different weather conditions would be mistaken for an effect of the coating.

C The cross-section shows how the apparatus was built. A glass cover formed the upper sloping surface above the brine. Beneath the liquid lay a galvanised steel base, two millimetres thick. The enhanced version placed an absorber coating of Fe2O3 directly on this metal, with a reported thickness of about 0.8 to 1.0 millimetres. Expanded polystyrene, or EPS insulation, was fitted below the base and along the side walls to restrict heat loss. Seasoned wooden panels formed the outer frame. These construction layers served different functions: the steel provided the basin surface, the coating altered absorption and conduction, and the insulation reduced downward and sideways losses. The reference unit used the same general construction but omitted the nano-ferric-oxide enhancement.

D The water conditions also had to remain comparable. A calibrated salinity meter established the salinity before every run, and both ponds began at the same concentration. Evaporation gradually raised that value during daylight. Once a cycle ended, the researchers emptied each basin and refilled it with seawater restored to the agreed starting concentration. That reset stopped one day's salt build-up from carrying forward into later test cycles and helped isolate the coating as the likely cause of any performance gap. The operating routine was shared: both ponds were cleaned, filled to the specified depth and exposed between sunrise and sunset. Researchers repeated each condition three times in similar weather under comparable conditions, then reported averages rather than a single day's measurements.

E Several instruments tracked the experiment. K-type thermocouples measured temperatures in the brine, the glass and the surrounding air. A pyranometer recorded global solar irradiance, while an anemometer measured wind speed. Researchers quantified the distilled water with a graduated glass jar. The instruments were calibrated before use, and digital loggers recorded measurements during daylight hours. The two ponds were operated concurrently, so ambient temperature, wind and incoming solar energy could be compared against the thermal response of each design. This matters because an outdoor desalination device does not receive constant energy. Cloud, changing air temperature and wind can all affect the transfer of heat and the rate at which water evaporates. Replication and calibration therefore supported the comparison; neither removed natural variation from the experiment.

F The enhanced pond warmed more quickly in the reported tests. Its brine reached 74 degrees Celsius, compared with 68 degrees in the conventional unit, and its maximum daily freshwater productivity was 6.5 rather than 5.1 litres per square metre. The researchers linked the difference to stronger solar absorption and heat conduction at the coated base. Their mathematical model followed the measured trends closely, but its assumptions also set limits. It treated hourly conditions as quasi-steady and represented brine temperature as a spatial average, even though local variation could occur. The study examined one coating configuration, one brine depth and one location; it did not establish long-term durability, fouling or salt deposition. The results therefore support the tested comparison, not every possible climate, geometry or operating period.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Questions 1-6

Label the diagram below. Choose NO MORE THAN TWO WORDS AND/OR A NUMBER from the passage for each answer.

1.

2.

3.

4.

5.

6.

Questions 7-13

Answer the questions below. Choose NO MORE THAN TWO WORDS AND/OR A NUMBER from the passage for each answer.

7. What was the active surface area of each pond?

8. How deep was the brine in each pond?

9. At what angle were the supporting frames tilted?

10. Which instrument recorded global solar irradiance?

11. Which instruments measured the three temperatures?

12. What liquid output was measured with a graduated glass jar?

13. Which instrument measured wind speed?

When a Ball Told the Time

A For a navigator, knowing local noon was not enough. A ship's longitude depended on comparing local astronomical time with the time kept for a reference meridian. Marine chronometers made that comparison portable, but their rate had to be checked before a voyage. In a busy harbour, taking every instrument to an observatory was inconvenient. The time ball offered a public visual signal instead. Mounted where it could be seen from ships, the large ball fell at a precisely determined moment, allowing many officers to observe the same event and compare their chronometers without leaving the vessel. Before sailing, even a small error could grow into a serious positional mistake. Because the ball could be seen simultaneously by many users, it reduced dependence on a private spoken message.

B The Greenwich time ball began operating in 1833 above the Royal Observatory. Its movement followed a staged daily sequence that warned viewers before the signal. At 12.55 p.m. the ball rose halfway up its mast; at 12.58 it reached the top. At exactly 1 p.m. it began to fall. The valid instant was the first visible downward movement, not the moment when the ball reached the bottom. A navigator watching from the Thames could use that instant to check a marine chronometer. The stages mattered because a person looking towards the Observatory needed time to prepare for a brief event. The signal did not require every observer to stand beside the clock that supplied the reference. Instead, one conspicuous object made the Observatory's time visible to many distant users at once.

C Visibility was therefore a practical condition of the service. The museum's account notes that a person looking the wrong way had to wait until the following day. It also states that the ball did not operate when the weather was too windy. These limits qualify the apparent simplicity of a falling sphere. The published routine could specify when the signal should occur, but it could not make every potential viewer attend to it or make operation safe in all weather. The device was public because anyone in sight could use it, not because receipt was guaranteed. Its height above Flamsteed House widened the audience, while the brief fall still demanded attention at the appointed moment. The system combined a stable schedule, advance warning and direct observation rather than providing a continuous display.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

D A single Greenwich drop addressed two audiences. Ships used it to compare marine chronometers, while people in London could treat it as a public indication of time. Those uses were related but not identical. A navigator was checking an instrument that would carry the reference away; an observer on land was seeing the standard announced. The ball therefore converted specialist astronomical work into a shared event without requiring every user to enter the observatory. Its position above the building mattered because visibility was part of the service. Yet visibility did not mean that the ball created time by itself. The useful information originated in observatory measurement, and the large moving object displayed that result. Its public character came from allowing separate observers to refer to one calibrated instant.

E Electric signalling changed how observatory time could be distributed. Instead of depending on a distant view of the ball, a timed electrical pulse could carry the standard through a wire to another instrument or location. The measurement and its reception were separated: Greenwich supplied the reference, while equipment elsewhere converted the pulse into a usable indication. This arrangement extended the observatory's reach without making the visible ball identical to the electrical signal. One was a public display that required a clear line of sight; the other was a transmitted instruction moving along a connection. Both nevertheless depended on the same promise that the originating time was accurate. The important innovation was therefore not simply speed. It was the ability to coordinate users who could not all watch the same object.

F Seen in a museum, the time ball represents more than an old clock. Its history joins instruments used to determine time, devices built to keep or carry it, and signals intended to communicate it. That setting changes the question visitors can ask. The object is not valuable only because a sphere once moved at a fixed moment; it reveals how astronomical knowledge became useful to navigation and public timekeeping. The surviving ball can be read as evidence of a system linking measurement, trust, observation and action. Modern viewers possess more immediate displays, so the historical object no longer has to be their primary reference. Its present value is explanatory: it makes visible the chain between an observatory standard and the many people who relied on an agreed time.

Questions 14-19

Choose the correct heading for each paragraph, A-F, from the list of headings below. There are more headings than paragraphs, so you will not use them all.

i	A preserved object reveals a connected system
ii	Practical limits of a brief visual service
iii	A navigational problem solved in public
iv	Electrical transmission extends the observatory's reach
v	A public signal for two different audiences
vi	Advance stages define the exact signal
vii	The commercial manufacture of marine chronometers
viii	A signal generated independently by ships at sea
ix	Why public observation always guaranteed perfect accuracy

14. Paragraph A

15. Paragraph B

16. Paragraph C

17. Paragraph D

18. Paragraph E

19. Paragraph F

Questions 20-26

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Do the following statements agree with the information given in Passage 2? Write TRUE if the statement agrees, FALSE if it contradicts the passage, or NOT GIVEN if there is no information on this.

20. Longitude calculations required a comparison between local time and a reference time.

21. At Greenwich, observers recorded the beginning of the ball's fall as the exact signal.

22. The Greenwich apparatus used a larger ball than every later installation.

23. The same Greenwich signal could be useful to both ships and people on land.

24. An electrical pulse could carry observatory time to a place from which the ball could not be seen.

25. The electrical pulse and the visible drop required users to receive the information in exactly the same way.

26. The museum collection identifies which timekeeping instrument was the most expensive to construct.

Reading a Hospital Queue from Imperfect Records

A Electronic medical records can shorten outpatient service by removing manual chart delivery. A study of three Korean public hospitals examined this possibility by comparing waiting times before and after system introduction. The researchers used queueing theory to turn records of arrivals and completed consultations into estimates of waiting. The task was not merely computational. Hospital databases had been created for administration, so recorded times did not always correspond neatly to events required by a queueing model. The study therefore combined digital logs with direct observation and rules for interpreting measurements. It aimed to compare the two periods, not to describe every part of hospital care.

B The selected model was M/M/1. Its two M symbols represent exponential assumptions for interarrival and service times, while the final 1 indicates a single server. The model uses an arrival rate, written lambda, and a service rate, written mu. From these parameters it estimates the average number of patients waiting, the average number in the whole system, the average queueing time and the average total time in the system. These measures link demand and capacity within the assumptions. The study used them for a narrow purpose: comparing outpatient consultation waiting before and after electronic records were introduced, rather than representing every hospital activity.

C Digital timestamps presented an obstacle. Nurses sometimes entered several bookings together after consultations, so a reception time could differ from the patient's arrival. Doctors could also enter prescriptions after payment or without a matching booking. Simply deleting every distorted record would reduce consultation counts and could underestimate waiting and queue size. Grouped reception entries, however, need not change the average interarrival time: one artificially short interval is balanced by a longer one. The researchers therefore derived arrival rate from reception times across the period rather than treating every timestamp as exact. Patient names and gender were masked; reception and prescription logs were recorded to the second.

D Lunch created another distortion. Consultations ran from nine until five, but the hour from 12.30 to 1.30 was excluded and few receptions occurred then. Treating the full eight-hour span as continuous activity would inflate average interarrival time and depress arrival rate. The researchers separated morning data from afternoon data before calculating the intervals, then checked the result against average arrivals in those periods. This adjustment illustrates the study's central caution: a database field becomes useful evidence only after its relationship to real workflow is understood. A correct calculation can still answer the wrong question when inactive time is counted as operating time.

E Estimating service rate required a proxy because databases lacked explicit consultation start and finish fields. Prescription entry was treated as the consultation's end. When a doctor saw patients consecutively, the previous prescription time could represent the next patient's start, making the interval between entries an estimate of service time. That logic failed when patients were not consecutive. Observers therefore recorded when patients entered and left the doctor's room. Their sample was too small to supply the rate alone, so it played a supporting role: the maximum observed consultation became a threshold for removing implausibly long digital intervals. The remaining times were averaged to calculate service rate.

F Estimates showed shorter waits after electronic records were introduced in all three hospitals. Average queueing time in Hospital A fell from 221.75 to 49.33 seconds; Hospital B from 94.23 to 50.87; and Hospital C from 177.64 to 98.49. Across all three, the average changed from 150.62 to 60.34 seconds, a reduction of 59.94 per cent. Observation data also showed decreases and checked the direction of the digital result. These figures describe these hospitals; they do not establish that

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

every installation will produce the same reduction. The model quantified a before-and-after association where manual chart handling had occupied much of the delay.

G The authors identified reasons for caution. The hospitals had relatively small outpatient numbers, so substantial queues were uncommon. Removing manual chart management could therefore account for a large share of the improvement. Only six before-and-after datasets from three institutions were available for testing service rates, and more would be needed for strong generalisation. Hospital size might also alter the result. Large hospitals commonly use appointments, and chart delivery may represent a smaller fraction of waiting; an electronic system could then produce a smaller reduction. These limits narrow the claim to the studied organisations, workflow and period. Extending it requires more data, not automatic transfer of the percentages.

H The contribution is methodological. Observation can capture real consultation events, but collecting it is time-consuming and may cover too few cases. Digital records offer greater volume, yet timestamps can mislead when staff enter information in batches or workflow includes inactive periods. By combining a queueing model, interpreted logs and limited observation, the researchers sought to reduce both problems. Their conclusion was not that M/M/1 completely portrays hospital care. Rather, arrival and service rates extracted with attention to local procedures can support comparisons of waiting times and help identify bottlenecks. The example shows why a model's inputs, assumptions and scope matter as much as its calculation.

Questions 27-31

Do the following statements agree with the views of the writer in Passage 3? Write YES if the statement agrees, NO if it contradicts the writer, or NOT GIVEN if it is impossible to say what the writer thinks about this.

27. The M/M/1 analysis used exponential assumptions for both interarrival and service times.

28. Deleting every suspect timestamp would leave estimates of queue size unaffected.

29. The three hospitals used identical database software.

30. Estimated average waiting time decreased in each of the three hospitals.

31. More data would be needed before the findings could be generalised strongly.

Questions 32-35

Choose the correct letter, A, B, C or D.

32. Why did the researchers separate morning and afternoon arrival data?

- **A** to conceal the number of patients arriving late
- **B** to prevent the lunch gap from distorting the arrival rate
- **C** to create a separate queue for booked patients
- **D** to compare doctors working different shifts

33. How were the direct observations used in estimating service rate?

- **A** They supplied every consultation time used in the model.
- **B** They replaced prescription data for one hospital only.
- **C** They identified a threshold for excluding implausibly long intervals.
- **D** They established the exact start time of every appointment.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

34. Why might the measured reductions have been especially large?

A The hospitals had already removed their appointment systems.

B Manual chart handling had formed much of the earlier delay.

C The model counted lunch as active consultation time.

D The observation sample contained only long consultations.

35. Which statement best expresses the writer's conclusion?

A Direct observation should always replace hospital databases.

B Electronic records guarantee equal reductions in every hospital.

C One-server models can describe every stage of hospital care.

D Carefully interpreted digital logs and a bounded model can support useful comparisons.

Questions 36-40

Match each statement with the correct source or analytical element, A-D. You may use any letter more than once.

36. were used to derive the arrival rate

37. acted as a proxy for the end of consultation

38. provided a maximum value used to remove outliers

39. produced estimates of average waiting time

40. represented the analysis as having one server

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com

Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Writing

Academic Writing - WeLearn Original Practice


You should spend about 60 minutes on both tasks.

Task 2 contributes twice as much as Task 1 to the Writing score.

WRITING TASK 1

The chart below shows the number of visits (in thousands) to a metropolitan museum and the average duration of each visit, in minutes, across six quarters from Q1 2024 to Q2 2025.

Summarise the information by selecting and reporting the main features, and make comparisons where relevant.



WRITING TASK 2

Some people believe that every university student should be required to complete a supervised community-service placement before graduating. Others believe that such service should remain optional because compulsory placements may be unsuitable or unfair for some students.

Discuss both these views and give your own opinion.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Speaking

Part 1

Lights

- What kinds of light do you use most often at home?
- Do you prefer bright or soft lighting?
- When can artificial light be inconvenient?
- What would you change about the lighting where you study or work?

Remembering dates

- How do you usually remember important dates?
- Do you prefer digital calendars or paper ones?
- Which dates are easiest for you to remember?
- Have your planning habits changed?

Sharing food

- When do you share food with other people?
- What foods are convenient to share?
- Are there times when you prefer not to share food?
- Have social meals changed in your life?

Part 2

Describe a durable object you have used or seen.

You should say:

- what the object is
- how it is used
- what design features help it last
- and explain why its durability matters.
- Is this object or experience common where you live?
- Would you make the same choice again?

Part 3

- Why do people replace products that still work?
- How should buyers balance price and durability?
- What repair information should manufacturers provide?
- Should governments set minimum durability standards?
- What incentives encourage businesses to make longer-lasting products?
- How might product design change in the future?

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Objective answer sheets

Listening

1		21	
2		22	
3		23	
4		24	
5		25	
6		26	
7		27	
8		28	
9		29	
10		30	
11		31	
12		32	
13		33	
14		34	
15		35	
16		36	
17		37	
18		38	
19		39	
20		40	

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Reading

1		21	
2		22	
3		23	
4		24	
5		25	
6		26	
7		27	
8		28	
9		29	
10		30	
11		31	
12		32	
13		33	
14		34	
15		35	
16		36	
17		37	
18		38	
19		39	
20		40	

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Writing response paper

Task 1 - response page 1 of 2

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 1 - response page 2 of 2

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 1 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 2 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 3 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Speaking notes

Use notes only for the permitted preparation time.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.