IELTS ACADEMIC · STUDENT WORKSHEET

IELTS Academic Set 35

All sections

Name: _____ Date: _____

HOW TO USE THIS WORKSHEET

Work through each IELTS part in order. Reading passages stay with their questions; charts and diagrams appear next to their tasks. Open the live practice page for Listening audio and Speaking recordings.

Staff solutions and scripts are supplied separately.

Listening

Use the separately supplied audio. Write one response for each question.

You will hear four recordings. You will hear each recording once only.

Answer all questions and follow the word limit printed above each group.

A separate two-minute computer answer-check period follows the recording and is not synthesised as silence.

Part 1

Questions 1-6

Complete the notes. Write NO MORE THAN TWO WORDS AND/OR A NUMBER for each answer.

1. Customer surname: _____

2. Rug material: _____

3. Main stain: _____

4. Approximate width: _____ metres

5. Collection date: _____

6. Access note: use the _____ entrance

Questions 7-10

Choose the correct letter for each item.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

7. Blue border

- **A** spot treatment
- **B** wrapped return
- **C** colour test
- **D** specialist assessment
- **E** drying rack
- **F** surface clean

8. General dust

9. Coffee mark

10. Flat drying

Part 2

Questions 11-15

Choose the correct letter for each item.

11. Load unexposed film

- **A** negative cabinet
- **B** film-loading bench
- **C** chemical store
- **D** developer station
- **E** print dryer
- **F** wash sink

12. Begin processing paper

13. Rinse finished prints

14. Collect labelled negatives

15. Dry fibre-based prints

Questions 16-20

Choose the correct letter, A, B or C.

16. Why must members book a full session?

- **A** to guarantee individual teaching
- **B** to prevent overlap at shared stations
- **C** to reduce chemical prices

17. What should a member do if the safe light fails?

- **A** cover materials and call the supervisor
- **B** use a phone screen for light
- **C** finish the current print quickly

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

18. Where are personal chemicals kept?

- **A** beside the wash sink
- **B** under the member's enlarger
- **C** in the checked storage locker

19. What is required before using the print dryer?

- **A** a separate payment
- **B** a dry-mounting demonstration
- **C** a second membership card

20. How are spills reported?

- **A** directly to the duty supervisor
- **B** on the print envelope
- **C** in the booking calendar

Part 3

Questions 21-25

Choose the correct letter for each item.

21. Identify substances purchased by the workshop

- **A** oral history
- **B** recipe inventory
- **C** modern safety sheet
- **D** trade ledger
- **E** building survey
- **F** material sample

22. Show how a mixture was described

23. Confirm residue on a surviving tool

24. Record a remembered sensory impression

25. Locate likely ventilation points

Questions 26-30

Complete the sentences. Write NO MORE THAN TWO WORDS for each answer.

26. The exhibit will describe the result as an _____.

27. Visitors will smell the mixture on a _____.

28. A screening question will identify fragrance _____.

29. The first trial will use a _____ concentration.

30. Responses will be recorded with an anonymous _____.

Part 4

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Questions 31-36

Complete the notes. Write NO MORE THAN TWO WORDS for each answer.

31. Dormant cells survive beneath the winter _____.

32. Growth increases when liquid _____ becomes available.

33. A protective _____ can colour the snow red.

34. Wind-blown _____ may supply nutrients.

35. Darker snow has lower surface _____.

36. More absorbed energy can accelerate _____.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Questions 37-40

Choose the correct letter, A, B or C.

37. Why do researchers sample several colour patches?

A to find the oldest snow

B to avoid measuring albedo

C to capture variation in the community

38. What is a limitation of satellite colour data?

A it cannot cover large areas

B other materials can produce similar colours

C it measures only air temperature

39. What does the lecturer say about the feedback effect?

A its strength varies among sites

B it always dominates seasonal melting

C it occurs only on glaciers

40. Why are repeated measurements needed?

A to replace laboratory analysis

B to identify every algal species by sight

C to follow change through the melt season

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Reading

Answer all 40 questions. Follow the word limit shown for each completion task.

Designing where the snow will fall

A A snow fence works by changing wind flow, not by acting as a solid wall. The barrier is deliberately porous. Some air passes through while the rest is displaced, creating a zone of reduced speed on the downwind side. Snow carried by the wind then loses momentum and is deposited. A completely solid fence can produce strong turbulence and an unpredictable drift. The engineering aim is therefore controlled deposition: encouraging snow to settle where storage is available rather than where vehicles or buildings require a clear route.

B Design begins upwind. The fetch is the distance over which wind can gather loose snow before it reaches the fence. A large exposed field may supply far more drifting snow than a short, sheltered approach. Prevailing wind direction also matters, because a fence that is oblique to the main flow creates a different pattern from one placed across it. These variables are site-specific; copying a successful installation without examining its approach can produce a barrier with too little capacity or a drift in the wrong place.

C Immediately behind the fence, air speed falls and circulating flow develops. The deepest part of the final drift does not usually sit against the barrier. It forms farther into the sheltered zone as snow is transported and deposited over repeated events. This separation protects the fence from being buried too quickly and creates a more usable storage shape. The exact geometry changes with terrain, snowfall and wind, so the diagram of a “typical” drift should be read as a relationship, not as a universal set of dimensions.

D A protected road must be placed beyond the expected drift, which makes setback a design variable rather than leftover space. If the fence is too close, the engineered deposit may extend onto the carriageway. If it is unnecessarily distant, land and maintenance costs rise. Engineers estimate the likely storage requirement, then position the barrier so that the lee-side drift can mature without reaching the road. The fence does not remove snow from the landscape; it reallocates where that snow accumulates.

E A fence can lose effectiveness when the storage area fills. Once the drift reaches saturation, later snow may pass beyond it or build in undesirable places. Seasonal patterns matter: several moderate storms can create a different sequence from one severe event followed by thaw. Maintenance teams monitor the drift profile rather than judging only the height of the fence. In some sites, temporary barriers can be adjusted between seasons as vegetation, ploughing practice or land use changes.

F Rows of shrubs can function as a living fence, combining wind reduction with habitat or landscape benefits. Their performance develops slowly and varies with leaf density, gaps and snow load. Manufactured fences offer more predictable porosity and can be installed quickly, but they require posts, access and periodic repair. Neither type is inherently superior. The choice depends on how soon protection is needed, how stable the site is and whether other land-management goals can share the same strip.

G Good design continues after installation. A drift survey records where snow actually settles and whether the protected route remains clear. Observations can reveal an unexpected crosswind, a gap at the end of the fence or a local rise that redirects flow. Such evidence supports targeted adjustment rather than blaming the general principle. Snow fences are simple in appearance, but their success comes from matching porosity, orientation, capacity and distance to a moving supply of snow.

H A fence also has edges. Wind can curl around an unprotected end and deposit snow where a road curves back towards the barrier. Extending the fence beyond the immediate target or closing a gap may reduce this edge effect. Gates and access tracks complicate the design because the very opening needed for summer use can become a winter pathway for drifting snow. These details show why a line on a plan is not enough. Designers walk the site, observe terrain and consider how farming or maintenance vehicles will move. Successful drift control is spatial planning over a season, not simply the purchase of a barrier. Land agreements can be as important as engineering calculations. The best location for a fence may lie on private ground beyond the road authority's boundary. Seasonal installation, compensation and access for repairs then require cooperation with landholders. Crops or grazing may change the roughness of the upwind surface, so the agreement

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

should allow observations to be shared. A technically suitable line that cannot be maintained is not a durable solution. In this respect, drift control depends on a social boundary as well as an aerodynamic one.

Agreeing on a colour

A Everyday colour names are flexible. One person's "sage" may be another person's grey-green, and the same word can migrate between fashion, paint and natural history. This elasticity is useful in conversation but troublesome when a scientist, printer and manufacturer must reproduce a colour rather than evoke it. Standardisation began with a practical recognition: verbal labels need a visible reference. A sample gives observers something to compare, even if it does not eliminate every source of variation.

B Early systems often arranged painted cards or material chips into an ordered set. Their power came from relation. A sample was not merely "blue"; it occupied a position among lighter, darker, warmer and cooler neighbours. Users could point to an entry and communicate more precisely across distance. Yet handmade samples varied, and pigments changed with age. A reference could stabilise a discussion while slowly becoming less like the colour it was supposed to preserve.

C Industrial swatches tied colour communication to production. Textile, ceramic and paint makers could compare a new batch with an accepted sample and reject visible departures. This supported contracts and quality control, but it also exposed material differences: a colour on glossy metal may not look identical on woven cloth. Standardisation therefore shifted from naming a hue to defining conditions of comparison. Surface texture, viewing angle and illumination became part of the problem.

D Two samples can appear to match under one lamp and separate under another because their materials reflect wavelengths differently. Controlled viewing booths address this by providing standard illumination. They do not create a universally "true" appearance; they make the viewing condition reproducible. This distinction is important. An observer may still need to ask how the product will look in daylight, a shop or a home, but comparisons made under the agreed lamp can be repeated by another laboratory.

E Instruments translate reflected light into numerical readings. Numbers improve record keeping and allow tolerances to be specified, but they do not make physical samples obsolete. Different instruments and settings can produce small differences, and a numerical match may not capture every perceptual effect of texture. Many organisations therefore use instrument readings alongside visual assessment. The two methods answer related but not identical questions: one quantifies a signal; the other judges an appearance in context.

F A standard needs a history. Samples exposed repeatedly to light, dust and handling may fade or become soiled. A reference archive protects master samples, while working copies absorb daily use. Dates, materials and replacement decisions should be recorded so that a "match" from one decade is not silently compared with a changed reference in the next. Custody sounds administrative, yet without it a carefully designed colour system can drift while retaining the same labels.

G Colour standards do not abolish perception or context. They create negotiated consistency by specifying a reference, a method and an acceptable range. This is enough to coordinate many scientific and industrial tasks, provided users remember the boundary. A colour sample communicates more than a name, and an instrument reading offers more than an impression, but neither is independent of material, light and purpose. The strongest systems make those conditions visible rather than hiding them behind an apparently exact code.

H Digital colour files make specifications easy to transmit, but the final product remains physical. A screen emits light, while paint, paper and fabric reflect it. Calibration can improve correspondence between devices, yet it cannot erase this difference. A robust workflow therefore links digital values to controlled proofs and production samples. Each stage narrows uncertainty rather than promising perfect identity. The practical success of a standard is visible when disagreements can be diagnosed: users can ask whether the file, display, illumination, substrate or ageing reference caused the mismatch. Without that chain, numerical precision may only make confusion look authoritative. Communication also needs a tolerance. Demanding an exact numerical identity may create needless waste when a small difference is invisible in normal use, while a generous tolerance can permit an obvious mismatch. The acceptable range should follow the product's purpose, not the convenience of whichever measurement happens to be available.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Who should an algorithm help first?

A After a disaster, needs arrive faster than agencies can inspect them. Roads may be blocked, communications intermittent and records incomplete. Triage is unavoidable: someone must decide which request receives attention first. Algorithms can support prioritisation by combining reports, location and available resources. Their attraction is not that they remove values but that they apply a stated rule quickly across many cases. The danger begins when speed is mistaken for certainty or when the rule's moral choices are hidden inside technical language.

B A model can rank only what enters its data. Neighbourhoods with reliable connections may submit more detailed reports than equally affected areas that are offline. If report volume is treated as need, visibility becomes advantage. Missing reports are not evidence of safety. Designers can introduce uncertainty flags or seek alternative signals, but no adjustment fully replaces local knowledge. The output should therefore be read as a provisional map of recorded information, not as a complete picture of suffering.

C Different objectives produce different queues. Minimising travel time may favour clusters of accessible requests; reducing the greatest immediate risk may send teams farther apart; supporting the largest number of people may disadvantage a small isolated community. None of these calculations is neutral. A priority rule expresses what counts as benefit and whose delay is acceptable. Public agencies should make that rule contestable before a crisis rather than discovering its implications while people are waiting.

D Allocation decisions alter the data used for later decisions. If a model sends teams to one district, observers there will generate more confirmed reports, which may cause the district to appear even more important. This feedback loop can reinforce an early judgement that was based on incomplete information. Random checks outside the highest-ranked area and deliberate exploration can reveal hidden need. Efficiency measured only where the system already looked may become self-confirming.

E Frontline coordinators need more than a priority score. A reason code can show which factors drove the result and alert staff to missing or contradictory inputs. Explanation is not merely for public relations; it enables a human reviewer to recognise when a model has interpreted an unusual case badly. However, a long technical account is not automatically useful. Explanations must connect to decisions that a coordinator is authorised and equipped to change.

F Human oversight becomes ceremonial if staff cannot challenge a ranking. An effective system allows an override, records why it occurred and reviews patterns later. Frequent overrides may reveal flawed inputs, an outdated objective or a local condition that the model does not represent. The log also discourages arbitrary intervention because decisions leave a trace. Accountability therefore runs in both directions: the algorithm should be auditable, and departures from it should be documented.

G Evaluation should include stress scenarios that reproduce missing data, sudden road closures and competing priorities. Average accuracy on calm historical data says little about performance when the information environment collapses. Teams can examine whether small input changes cause unstable rankings and whether protected groups are systematically overlooked. These tests cannot certify every future event, but they reveal brittle assumptions before those assumptions direct scarce resources.

H The sensible position is neither automatic trust nor blanket rejection. Algorithmic triage can organise information and expose a consistent priority rule, but responsibility remains institutional. Agencies choose objectives, collect data, set override powers and decide how uncertainty is communicated. A model that accelerates a bad rule is not an improvement. A carefully governed tool, by contrast, can help staff see a crowded situation without pretending to replace judgement. The relevant question is not whether an algorithm decides, but how people design, supervise and answer for its role.

I Disaster decisions occur under pressure, but affected people still need a way to challenge obvious errors. An appeal channel need not resemble a slow court process. It can allow local teams to flag a closed bridge, duplicated household or medically urgent case that the system missed. The channel should be monitored for unequal access; otherwise well-connected communities may correct their records while isolated ones remain misclassified. Appeals also generate diagnostic evidence. If the same kind of correction appears repeatedly, designers should revise the input process or priority rule instead of treating every case as an exception. Responsiveness, in this sense, improves both fairness and model quality.

1. The area over which the wind collects loose snow is the _____.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

2. The passage describes the deliberately porous structure as a _____.

3. Immediately behind the barrier, _____ falls.

4. The main deposit is described as the _____.

5. The distance between the fence and road is the _____.

6. The route kept clear in the diagram is the _____.

7. How is the barrier deliberately constructed?

8. Which wind pattern should be examined before a fence is aligned?

9. In which area does the main drift form?

10. What term describes the point at which the storage area is full?

11. What type of barrier can be made from shrubs?

12. What field activity records the actual location of deposited snow?

13. What feature at the end of a fence may be revealed by observations?

14. Choose the correct heading for paragraph A.

i Controlling the light used for comparison

ii Order brings precision but not permanence

iii Protecting a standard through time

iv Why all materials eventually look identical

v The contribution and limits of numerical measurement

vi The ambiguity of ordinary labels

vii A practical agreement rather than absolute truth

viii Colour enters industrial quality control

ix The end of visual assessment

15. Choose the correct heading for paragraph B.

i Controlling the light used for comparison

ii Order brings precision but not permanence

iii Protecting a standard through time

iv Why all materials eventually look identical

v The contribution and limits of numerical measurement

vi The ambiguity of ordinary labels

vii A practical agreement rather than absolute truth

viii Colour enters industrial quality control

ix The end of visual assessment

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

16. Choose the correct heading for paragraph C.

- **i** Controlling the light used for comparison
- **ii** Order brings precision but not permanence
- **iii** Protecting a standard through time
- **iv** Why all materials eventually look identical
- **v** The contribution and limits of numerical measurement
- **vi** The ambiguity of ordinary labels
- **vii** A practical agreement rather than absolute truth
- **viii** Colour enters industrial quality control
- **ix** The end of visual assessment

17. Choose the correct heading for paragraph D.

- **i** Controlling the light used for comparison
- **ii** Order brings precision but not permanence
- **iii** Protecting a standard through time
- **iv** Why all materials eventually look identical
- **v** The contribution and limits of numerical measurement
- **vi** The ambiguity of ordinary labels
- **vii** A practical agreement rather than absolute truth
- **viii** Colour enters industrial quality control
- **ix** The end of visual assessment

18. Choose the correct heading for paragraph E.

- **i** Controlling the light used for comparison
- **ii** Order brings precision but not permanence
- **iii** Protecting a standard through time
- **iv** Why all materials eventually look identical
- **v** The contribution and limits of numerical measurement
- **vi** The ambiguity of ordinary labels
- **vii** A practical agreement rather than absolute truth
- **viii** Colour enters industrial quality control
- **ix** The end of visual assessment

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

19. Choose the correct heading for paragraph F.

i Controlling the light used for comparison

ii Order brings precision but not permanence

iii Protecting a standard through time

iv Why all materials eventually look identical

v The contribution and limits of numerical measurement

vi The ambiguity of ordinary labels

vii A practical agreement rather than absolute truth

viii Colour enters industrial quality control

ix The end of visual assessment

20. Choose the correct heading for paragraph G.

i Controlling the light used for comparison

ii Order brings precision but not permanence

iii Protecting a standard through time

iv Why all materials eventually look identical

v The contribution and limits of numerical measurement

vi The ambiguity of ordinary labels

vii A practical agreement rather than absolute truth

viii Colour enters industrial quality control

ix The end of visual assessment

21. organised colours through their position among neighbouring samples

A ordered painted samples

B industrial swatches

C standard illumination

D instrument readings

E reference archives

F negotiated standards

22. made batch comparison part of commercial quality control

A ordered painted samples

B industrial swatches

C standard illumination

D instrument readings

E reference archives

F negotiated standards

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com

Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

23. made the conditions of visual comparison repeatable

A ordered painted samples

B industrial swatches

C standard illumination

D instrument readings

E reference archives

F negotiated standards

24. expressed reflected light as numerical data

A ordered painted samples

B industrial swatches

C standard illumination

D instrument readings

E reference archives

F negotiated standards

25. separated protected masters from frequently handled copies

A ordered painted samples

B industrial swatches

C standard illumination

D instrument readings

E reference archives

F negotiated standards

26. defined consistency as an agreement about method and tolerance

A ordered painted samples

B industrial swatches

C standard illumination

D instrument readings

E reference archives

F negotiated standards

27. The author believes algorithms remove moral choices from disaster triage.

YES

NO

NOT GIVEN

28. Areas with poor communications may appear less needy than they really are.

YES

NO

NOT GIVEN

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com

Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

29. Every reasonable objective produces the same order of requests.

YES

NO

NOT GIVEN

30. Decisions made by a model can influence the evidence available for later decisions.

YES

NO

NOT GIVEN

31. The passage states that reason codes are legally required in all countries.

YES

NO

NOT GIVEN

32. A lack of _____ should not be interpreted as proof that an area is safe.

33. Different _____ produce different queues.

34. Repeatedly favouring one area can create a _____.

35. A _____ can identify the main factors behind a score.

36. Reasons for human changes should be recorded in a _____.

37. What is the author's main warning about input data?

A It is always too expensive to collect

B It cannot contain locations

C Recorded visibility may be confused with actual need

D It should come only from social media

38. Why are random checks outside top-ranked areas useful?

A They guarantee equal travel time

B They can reveal need hidden by a reinforcing feedback pattern

C They remove the need for local knowledge

D They make reports unnecessary

39. What makes human oversight effective according to the passage?

A Reviewers always follow the score

B The model is kept secret

C Overrides are unlimited and unrecorded

D Reviewers can change a result and leave an auditable reason

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com

Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

40. Which best expresses the author’s conclusion?

A Algorithms can assist, but institutions remain responsible for their design and use

B Disaster triage should be entirely random

C Fast models are automatically fair

D No algorithm should be used in an emergency

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com

Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Writing

IELTS Academic Practice Set 35 - Writing


1

You should spend about 20 minutes on this task.

The maps below show a mountain campsite before and after a proposal for winter use.

Summarise the information by selecting and reporting the main features, and make comparisons where relevant.

Write at least 150 words.



2

You should spend about 40 minutes on this task.

Some people think that employers should give written feedback to every unsuccessful applicant who reaches the final stage.

To what extent do you agree or disagree?

Give reasons for your answer and include any relevant examples from your own knowledge or experience.

Write at least 250 words.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Speaking

IELTS Speaking Practice Set 35

Part 1

- Good morning. My name is the examiner for this unofficial practice attempt.
- What name would you like me to use?
- Thank you.

pens and pencils

- Do you use pens or pencils more often?
- What makes a pen or pencil comfortable to use?
- In what situations do you prefer a pencil?
- How have your writing habits changed in recent years?

bridges

- Are there any bridges that you cross regularly?
- What features can make a bridge memorable?
- Do you enjoy the view when you cross a bridge?
- How important are bridges to transport in your area?

posters

- Where do you usually notice posters?
- What purposes do posters serve?
- Can you describe a poster design that you remember?
- Have you ever made a poster yourself?

Part 2

Describe a local news report that caused you to change a plan.

You should say:

- what the report was about
- where and when you encountered it
- what plan you changed

and explain why the report influenced your decision.

- Would you check the same news source before making future plans?
- Do you think other people would feel the same way?

Part 3

coverage of community issues

- Which local issues deserve the most news coverage?

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

- How can local news organisations build public trust?
- How should journalists balance speed with verification?
- How can commercial pressure affect the relevance of local reporting?
- Can public funding support local journalism without threatening its independence?
- How is local journalism likely to change in the future?

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Objective answer sheets

Listening

1		21	
2		22	
3		23	
4		24	
5		25	
6		26	
7		27	
8		28	
9		29	
10		30	
11		31	
12		32	
13		33	
14		34	
15		35	
16		36	
17		37	
18		38	
19		39	
20		40	

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Reading

1		21	
2		22	
3		23	
4		24	
5		25	
6		26	
7		27	
8		28	
9		29	
10		30	
11		31	
12		32	
13		33	
14		34	
15		35	
16		36	
17		37	
18		38	
19		39	
20		40	

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Writing response paper

Task 1 - response page 1 of 2

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 1 - response page 2 of 2

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 1 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 2 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Task 2 - response page 3 of 3

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.

Speaking notes

Use notes only for the permitted preparation time.

© 2026 Idiomas WeLearn. Todos los derechos reservados. · idiomaswl.com
Uso personal y educativo. Prohibida su reproducción, venta o distribución sin autorización escrita.