

Knowledge based Context Aware AI SOC

01 **AI SOC**

02 **Threat Intel**

Who are we?

Match Group / Security Purple Team


Match Group / Security Purple Team

Security Purple Team은 주로

Detection Engineering · Incident Response · Threat Hunting 업무를 수행합니다.



조성환



Sr. Security Engineer (6+)

카이스트 정보보호대학원 졸업 후
Enterprise Security/Infra Security 등 보안
엔지니어링 대부분을 담당하고 있고, Match
Group에서는 Incident Response를
수행하고 있습니다.

배경석



Security Engineer (4+)

메가존 클라우드에서 클라우드 보안 업무를
시작으로 하이퍼커넥트/Match Group에서
Cloud Security/Detection Rule 관리 등의
업무를 주로 수행하고 있습니다.

SECTION 01

AI SOC

쏟아지는 알람을 AI가 조사하고 판단하고
사람의 피드백을 통해 개선해나가는 구조를 만들었습니다.

What was the typical day of SoC?


Alert들을 Triage 하기 위해 몇 개의 정해진 Step들을 반복합니다.



Critical Security Alert


01 Alert 발생

SIEM에서 새로 생긴 알람을 확인하고
이벤트 디테일을 확인합니다



02 추가 조사

Audit Log·IDP·Jira·Slack·Github 등을 추가로
검색해서, 어떤 일들이 있었는지 확인합니다.



03 Context 검색·질문·공유




더 잘 아는 팀원이나 담당자에게 물어보고,
당사자에게 어떤 일이 있었는지 물어보고, 타 팀원도
알 수 있도록 알게된 사실을 공유합니다.

Playbook에 정해진 Step들에 따라 알람을 리뷰합니다.

하지만, 판단하는 중간중간 쿼리나 근거들은 사람의 머릿 속에 남아 있고, 이야기했던 Context들은 Slack Thread나 DM에 남아 있는 경우가 많습니다.

Operation Pain of Typical SoC

위협은 계속 늘어나는데, 판단에 필요한 맥락은 사람 머릿속과 DM에만 남습니다.



처리해야 하는 알람이 꾸준히 증가함

단순 이벤트로는 보안 위협인지 판단할 수 없음


Private하게 대화한 내용이 팀 내에 남지 않아 공유되지 않음

회사 내에서 일어나는 수 많은 일들을 다 기억할 수는 없어서, 알람들에 대해 매 번 깊게 조사해봐야 합니다.

판단 근거도 사람마다 달라서, 알람을 처음보는 사람은 다시 똑같이 분석해봐야 합니다.

First Idea: Let's BUY AI SOC!

3rd party AI SoC를 PoC 해봤습니다.



국내의 AI SOC 솔루션

97% Benign!

97%라는 수치를 믿을 수 있나?

평균 분석 1분 30초!

어떤 근거와 과정으로 결과를 내렸을까?

Real Time Response로 프로세스 확인!

RTR이 정말 필요한 행위였을까?

그래서 남은 질문

어떤 결정 과정들이 있었는지 이해할 수 있어야 하지 않을까?

개선하고 싶은 부분들이 있으면 어떻게 개선할 수 있지?

회사의 컨텍스트나 지식을 추가할 수는 없을까?

Problem Definition / Approach

우리가 겪는 문제를, 우리가 직접 만들어 풀어보기로 했습니다.

어떤 결정 과정들이 있었는지 이해할 수 있어야 하지 않을까?

Playbook

Playbook에 기록된 내용대로 조사하고, 판단 근거를 남기자

개선하고 싶은 부분들이 있으면 어떻게 개선할 수 있지?

Human In The Loop

사람이 주는 피드백을 토대로 성능을 점점 더 개선할 수 있어야 한다

회사의 컨텍스트나 지식을 추가할 수는 없을까?

Context Based

AI가 회사의 컨텍스트나 지식을 기억하고 불러올 수 있도록 하자

우리 환경의 맥락을 아는 AI SOC

Playbook · Log Source · Entity 지식을 축적하고, 사람이 최종 판단하는 구조

Let's build our system!

Harness Engineering — 두 개의 레퍼런스를 우리 문제에 맞게 조합했습니다.

AI Agent에게 일을 어떻게 시킬까?

OpenAI's Symphony-style orchestration


- 복잡한 업무를 역할별로 분해하고 통제 가능
- 책임을 쪼갤 수 있어, 왜 이 결론이 나왔는지 추적하기 쉬움

과거에 경험한 걸 미래에 어떻게 활용하게 할까?

Andrej Karpathy's LLM Wiki Pattern


- AI가 스스로 기억하고 정리하고 활용하도록 하는 패턴
- 사람도 읽고, 고치고, 관리할 수 있는 마크다운 포맷의 메모리

Coding agents use Linear as a state machine to work alongside us



AI SoC Workflow Structure

AI가 조사하고, 판단하고, 질문하며 Alert를 대응합니다.



조사 계획 작성

필요한 정보 수집

SIEM/IDP/JIRA 등 MCP가
연결된 Agent를 호출해서
정보를 수집합니다.

추가 검토 여부 판단

최종 판단

모아진 조사 내용을
기반으로 판단하고
Escalation 합니다.

피드백

판단 결과를 사람이
리뷰하고, 개선을 위한
피드백을 줍니다.

Review Console — Examples - 1

AI가 분석한 결과를 리포트합니다.

01


Commander Reasoning

전체 Alert의 내용 요약과, Escalation한 이유를 설명합니다.

03

USEFUL QUERIES

AI가 활용한 쿼리 중 사용자의 판단을 돕는 쿼리를 제공합니다.



02

KEY FIELDS

Alert 내용 중 판단에 필요한 주요 Key들을 추출합니다.



Review Console — Examples - 2

AI가 분석한 결과를 리포트합니다.

04


Knowledge Applied

KB에서 참고한 내용들 중 이번 조사 과정에서 중요하게 쓰인 부분입니다.

06

Key Evidence

이번 Alert뿐만 아니라, 주변 Events, WIKI를 확인하며 확인 된 주요 Key값을 정리하여 전달합니다.



05


Investigation Diagram

사용자의 행위에 따른 흐름을 다이어그램으로 시각화 합니다.

07

Investigation Timeline

각 단계를 걸쳐 최종적으로 Alert를 Escalate할지, Benign 할지 결정합니다.



Knowledge-based Context-Aware?

좋은 알람 Triage는 아래 세 가지 정보들을 잘 알고 있어야 합니다.

01

Playbook

대응 절차

- 이 알람을 어떻게 처리할 것인지?
- 어떤 경우에 에스컬레이션해야 하는지?

02

Log Source

데이터 지식

- 이 로그 소스에는 어떤 정보가 있는지?
- 어떤 쿼리를 쓰면 원하는 답이 나오는지?

03

Entity


Device / User / IP

- 이 디바이스·유저는 어떤 히스토리가 있었는지?
- 이 IP는 회사에서 알고 있는 아이피인지?
- 모르지만 누군가의 개인 IP로 판별된 적이 있는지?

Knowledge Base — Examples


컨텍스트와 지식들이 사람이 읽고 수정할 수 있는 마크다운으로 쌓입니다.

Playbook




알람을 처리하기 위한 매뉴얼

Log Source



데이터에 대한 지식

Entity - User / Device / IP



유저 / 디바이스 / IP의 특징 기억

Knowledge Base — Examples

Log Source

The screenshot displays the 'Knowledge Base' application interface. On the left is a sidebar with a search bar and a list of categories: 'wiki' (15536), 'entities' (14994), and 'log_sources' (320). Under 'log_sources', 'aws_cloudtrail' is selected and highlighted. The main content area is titled 'STS provenance from an issued access key' and includes a note: 'Verified 2026-07-25. Replace the bracketed values before running.' Below this is a dark-themed code editor showing a SQL query. A 'Copy' button is visible in the top right of the code editor.

```
SQL

SELECT p_event_time,
       eventName,
       errorCode,
       sourceIPAddress,
       userAgent,
       vpcEndpointId,
       requestParameters:"roleArn"::STRING AS role_arn,
       responseElements:"assumedRoleUser":"arn"::STRING AS issued_session_arn,
       responseElements:"credentials":"accessKeyId"::STRING AS issued_access_key,
       responseElements:"provider"::STRING AS oidc_provider,
       responseElements:"subjectFromWebIdentityToken"::STRING AS kubernetes_subjec

FROM [redacted]

WHERE p_occurs_since('7 d')
AND p_event_time >= '<start-time>'
AND p_event_time <= '<end-time>'
AND eventName IN (
    'AssumeRoleWithWebIdentity',
    'AssumeRole',
    'AssumeRoleWithSAML'
)
AND responseElements:"credentials":"accessKeyId"::STRING = '<access-key-id>'
ORDER BY p_event_time;
```

Knowledge Base — Examples

User

 wiki / entities / users / 

 Edit

entities

confidence 1.00

32 sources

confirmed 2026-08-13



Context

Privileged administrator active across AWS, SIEM, Slack, Okta, GCP, Notion, EDR, and Google Drive. Most activity matches successful SSO/MFA from managed macOS devices, Chrome or Slack desktop, and ZTNA egress. Common managed hosts use the Finn- naming pattern;  is a recurring corporate egress but must still be verified through ZTNA.

Finn routinely performs AWS/Panther discovery and integration onboarding, Slack app governance, endpoint

Knowledge Base — Examples

Device

 w... / entiti... / devic... / arn:aws:ec2:us-east-1:01234567890:insta... / i-012345678901234...

 Edit

entities

confidence 0.70

3 sources

confirmed 2026-05-27

arn:aws:ec2:ap-northeast-2:01234567890:instance/i-01234567890123456

Context

This EC2 instance is part of the workload-backed identity chain that issued credentials used to change RDS master passwords. The associated alerts have been assessed as benign and align with security automation.

Knowledge Base — Examples

AI Agent가 이 알람을 판단하는데 사용한 Knowledge 근거를 남겨둡니다.

DETAILED ANALYSIS

 KNOWLEDGE APPLIED

The RDS playbook says [REDACTED]

[REDACTED] The [REDACTED] profile documents repeated human [REDACTED] Terraform deletion activity, [REDACTED]

[REDACTED] The CloudTrail source guidance prioritizes [REDACTED] at [REDACTED]

[wiki/playbooks/AWS.RDS.\[REDACTED\].md](#) [wiki/log_sources/aws_cloudtrail.md](#)

[wiki/entities/users/\[REDACTED\].at_gotinder_com.md](#) [wiki/entities/networks/104.28.\[REDACTED\].md](#)

왜 이런 판단을 내렸는지 이해할 수 있음

Human feedback ex) 이 사람은 9월까지 RDS 마이그레이션 중이니까 1111 account, ap-northeast-2에서 이런 행동이 발생할 수 있고, 그건 benign 처리하면 돼

Librarian / Compaction

Librarian이 Knowledge Base를 어떻게 관리하는지 소개합니다.

KB Compaction Log

Status Date range Filter by path...

Time	Path	Status	Before → After	Model
19/08 13:50 UTC	wiki/entities/users/itsvc_mgslackintegrat...	applied	6,892 → 5,316 (-13%)	gpt-5.6-sol
19/08 13:50 UTC	wiki/playbooks/Cyberhaven.Incident.Passth...	applied	79,930 → 59,863 (-25%)	gpt-5.6-sol
19/08 13:50 UTC		applied	9,680 → 3,471 (-64%)	5.6-sol
19/08 13:50 UTC				5.6-sol
19/08 13:50 UTC		applied	10,859 → 4,263 (-61%)	5.6-sol
19/08 13:50 UTC				5.6-sol
18/08 13:48 UTC		applied	169,079 → 21,630 (-87%)	5.6-sol
18/08 13:48 UTC	wiki/playbooks/Cyberhaven.Incident.Passth...	applied	88,537 → 57,832 (-35%)	gpt-5.6-sol
18/08 13:48 UTC	wiki/entities/devices/847d146960454f64b1f...	applied	9,245 → 3,617 (-61%)	gpt-5.6-sol
18/08 13:48 UTC	wiki/entities/devices/6c46295a9ede4551894...	applied	9,472 → 3,300 (-65%)	gpt-5.6-sol
18/08 13:48 UTC	wiki/entities/devices/08e14887a7ec4bf3b87...	applied	9,987 → 5,042 (-50%)	gpt-5.6-sol

KB Compact

Librarian

사람이 알려준 판단, 유용했던 쿼리 등등을 knowledge base에 추가함
때때로 반복되는 내용이 계속 추가되기도 하는데, 그 마저도 정보가 됨

Compaction


주기적으로 event history 부분들을 요약하고 SIEM Query 여러개를
하나의 좋은 쿼리로 요약하는 등의 정리하는 작업을 함

Playbook, Entity, Log Source 각각에 대해 적절한 수준의 크기를 정해서
주기적으로 관리


여러 건에 걸쳐있던 조사들을 요약해서 가치 있는 정보를 만드는게 목적

알람을 담당자와 빠르게 검증할 수 있도록 돕습니다.

Escalation Channel



SOC Team Channel



User's Slack



SECTION 02

AI Threat Intel

AI를 활용하여 IoC를 수집하고,
회사의 환경에 맞춰 분석·대응합니다.

What was the typical day of Threat Intel?

외부 보안 이슈에서 유효한 IoC를 수집·분석하는 데 많은 시간이 소요됩니다.

외부 보안 사고 인지

Mar 31st at 12:35 PM · 번역

<https://x.com/feross/status/2038807290422370479?s=46&ts=B5g0hKZRM1eJzOSvktVw>

This one is bad. axios is absolutely everywhere

Feross (@feross) on X

CRITICAL: Active supply chain attack on axios -- one of npm's most depended-on packages.

The latest axios@1.14.1 now pulls in plain-crypto-js@4.2.1, a package that did not exist before today. This is a live compromise.

This is textbook supply chain installer malware. axios

X (formerly Twitter)

57 replies

Mar 31st at 12:38 PM · 번역

The malware payload <https://socket.dev/npm/package/plain-crypto-js/files/4.2.1/setup.js>

Socket

plain-crypto-js - npm Package File explorer - Socket

JavaScript library of crypto standards. Version: 4.2.1 was published by nrwise.

Start using Socket to analyze plain-crypto-js and its dependencies to ... (239 kB)



여러 소스의 IoC들을 정리(매 시간마다 IoC가 삭제되고 추가됨)

Indicator Overlay		
Feature	axios Compromise Sample	WAVESHAPER (Mandiant)
User-Agent	Mozilla/4.0 (compatible; msie 8.0; windows NT 5.1; rv:1.9.0.4)	Identical (YARA_K_Backdoor_WAVESHAPER_1, 83879)
Language / format	C++ Mach-O 64s, 4, libcurl	C++ Mach-O, libcurl
C2 URL source	argo[1]	Command-line parameters
Victim UID	liberal[10]() — 16-char random alphanumeric	"Random victim UID (16 alphanumeric char)"
Beacon fields	hostname, username, timezone, boot time, CPU info, OS version, process list	Identical field set
Temp file pattern	/private/tmp/xxxxx	/tmp/[A-Z0-9-]{10} (NADA, 83879) <"/tmp/[A-Z0-9-]{10}"
Drop path	/Library/Caches/com.apple.act.mon	/Library/Caches/com.apple.act.mon
Demonization	Forks child process, detaches	"Runs as a daemon by forking itself into a child process"

Side-by-side comparison of the axios compromise macOS sample and WAVESHAPER indicators

Image Source: Elastic Security Labs

Category	Indicator	Details	Hash
File	com.apple.act.mon	Stage 2 (macOS), SH42556	820708773995454c0d1
File	stage2.p01	Stage 2 (Windows), SH42556	670a34a6c20e4d4d1
File	stage2.p01	PowerShell script, SH42556	670a34a6c20e4d4d1
File	stage2.p01	Python script, SH42556	670a34a6c20e4d4d1
File	stage2.p01	Drop script, SH42556	670a34a6c20e4d4d1
File	system.dat	Windows persistence script, SH42556	670a34a6c20e4d4d1
File	system.dat	Windows persistence script (variant), SH42556	670a34a6c20e4d4d1
File	stage2.p01	PowerShell script, SH42556	670a34a6c20e4d4d1
Package	axios@1.14.1	Malicious package, SH42556	670a34a6c20e4d4d1
Package	axios@0.30.4	Malicious package, SH42556	670a34a6c20e4d4d1
Package	plain-crypto-js@4.2.1	Trusted package, SH42556	670a34a6c20e4d4d1
Domain	wt[10]com	C2 domain	-

사내에 매칭되는 IoC 탐색




Finn Cho Mar 31st at 12:47 PM

Searched for RAT artifacts on macOS and Windows

```
SELECT path FROM file where path = '/Library/Caches/com.apple.act.mon' ;
SELECT path FROM file where path = 'C:\ProgramData\wt.exe' ;
```

Evolving Threat Landscape

매일 수많은 보안 이슈가 쏟아지는데, 모든 것을 사람이 대응할 수 없습니다.



취약점 발견부터 Exploit까지 AI가 진행한다

공격자들이 AI를 활용해서 더 많이 더 빨리 공격하고 있다.

방어자들도 AI를 활용해서 빠르게 대응해야 한다

수 시간안에 조치되지만, 이 사이에 수백만 디바이스가 공격당한다.

최신 보안 위협들을 자동으로 수집하고 대응하는 체계가 필요하다

대부분의 최신 보안 위협은 보안 회사 블로그나, 리서처들의 트위터에서 가장 먼저 확인할 수 있습니다.

각 블로그마다 도출된 IoC가 다르고, 시간에 따라 IoC가 변합니다.

AI Threat Intel 아키텍처

Threat Intel은 Find → Analysis → Respond 3단계로 진행합니다

01 Find


IoC 수집

02 Analysis

IoC 분석

03 Respond

대응



Featured

Wiz on Wiz: How the Wiz FinOps Team Uses Wiz Cloud Cost

Ron Tzrouya, Guy Aharon, Noa Manor and 2 more
August 14, 2026

Powering cost investigation and optimization with deep cloud context



Securing Data in the AI era

Sneha Ramnarayanan,
Shachar Horvitz, Noa
Azaria, Chad Knipschild
August 14, 2026

AI is changing the context around data risk, making it critical to understand what's connected, what's exposed, and why.



How to Investigate GitHub PAT Compromise: Lessons From a Multi-Organization Campaign

Eden Abergel
August 14, 2026

A practical playbook for investigating GitHub token compromise, drawn from Wiz CIRT's response to a coordinated multi...



Closing the Blind Spot: Securing Personal Repositories in the Software Supply Chain

Karin Sukonik, Salman Ladha,
Ziad Ghalib
August 13, 2026


Personal repositories are where corporate secrets quietly escape. Wiz correlates them to your developers, validates the real risk...

Repository Reconnaissance

Prior to the mass clone, on May 15, the threat actor used the GitHub API to query the `/repositories/{id}/readme` endpoint from a single AWS IP address (`13.221.167.217`). Based on the [AWS IP address documentation](#), this IP address is associated with the EC2 services and located in `us-east-1`. The requests originated from a standard Chrome browser user agent (`Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Safari/537.36`).

Analysis – IoC 분석

(IP, Domain, Hash, Package 등 ...)



Respond - IoC를 SIEM 쿼리로 변환해 Hunt

Find — 벤더 블로그 · RSS 피드에서 캠페인 · IoC 수집

AI Threat Intel 아키텍처

01.01 Extract · Fetch — 기사를 통해 캠페인을 분석하고 IoC를 수집합니다.

01 Find

IoC 수집

02 Analysis


IoC 분석

03 Respond

대응

01.01 Extract · Fetch

RSS 기사 본문에서 IoC를 추출



기사 본문에서 IoC를 수집할 수 있습니다.

IoC 수집 — 기사 본문만

Campaign : Test-2026

Description : test package 5.1.2에 공급망 공격 발생

Domain : test.com

IP : 142.11.206.73

Package : test@5.1.2

Enrichment 결과

IoC 추가 — 다음 단계(Enrichment)에서 보강

AI Threat Intel 아키텍처

01.02 Enrichment — LLM의 WebSearch Tool로 같은 캠페인의 더 많은 IoC를 수집합니다.

01 Find

IoC 수집

02 Analysis

IoC 분석

03 Respond

대응

01.01 Extract · Fetch

RSS 기사 본문에서 IoC를 추출

01.02 Enrichment

Campaign의 IoC를 추가 탐색

ACTOR	CAMPAIGN_ID	CAMPAIGN_NAME	CAMPAIGN_SEVERITY	CONFIDENCE	DISCOVERY	FIRST_SEEN	IP
Under investigation ;	offside-wallet-theft-	Offside Wallet Theft I	medium	medium	web_search	2026-08-20	77.91.100.175
Unknown; attacker in	arrayref-proc-macr-	Arrayref and proc-m	high	medium	feed	2026-08-20	23.254.165.112
Unattributed Russian	operation-cameraasa	Operation CameraSv	medium	medium	web_search	2026-08-19	185.132.53.56
Unattributed Russian	operation-cameraasa	Operation CameraSv	medium	medium	web_search	2026-08-19	154.86.119.60
Clop (aka ClOp)	clop-windchill-web-	Clop-Linked Windch	high	medium	web_search	2026-08-19	79.141.160.78
Clop (aka ClOp)	clop-windchill-web-	Clop-Linked Windch	high	medium	web_search	2026-08-19	212.147.249.110

캠페인명 · 공격 내용 · 1차 IoC를 키로 WebSearch를 통해
같은 캠페인의 IoC를 병합하여, 추가 정보를 얻습니다.

① 기사 본문에서 추출

Campaign : Test-2026

Description : test package 5.1.2에 공급망 공격 발생

Domain : test.com

IP : 142.11.206.73

Package : test@5.1.2

② WebSearch로 추가 수집

Domain : cloudfront.com

Domain : command.test.com

Domain : test.package.com

IP : 173.132.15.6

IP : 127.0.0.1

Package : test@1.1.1

Package : plain-crypto-js

File : notepad.exe

File : malware.exe

Hash : e3b0c4482975ks8et92

AI Threat Intel 아키텍처

01.03 Triage — 패턴기반으로 판단하기 어려운 IoC들을 정리합니다.

01 Find

IoC 수집

02 Analysis

IoC 분석

03 Respond

대응

01.01 Extract · Fetch

RSS 기사 본문에서 IoC를 추출

01.02 Enrichment

Campaign의 IoC를 추가 탐색

01.03 Triage

불필요한 IoC 제거

수집된 IoC

~~Domain : cloudfront.com~~

FILE : command.test.com

~~File Path : notepad.exe~~

IP : 173.132.15.6

~~IP : 127.0.0.1~~

제거 근거

공용 인프라로 제거합니다.

파일명만으로는 정상 프로그램과 구분이 불가능하므로 제거합니다.

내부 호스트 IP로 제거합니다.

공용 인프라(CDN) · 예약 IP는 자동 제거 — 남은 IoC만 다음 단계로

AI Threat Intel 아키텍처

02.01 IoC Confidence – IoC의 Confidence를 조정하여 Alert의 오탐률을 관리합니다.

01 Find

IoC 수집

02 Analysis


IoC 분석

03 Respond

대응

02.01 IoC Confidence

수집한 IoC에 대한 신뢰도 판별



Confidence를 구성하지 않은 경우, 많은 오탐이 발생함

판정 근거	IoC	Confidence
C2 도메인 — 캠페인 IoC와 일치	Domain : command.test.com	Critical
악성 패키지 배포 URL	Domain : test.package.com	High
악성 프로그램 Hash	Hash: e3b0c4482975ks8et92	Critical
악성 프로그램 명	File Name : malware.txt	Medium



IOC EVIDENCE	
ip132	command
100.100.100.100	critical
domains132	
city-domain.com	medium
www.city-domain.com	medium
server.city-domain.com	medium
www.server.city-domain.com	medium
mail.city-domain.com	medium
www.mail.city-domain.com	medium
mail223750.constantserver.net	medium
smtp.city-domain.com	low
webmail.city-domain.com	low

각 IoC별 Severity를 산정

AI Threat Intel 아키텍처

02.02 Campaign Severity – 회사 환경에서 중요한 Campaign의 가시성을 높이도록 Severity를 조정합니다.

01 Find

IoC 수집

02 Analysis

IoC 분석

03 Respond

대응

02.01 IoC Confidence

수집한 IoC에 대한 신뢰도 판별

02.02 Campaign Severity

Campaign의 중요도 판별

CRITICAL	H1 2026 Cloud Supply-Chain Spree H1 2026 Cloud Supply-Chain Spree TeamPCP (UNCA785) conducted a broad 2026 cloud and open-source supply-chain campaign, compromi...	TeamPCP and other unnamed su...	106	• 327 hits - likely benign	2026-08-11	Re-hunt
MEDIUM	Chrome VPN Extension Proxy Hijack Campaign chrome-vm-extension-proxy-hijack This campaign consists of 197 Chrome VPN/proxy extensions operated through at least 40 developer al...	Unidentified threat actor / Russia...	101	• no detections	2026-08-11	Re-hunt
CRITICAL	ChainDrop open Worm chain-drop-open-worm ChainDrop is an active, self-propagating open supply-chain worm that began with compromise of the 3ar...	Jaredway maintainer account co...	92	• 61 hits - likely benign	2026-08-11	Re-hunt
LOW	Weekly Recap: AI, Metasploit, MCP, and Router Threats weekly-recap-ai-metasploit-mcp-router-2026-08 This weekly roundup aggregates critical August 2026 security developments, including an uncoo...	Multiple actors; UNCA671, morn...	85	• no detections	2026-08-11	Re-hunt
LOW	2026 Snowflake Customer Account Breaches 2026-snowflake-customer-account-breaches UNCA537, including Garner Riley Macrae and associates, used credentials previously harvested by info...	UNCA537 (attributed by Mandiant...	67	• not hurt	2026-08-11	Re-hunt
MEDIUM	Microsoft 365 AI/ML Payroll and Finance Phishing ai-ml-payroll-finance-phishing Unattributed operators are running a widespread Microsoft 365 adversary-in-the-middle phishing camp...	Unattributed threat actors; tactic...	30	• not hurt	2026-08-11	Re-hunt

모든 Campaign을 동일하게 검토하면 불필요한 분석 부담이 증가합니다.

Campaign	Severity	IoC	Confidence	판정 기준
Supply Chain – WebRTC	Critical	IP : 1.1.1.1	Low	제거
Supply Chain – WebRTC	Critical	Domain : command.test.com	Critical	Critical
Supply Chain – Axios	High	Domain : test.package.com	Medium	Medium
Supply Chain – Axios	High	Hash: e3b0c4482975ks8et9237	Critical	High
Supply Chain – Wordpress	Low	File Name : malware.txt	Medium	Low

AI Threat Intel 아키텍처

03.01 Hunt — 수집한 IoC와 회사 환경 내 엔티티 간의 매칭 여부를 확인합니다.

01 Find

IoC 수집

02 Analysis

IoC 분석

03 Respond

대응

03.01 Hunt

IoC와 매칭되는 엔티티 조회

수집된 IoC

```
11 UNION ALL
12 SELECT
13   i.p_event_time,
14   LOWER(i.sourceIPAddress) AS observed_value,
15   'AWS.CloudTrail' AS log_source,
16   (CASE WHEN i.errorCode IS NULL THEN 'success'
17        ELSE i.errorCode::STRING END) AS action,
18   i.eventName::STRING AS context_value,
19   CAST(NULL AS STRING) AS context_device,
20   i.userIdentity:arn::STRING AS context_user
21 FROM panther_logs.public.aws_cloudtrail i
22 WHERE p_occurs_since('30 d', i) AND LOWER(i.sourceIPAddress) IN ('13.221.167.217', '187.174.281.183')
```

회사 내의 환경에 IoC가 매핑되는 엔티티가 있는지 확인

IoC에 매칭된 엔티티가 있는 경우

MGSec_Lira APP · 10:06 AM · 100%
Manual re-hunt

keyv and Cacheable npm Supply Chain Compromise

Campaign [CRIT](#)
Unknown attackers compromised a Keyv/Cacheable ecosystem maintainer account and published malicious npm versions carrying a Mini Shai-Hulud-derived install-time wc than 400 packages. The payload harvests developer, cloud, CI/CD, registry, Kubernetes, AI-tooling, wallet, and sys...

Hunt Results
🔴 Packages 61 hits
✅ No detections
↳ IPs · Domains · Hashes · File Paths

[\[Log\]](#)

by admin@local · lookback 7 d · packages: code-search snapshot (lookback n/a)

1 reply · 3 days ago

AI Threat Intel 아키텍처

03.02 Hit-Analysis — 매칭된 IoC를 분석하여 세부 정보를 제공합니다.

01 Find

IoC 수집

02 Analysis

IoC 분석

03 Respond


대응

03.01 Hunt

IoC와 매칭되는 엔티티 조회

03.02 Hit-Analysis

매핑된 IoC 세부 분석



매칭된 Entity를 기준으로, 관련 데이터 조사 및 판단

수집된 IoC	Alert	Description	Result
Package : test@3.1.2	1000번 + @	Test라는 문자열로 많은 오탐이 발생하였습니다.	Benign / IoC 제거
Package : keyv@2.1.1	17번	Version이 일치하지는 않지만, 하위 버전이 존재합니다.	검토 필요
Package : plain-crypto-js@1.1.1	3번	Leak이 발생한 Version과 일치하는 경우가 존재합니다.	즉시 검토 필요

AI Threat Intel 아키텍처

03.02 Hit-Analysis — 수집한 IoC를 SIEM에 연계하여 실시간 탐지가 가능하도록 구성합니다.

01 Find

IoC 수집

02 Analysis

IoC 분석

03 Respond

대응

03.01 Hunt

IoC와 매칭되는 엔티티 조회

03.03 Rule Deploy

실시간 탐지 구성

03.02 Hit-Analysis

매핑된 IoC 세부 분석

threat_intel_ips

LookUp Table Enriched Log Types Schema

100+ Records View in Search

ACTOR	CAMPAIN_ID	CAMPAIN_NAME	CAMPAIN_SEVERL	CONFIDENCE	DISCOVERY	FIRST_SEEN	IP	MITRE	NOTES	SOURCE_URL
Unattributed Russian	operation-cameras	Operation CamerazDr	medium	medium	web_search	2020-08-19	188.122.52.88	T100, T1010, T1080	Second operator box	https://hunts.io/blog
Unattributed Russian	operation-cameras	Operation CamerazDr	medium	medium	web_search	2020-08-19	154.86.79.60	T100, T1010, T1080	Confirmed operator	https://hunts.io/blog
Clp (aka CDP)	clp-winidm-web	Clp-Linked Webch	high	medium	web_search	2020-08-19	78.91.160.78	T100, T1050, T1010, T1080	High-confidence C2	https://www.vortex
Clp (aka CDP)	clp-winidm-web	Clp-Linked Webch	high	medium	web_search	2020-08-19	202.47.124.80	T100, T1050, T1010, T1080	Published new	https://www.vortex
Clp (aka CDP)	clp-winidm-web	Clp-Linked Webch	high	medium	web_search	2020-08-19	208.222.58.44	T100, T1050, T1010, T1080	Published new	https://www.vortex

Threat Hunting을 통해 얻은 IoC를 SIEM에 저장합니다.

Threat intel: threat_intel_ips match

USER DEFINED + ID ThreatIntel IpsMatch

Overview Configure Alerts Rule Errors

Log Name: threat_intel_ips

```

1 LOOKUP_KEY = "threat_intel_ips"
2
3 _SEV_ORDER = ("critical": 4, "high": 3, "medium": 2, "low": 1, "info": 0)
4
5
6
7
8
9
10
11 def rule(event):
12     enr = event.deep_get("p.enrichment", LOOKUP_KEY)
13     if not enr:
14         return False
15     sev = str(enr.get("campaign_severity", "")) or ""
16     conf = str(enr.get("confidence", "")) or ""
17     if _SEV_ORDER.get(sev, -1) < _SEV_ORDER["high"]: # severity=high
18         return False
19     if conf not in ("critical", "high", "medium"): # confidence=medium (low HIGH NEW)
20         return False
21     return True
22

```

IoC를 로그 기반으로 실시간 탐지합니다.

AI Threat Intel

결과물 ① — 사람이 외부 보안 위협을 알지 못해도, 점검이 필요한 Campaign과 IoC를 정리합니다.

Campaign Detail

ChainDrop npm Worm
keyv-cacheable-npm-supply-chain-attack

ChainDrop is an active, self-propagating npm supply-chain worm that began with compromise of the Jaredway/Keyv and Cacheable ecosystem and rapidly republished malicious releases across hundreds of additional packages using harvested maintainer and CI credentials. Its install-time payload steals cloud, registry, CI/CD, developer, and other secrets, persists in developer tooling, and uses trusted publishing and Ethereum dead-drop C2 to expand its reach.

actor: Jaredway maintainer account compromised; threat actor not otherwise identified
First seen: 2026-08-11
MITRE: T1195.002 T1059.007 T1105 T1552.004 T1027 T1083 T1070.004 T1608.004

SOURCE ARTICLES (4)

Free Business Plan Upgrades for Open Source
- Socket.dev

Popular npm Packages in the keyv and Cacheable ecosystem
- Socket.dev

IOC EVIDENCE

ips (4)	CONFIDENCE
104.21.35.216	medium
35.175.164.77	medium
185.44.287.215	medium
172.67.167.200	low

다양한 출처에서 Campaign과 IoC 정보를 수집·요약하며, 동일한 공격은 Campaign ID로 통합 관리합니다.

IoC 탐색

HUNT QUERIES (8)

ips Detected (8) Panther Query 30 d

TIME	VALUE	LOG SOURCE	ACTION	CONTEXT
2026-08-10 20:52:31	172.67.167.200	Custom.Cloudflare.Gateway DNS	allowedOnNoPolicyMa	query:base.11asazpc.com d
2026-07-29 17:31:16	172.67.167.200	Custom.Cloudflare.Gateway DNS	allowedOnNoPolicyMa	query:base.11asazpc.com d
2026-07-28 21:23:56	172.67.167.200	Custom.Cloudflare.Gateway DNS	allowedOnNoPolicyMa	query:base.11asazpc.com d
2026-07-27 20:40:01	172.67.167.200	Custom.Cloudflare.Gateway DNS	allowedOnNoPolicyMa	query:base.11asazpc.com d
2026-07-16 21:10:00	172.67.167.200	Custom.Cloudflare.Gateway DNS	allowedOnNoPolicyMa	query:base.11asazpc.com d
2026-07-15 20:07:56	172.67.167.200	Custom.Cloudflare.Gateway DNS	allowedOnNoPolicyMa	query:base.11asazpc.com d

domains No detections Panther Query 30 d

hashes No detections Panther Query 30 d

packages Detected (80) Sourcebot: Manifest declar

12 repositories · 9 packages · 23 files · 450 matched lines

New Search

```

10 WHERE p_occurs_since('30 d', i) AND LOWER(i.sourceIPAddress)
11 UNION ALL
12 SELECT
13   i.p_event_time,
14   LOWER(i.sourceIPAddress) AS observed_value,
15   AWS.CloudTrail AS log_source,
16   (CASE WHEN i.errorCode IS NULL THEN 'success'
17     ELSE i.errorCode::STRING END) AS action,
18   i.eventName::STRING AS context_value,
19   CAST(NULL AS STRING) AS context_device,
20   i.userIdentity:arn::STRING AS context_user
21 FROM panther_logs.public.aws_cloudtrail i
22 WHERE p_occurs_since('30 d', i) AND LOWER(i.sourceIPAddress) IN ('13.221.167.200')
23 UNION ALL
24 SELECT
  
```

수집한 IoC를 사내에 매칭된 Log · 데이터 가 있는지 탐색합니다.

AI Threat Intel

결과물 ② — 침해 여부를 사람이 판단하는데 도움되는 근거들을 정리하여 전달합니다.

Slack Alert

 **MGSec_Lira** APP 10:06 AM 반역
Manual re-hunt

keyv and Cacheable npm Supply Chain Compromise

Campaign CRIT

Unknown attackers compromised a Keyv/Cacheable ecosystem maintainer account and published more than 400 packages. The payload harvests developer, cloud, CI/CD, registry, Kubernetes, AI-tooling, wal

Hunt Results

 **Packages** 61 hits

 **No detections**

└ [IPs](#) · [Domains](#) · [Hashes](#) · [File Paths](#)

[\[Lira\]](#)

 by admin@local · lookback 7 d · packages: code-search snapshot (lookback n/a)

 **1 reply** 3 days ago

사내 환경에서 IoC와 매칭되는 엔티티가 확인되면
Alert를 생성합니다.

IoC/환경 세부 분석

 **MGSec_Lira** APP Aug 14th at 10:06 AM 반역
Hit Analysis — keyv and Cacheable npm Supply Chain Compromise

Verdict
Likely Benign

Confidence
MED

Hits
61

Matched
Packages

Summary
[redacted] results show dependency-name matches only; no listed malicious resolved version was found. Some first-party code does [redacted], but the manifests/locks constrain them to [redacted] [redacted], rather than the identified malicious [redacted]

Next Steps
Maintain a CI/SBOM deny rule for the exact malicious versions and review a [redacted] against the full vendor compromise list, since the supplied intelligence does not enumerate [redacted]

IoC — Auto-Excluded from Detection

-  [redacted] · 188 hits · packages
└ verdict likely benign + hits ≥ 100 (auto-exclude threshold)

IoC 매칭뿐만 아니라 관련 정보(Log, 데이터)를 분석하여
AI 기반 판단 결과를 제공합니다.

AI도 사람처럼 회사의 환경을 이해해야 위협을 잘 판단할 수 있습니다.

우리 회사의 기술 스택과 맥락을 모르면, AI의 결론은 그럴듯한 추측에 그칩니다.