



Keysight Test Report

PASS

Report Header: Keysight Inc.

Report Date: 2025/07/17 00:30:30

Type: Framed

Keysight Inc. Page 1 of 3

| SUMMARY | | | |
|-------------------|---------------------|--|--|
| IxOS Version | 10.80.8001.4 | | |
| Test Start Time | 2025/07/17 00:28:46 | | |
| Test End Time | 2025/07/17 00:30:29 | | |
| Test Duration | 00:00:30 | | |
| Pass/Fail Verdict | PASS | | |
| Module Type | | | |
| Module Version | | | |
| Serial Number | | | |

Keysight Inc. Page 2 of 3

L2 Traffic Test Summary

| Frame Size | Tx Count | Rx Count | Loss Count | Loss % |
|------------|-------------|-------------|------------|--------|
| 64 | 17972080923 | 17972080923 | 0 | 0.0 |

Keysight Inc. Page 3 of 3

Port Statistics - 64

| Port Statistics | Port 1,1,1 | Port 1,1,2 | Port 1,1,3 | Port 1,1,4 |
|---------------------------|--------------------|--------------------|---------------------|--------------------|
| link | link up | link up | link up | link up |
| lineSpeed | 100000 | 100000 | 100000 | 100000 |
| transmitDuration | 00:00:30.193956755 | 00:00:30.193426613 | 00:00:30.192838637 | 00:00:30.192161805 |
| framesSent | 4493148327 | 4493069436 | 4492981939 | 4492881221 |
| framesReceived | 4493148327 | 4493069436 | 4492981939 | 4492881221 |
| fragments | 0 | 0 | 0 | 0 |
| undersize | 0 | 0 | 0 | 0 |
| oversizeAndCrcErrors | 0 | 0 | 0 | 0 |
| vlanTaggedFramesRx | 0 | 0 | 0 | 0 |
| flowControlFrames | 0 | 0 | 0 | 0 |
| bitsSent | 2300491943424 | 2300451551232 | 2300406752768 | 2300355185152 |
| bitsReceived | 2300451551232 | 2300491943424 | 2300355185152 | 2300406752768 |
| pcsSyncErrorsReceived | 0 | 0 | 0 | 0 |
| pcsRemoteFaultsReceived | 0 | 0 | 0 | 0 |
| pcsLocalFaultsReceived | 0 | 0 | 0 | 0 |
| fecCorrectedCodewords | 0 | 0 | 0 | 0 |
| fecTotalCodewords | 645869170 | 645736137 | 645636715 | 645541895 |
| fecFrameLossRatio | 0.000000e+00 | 0.000000e+00 | 0.000000e+00 | 0.000000e+00 |
| fecUncorrectableCodewords | 0 | 0 | 0 | 0 |
| l1BitsSent | 3019395675744 | 3019342660992 | 3019283863008 | 3019216180512 |
| I1BitsReceived | 3019342660992 | 3019395675744 | 3019216180512 | 3019283863008 |
| transceiverTemp | 0 | 0 | 36 | 36 |
| transceiverVoltage | 0 | 0 | 3.24460000000000002 | 3.2473999999999998 |
| minLatency | 869189120 | 85030092800 | 84982251520 | 917066240 |
| averageLatency | 869189232 | 1121398558 | 1060491594 | 917067171 |
| maxLatency | 869189247 | 85030156690 | 84982278752 | 917067175 |
| Loss_Frames | 0 | 0 | 0 | 0 |
| Loss% | 0.0 | 0.0 | 0.0 | 0.0 |