Lab Sheet 2 — DML Commands: INSERT, UPDATE and DELETE

1. Insert one record into the Student table.

```
1  CREATE DATABASE coer_university;
2  USE coer_university;
3  CREATE TABLE Student (Student_ID INT PRIMARY KEY,Name VARCHAR(50),Gender VARCHAR(10),Age INT,Address
4    VARCHAR(100),
5  Course VARCHAR(50),Percentage DECIMAL(5,2),PhoneNo VARCHAR(15));
6  SHOW TABLES;
7  DESCRIBE Student;
8  INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
9  VALUES(101, 'Anshika', 'Female', 20, 'Jaipur', 'B.Tech CSE', 85.50, '9876543210');
10 SELECT * FROM Student;
```

Result Grid

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Jaipur	B.Tech CSE	85.50	9876543210
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

2. Insert five student records using separate INSERT statements.

```
11 INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
12 VALUES(102, 'Radha', 'Female', 10, 'Kashipur', 'B.Tech CSE', 85.50, '9876543276');
13 INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
14 VALUES(103, 'Jayshree', 'Female', 17, 'Jaipur', 'B.Tech AIML', 85.50, '9876543276');
15 INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
16 VALUES(104, 'Ruhani', 'Female', 20, 'kashmir', 'B.Tech CSE', 85.50, '9876543276');
17 INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
18 VALUES(105, 'Shreya', 'Female', 20, 'Jaipur', 'B.Tech CSE', 85.50, '9876543276');
19 INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
20 VALUES(106, 'Maya', 'Female', 20, 'rajasthan', 'B.Tech CSE', 85.50, '9876543276');
21 SELECT * FROM Student;
```

Result Grid

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Jaipur	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech CSE	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

3. Insert multiple records into the Student table using a single statement.

```
22 INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo) VALUES
23 (107, 'Rahul', 'Male', 21, 'Delhi', 'B.Tech CSE', 78.25, '9876543211'),
24 (108, 'Priya', 'Female', 20, 'Mumbai', 'BCA', 91.00, '9876543212'),
25 (109, 'Aman', 'Male', 22, 'Pune', 'B.Tech IT', 74.75, '9876543213'),
26 (110, 'Neha', 'Female', 21, 'Kolkata', 'B.Tech CSE', 88.50, '9876543214'),
27 (111, 'Rohit', 'Male', 20, 'Chandigarh', 'BCA', 69.25, '9876543215'),
28 (112, 'Simran', 'Female', 22, 'Amritsar', 'B.Tech IT', 82.00, '9876543216');
29 SELECT * FROM Student;
```

Result Grid

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Jaipur	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech CSE	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

4. Insert records into the Employee table.

```
30  CREATE TABLE Employee (Emp_ID INT PRIMARY KEY, Emp_Name VARCHAR(50), Department VARCHAR(30), Salary
31    DECIMAL(10,2));
32  INSERT INTO Employee VALUES
33  (1, 'Aarav', 'CSE', 65000.00),
34  (2, 'Diya', 'HR', 72000.00),
35  (3, 'Kabir', 'IT', 54000.00),
36  (4, 'Meera', 'Mechanical', 26000.00);
37  SELECT * FROM Employee;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Emp_ID	Emp_Name	Department	Salary
1	Aarav	CSE	65000.00
2	Diya	HR	72000.00
3	Kabir	IT	54000.00
4	Meera	Mechanical	26000.00
NULL	NULL	NULL	NULL

5. Insert records into the Department table.

```
38  CREATE TABLE Department (Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50), Location VARCHAR(50));
39  INSERT INTO Department VALUES
40  (1, 'Computer Science', 'Jaipur'),
41  (2, 'Information Technology', 'Pune'),
42  (3, 'Computer Applications', 'Delhi');
43  SELECT * FROM Department;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Dept_ID	Dept_Name	Location
1	Computer Science	Jaipur
2	Information Technology	Pune
3	Computer Applications	Delhi
NULL	NULL	NULL

6. Insert records into the Product table.

```
44  CREATE TABLE Product (Product_ID INT PRIMARY KEY, Product_Name VARCHAR(50), Price DECIMAL(10,2), Quantity INT);
45  INSERT INTO Product VALUES
46  (1, 'Wooden Toy', 450.00, 10),
47  (2, 'Clay Diya', 80.00, 0),
48  (3, 'Handmade Vase', 350.00, 5);
49  SELECT * FROM Product;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Product_ID	Product_Name	Price	Quantity
1	Wooden Toy	450.00	10
2	Clay Diya	80.00	0
3	Handmade Vase	350.00	5
NULL	NULL	NULL	NULL

7. Insert records into the Customer table.

```
50  CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(50), Email VARCHAR(100), Phone
51    VARCHAR(15));
52  INSERT INTO Customer VALUES
53  (1, 'Ishita', 'ishita@gmail.com', '9876500001'),
54  (2, 'Arjun', 'arjun@gmail.com', '9876500002');
55  SELECT * FROM Customer;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Customer_ID	Customer_Name	Email	Phone
1	Ishita	ishita@gmail.com	9876500001
2	Arjun	arjun@gmail.com	9876500002
NULL	NULL	NULL	NULL

8. Insert records into the Course table.

```
CREATE TABLE Course (Course_ID INT PRIMARY KEY, Course_Name VARCHAR(50), Duration VARCHAR(20), Fees
  DECIMAL(10,2));
INSERT INTO Course VALUES
(201, 'B.Tech CSE', '4 Years', 90000.00),
(202, 'B.Tech AIML', '4 Years', 95000.00);
SELECT * FROM Course;
```

Result Grid

Course_ID	Course_Name	Duration	Fees
201	B.Tech CSE	4 Years	90000.00
202	B.Tech AIML	4 Years	95000.00
NULL	NULL	NULL	NULL

9. Insert a student record with values for all columns.

```
INSERT INTO Student VALUES (113, 'Vivek', 'Male', 20, 'Meerut', 'B.Tech CSE', 80.50, '9876543217');
SELECT * FROM Student;
```

Result Grid

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Jaipur	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech CSE	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Meerut	B.Tech CSE	80.50	9876543217
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

10. Insert a student record by specifying only selected columns.

```
INSERT INTO Student (Student_ID, Name, Age) VALUES (114, 'Kriti', 19);
SELECT * FROM Student;
```

Result Grid

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Jaipur	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech CSE	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Meerut	B.Tech CSE	80.50	9876543217
114	Kriti	NULL	19	NULL	NULL	NULL	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

11. Update the city of a particular student.

```
66  UPDATE Student SET Address = 'Delhi' WHERE Student_ID = 101;
67  SELECT * FROM Student;
```

Result Grid

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech CSE	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Meerut	B.Tech CSE	80.50	9876543217
114	Kriti	NULL	19	NULL	NULL	NULL	NULL

12. Update the salary of a particular employee.

```
68  UPDATE Employee SET Salary = 68000 WHERE Emp_ID = 1;
69  SELECT * FROM Employee;
```

Result Grid

Emp_ID	Emp_Name	Department	Salary
1	Aarav	CSE	68000.00
2	Diya	HR	72000.00
3	Kabir	IT	54000.00
4	Meera	Mechanical	26000.00

13. Increase the salary of all employees by 10%.

```
70  UPDATE Employee SET Salary = Salary * 1.10;
71  SELECT * FROM Employee;
```

Result Grid

Emp_ID	Emp_Name	Department	Salary
1	Aarav	CSE	74800.00
2	Diya	HR	79200.00
3	Kabir	IT	59400.00
4	Meera	Mechanical	28600.00

14. Increase the price of all products by 5%.

```
72  UPDATE Product SET Price = Price * 1.05;
73  SELECT * FROM Product;
```

Result Grid

Product_ID	Product_Name	Price	Quantity
1	Wooden Toy	472.50	10
2	Clay Diya	84.00	0
3	Handmade Vase	367.50	5

15. Change the course of a particular student.

```
74 • UPDATE Student SET Course = 'B.Tech AIML' WHERE Student_ID = 105;
75 • SELECT * FROM Student;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech AIML	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Meerut	B.Tech CSE	80.50	9876543217
114	Kriti	NULL	19	NULL	NULL	NULL	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

16. Update the department of an employee.

```
76 • UPDATE Employee SET Department = 'Finance' WHERE Emp_ID = 2;
77 • SELECT * FROM Employee;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Emp_ID	Emp_Name	Department	Salary
1	Aarav	CSE	74800.00
2	Diya	Finance	79200.00
3	Kabir	IT	59400.00
4	Meera	Mechanical	28600.00
NULL	NULL	NULL	NULL

17. Update the city of all students from Meerut to Delhi.

```
78 • UPDATE Student SET Address = 'Delhi' WHERE Address = 'Meerut';
79 • SELECT * FROM Student;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	10	Kashipur	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech AIML	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Delhi	B.Tech CSE	80.50	9876543217
114	Kriti	NULL	19	NULL	NULL	NULL	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

18. Update the fees of a particular course.

```
80 • UPDATE Course SET Fees = 98000 WHERE Course_ID = 202;
81 • SELECT * FROM Course;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Course_ID	Course_Name	Duration	Fees
201	B.Tech CSE	4 Years	90000.00
202	B.Tech AIML	4 Years	98000.00
NULL	NULL	NULL	NULL

19. Update multiple columns of a student simultaneously.

```
82 • UPDATE Student SET Age = 21, Address = 'Noida' WHERE Student_ID = 102;
83 • SELECT * FROM Student;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	21	Noida	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech AIML	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Delhi	B.Tech CSE	80.50	9876543217
114	Kriti	NULL	19	NULL	NULL	NULL	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

20. Delete a particular student record using Student_ID.

```
84 • DELETE FROM Student WHERE Student_ID = 114;
85 • SELECT * FROM Student;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	21	Noida	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
104	Ruhani	Female	20	kashmir	B.Tech CSE	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech AIML	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Delhi	B.Tech CSE	80.50	9876543217
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

21. Delete all students belonging to a particular city.

```
86 • DELETE FROM Student WHERE Address = 'kashmir';
87 • SELECT * FROM Student;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	21	Noida	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech AIML	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
109	Aman	Male	22	Pune	B.Tech IT	74.75	9876543213
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
113	Vivek	Male	20	Delhi	B.Tech CSE	80.50	9876543217
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL


22. Delete employees whose salary is below a specified amount.

```
88 • DELETE FROM Employee WHERE Salary < 30000;
89 • SELECT * FROM Employee;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Emp_ID	Emp_Name	Department	Salary
1	Aarav	CSE	74800.00
2	Diya	Finance	79200.00
3	Kabir	IT	59400.00
NULL	NULL	NULL	NULL

23. Delete products whose quantity is zero.




```
90  DELETE FROM Product WHERE Quantity = 0;
91  SELECT * FROM Product;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Product_ID	Product_Name	Price	Quantity
1	Wooden Toy	472.50	10
3	Handmade Vase	367.50	5
NULL	NULL	NULL	NULL

24. Delete records satisfying multiple conditions using AND/OR.




```
92  DELETE FROM Student WHERE (Address = 'Pune' AND Age > 20) OR Student_ID = 113;
93  SELECT * FROM Student;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
101	Anshika	Female	20	Delhi	B.Tech CSE	85.50	9876543210
102	Radha	Female	21	Noida	B.Tech CSE	85.50	9876543276
103	Jayshree	Female	17	Jaipur	B.Tech AIML	85.50	9876543276
105	Shreya	Female	20	Jaipur	B.Tech AIML	85.50	9876543276
106	Maya	Female	20	rajasthan	B.Tech CSE	85.50	9876543276
107	Rahul	Male	21	Delhi	B.Tech CSE	78.25	9876543211
108	Priya	Female	20	Mumbai	BCA	91.00	9876543212
110	Neha	Female	21	Kolkata	B.Tech CSE	88.50	9876543214
111	Rohit	Male	20	Chandigarh	BCA	69.25	9876543215
112	Simran	Female	22	Amritsar	B.Tech IT	82.00	9876543216
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

25. Perform a complete sequence of INSERT, UPDATE and DELETE operations on a Student record.

Step 1




```
94  INSERT INTO Student(Student_ID, Name, Gender, Age, Address, Course, Percentage, PhoneNo)
95  VALUES(115, 'Demo', 'Male', 21, 'Roorkee', 'B.Tech CSE', 75.00, '9876543299');
96  SELECT * FROM Student WHERE Student_ID = 115;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
115	Demo	Male	21	Roorkee	B.Tech CSE	75.00	9876543299
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Step 2




```
97  UPDATE Student SET Address = 'Delhi' WHERE Student_ID = 115;
98  SELECT * FROM Student WHERE Student_ID = 115;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
115	Demo	Male	21	Delhi	B.Tech CSE	75.00	9876543299
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Step 3



```
99  DELETE FROM Student WHERE Student_ID = 115;
100 SELECT * FROM Student WHERE Student_ID = 115;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Student_ID	Name	Gender	Age	Address	Course	Percentage	PhoneNo
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL