

Technical sheet Bananas Tucan

Criteria	Description			
Fruit specifications				
Age	9-10-11 and 12 in the weeks authorized by the marketing company			
Length	20.3 cm from flesh to tip, with a tolerance of two segments (19.05 cm)/box.			
Fruit Grade	39 (minimum) to 47 (maximum)			
Number of fingers				
Minimum	3 fingers (max 2 segments per box), 4 fingers (max 2 segments per box)			
Maximum	8 fingers			
Number per box				
Fingers per box	maximum 110			
Segments per box	maximum 17			
Weight per box				
Net weight	17.4 kg			
Gross weight	18.6 to 18.8 kg, the box weight estimated at 1.2 kg			
Post-harvest application				
Application system	Hydraulic chamber/back pump			
Preparation of alum	24 hours before the start of the cut - at 1%			
Cocktail: Rally 40 WP (Myclobutanil) +	0.5 g of Rally/L of water-alum + 0.5 g of Amistar/L of water-alum; that is, 10 g of			
Amistar 50 WG (Azoxytrobin)	each fungicide per 20 liters of water-alum			
N-Large (Gibberellic Acid)	800 ppm (20 cc per L of mixture. 400 cc for 20 L of mixture)			
Mixing volume per tray/hydraulic	180 cc, divided as follows: 160 cc mix (TXA-8001 nozzle chamber) + 20 cc mix+N-			
chamber	large (pump-8001 nozzle)			
Mixing volume per tray/back pump	110 cc, divided as follows: 90 cc cocktail mix (pump nozzle - 8002) + 20 cc cocktail mix + N-large (pump nozzle 8001)			

Code	Defect tolerance in packing plant
MR	≤1 cm2
SRV	0
MS	Mild:≤0.50 cm2. Severe and cracked: Ω per case
-	0
MF	0
CT	0
SK	≤1 cm2 mild to moderate. Colonies: 0
YB	0
YE	Mild:≤0.50 cm2 in crown
FL	0
WI	0
FM	0
INS	≤0.50 cm2
NS	2 segments per box
RR-FF	0
RE-RF	0
RT-SG	0
FR	0
PC	0
LS	≤1 cm2
	MR SRV MS - MF CT SK YB YE FL WI INS NS RR-FF RE-RF RT-SG FR

Material specifications		
17K Base	Code BAS6	
RF 17K Cap	Code TAP5	
EB Fairtrade Sheet 20x26 x 1.5 R1000 Plastic division	Code 10202	
Tucan Rac Stamp x 4000 units	Code 40112	
17k polyback bag (30.5"+6"+6"+32" x0.8) pre-cut	Code 10125	
Rubber band	Code 14001	
1 mm white foam sheet P500 33x35 cm	Code 10201	
European stowage (green block, 1 m x 1.2 m)	Code 14003	
Kraft corners 218 cm	Code 30107	
Mini Kraft corner protection 18.4 cm, 14 reinforcements on the 1st level	Code 30115	
SSCC Onkel Tuca Label	Code 50221	
GGN Sticker	Code 050208	

Packing lines (normal-length)		
First	Large segments up to 9.9" long	
Second	Medium or large semi- curved segments	
Third	Small segments (incl. 2 7.5" segments)	

Palletizing		
Strap color	White	
Strapping	All levels - with braiding at level 9	
Boxes per pallet	55 boxes / 5 per level - mini pallet 44 boxes	
Strapping	All levels - with braiding at level 10	

1.SSCC Label - EAN 13
Contains: IBM of the farm - serial number of the pallet, brand name and the entire label is white in color.

It is located on level 8, on the 4 sides of the pallet, right box, right side of the box.

2. GGN Seal

IBM farm - GGN code - ICA registration - farm address.

The labels are located in each box in the corresponding box.

3. Wet seal - shows the current week and the corresponding day, like this:

Plan for placing corner reinforcements on pallets * 55 boxes (14 pieces of 18.4 cm) below:







