




Technical sheet Bananas Onkel Tuca

Criteria	Description
Fruit specifications	
Age	9-10-11 and 12 in the weeks authorized by the marketing company
Length	20.3 cm from flesh to tip, with a tolerance of two segments (19.05 cm)/ box.
Fruit Grade	39 (minimum) to 47 (maximum)
Number of fingers	
Minimum	3 fingers (max 2 segments per box), 4 fingers (max 2 segments per box)
Maximum	8 fingers
Number per box	
Fingers per box	maximum 115
Segments per box	maximum 18
Weight per box	
Net weight	18.5 kg to 18.7 kg
Gross weight	19.7 to 19.8 kg, the box weight estimated at 1.1 kg
Post-harvest application	
Application system	Hydraulic chamber/back pump
Preparation of alum	24 hours before the start of the cut - at 1%
Cocktail: Rally 40 WP (Myclobutanil) + Amistar 50 WG (Azoxystrobin)	0.5 g of Rally/L of water-alum + 0.5 g of Amistar/L of water-alum; that is, 10 g of each fungicide per 20 liters of water-alum
N-Large (Gibberellic Acid)	800 ppm (20 cc per L of mixture, 400 cc for 20 L of mixture)
Mixing volume per tray/hydraulic chamber	180 cc, divided as follows: 160 cc mix (TXA-8001 nozzle chamber) + 20 cc mix+N-large (pump-8001 nozzle)
Mixing volume per tray/back pump	110 cc, divided as follows: 90 cc cocktail mix (pump nozzle - 8002) + 20 cc cocktail mix + N-large (pump nozzle 8001)

Flaw	Code	Defect tolerance in packing plant
Dry scars	MR	≤1 cm2
Living scars	SRV	0
Maturity spot	MS	Mild: ≤0.50 cm2. Severe and cracked: 0
Broken neck	-	0
Mutilated	MF	0
Knife cut	CT	0
Speckling	SK	≤1 cm2 mild to moderate. Colonies: 0
Yellow tip	YB	0
Sooty mold	YE	Mild: ≤0.50 cm2 in crown
Flowers	FL	0
Cochineal	WI	0
Spiders/insects	FM	0
Insect damage	INS	≤0.50 cm2
Segment with sanitation/box	NS	2 segments per box
Red oxide - stickers	RR-FF	0
Residue - round fruit	RE-RF	0
Mature - soft green	RT-SG	0
Rotten finger	FR	0
Cigar tip	PC	0
Dry Latex	LS	≤1 cm2

Material specifications	
18K Base	Code BAS3
Tapa OT 18 kg	Code TAP2
Division (89 cm x 47 cm)	Code DIV4
Onkel Tuca Seal	Code 040121
20K polyback bag (38.5"W x 48"L x 0.8")	Code 010124
Rubber band	Code 14001
European stowage (yellow block, 1 m x 1.2 m)	Code 14004
Kraft corners 218 cm	Code 030107
Mini Kraft corner protection 23.8 cm, 16 reinforcements on the 1st level	Code 030116
SSCC Onkel Tuca Label	Code 50223
GGN Sticker	Code 050208

Traceability	
1. SSCC Label - EAN 13	
Contains: IBM of the farm - serial number of the pallet, brand name and a yellow band that identifies it.	
It is located on level 7, on the 4 sides of the pallet, right box, right side of the box.	
2. GGN Seal	
IBM farm - GGN code - ICA registration - farm address.	
The labels are located in each box in the corresponding box.	
3. Wet seal - shows the current week and the corresponding day, like this:	



Packing lines	
First	Small
Second	Semi-curved mediums
Third	Large curved or extra long
Fourth	Extra-large
Palletizing	
Strap color	White
Strapping	All levels - with braiding at level 9
Boxes per pallet	54 boxes / 6 per level - mini pallet 36 boxes

Plan for placing corner reinforcements on pallets
* 54 boxes (16 pieces of 23.8 cm) below:

