

Dissecting Memory in State Space Models

Anonymous ACL submission

Abstract

Sub-quadratic models such as Mamba and RWKV compress all past context into a fixed-size recurrent state, raising the question of how effectively they store and retrieve in-context information. We investigate this by probing the internal states of RWKV-7 1.5B on controlled entity-binding tasks and find that: (i) entity-property bindings are concentrated in a small subset of universal memory heads that generalize across semantic domains; (ii) these heads have a direct causal effect on model outputs (iii) probe accuracy far exceeds the model’s own retrieval accuracy, revealing a query bottleneck rather than a storage limitation; and (iv) semantically similar context accelerates forgetting. These findings suggest that improving sub-quadratic models may benefit more from better query mechanisms than from increased state capacity.

1 Introduction

Transformer-based language models have achieved remarkable success across a wide range of tasks (Brown et al., 2020), but their self-attention mechanism scales quadratically with sequence length, making long-context inference expensive (Vaswani et al., 2023). This has motivated a growing family of sub-quadratic architectures, including state space models (SSMs) such as Mamba (Gu and Dao, 2024), RWKV (Peng et al., 2023), and GLA (Yang et al., 2024), which achieve linear-time inference by compressing all past context into a fixed-size recurrent state. These models have become competitive with transformers at similar scales (Gu and Dao, 2024; Peng et al., 2025), yet a fundamental tension remains: the state has finite capacity, so it cannot preserve all information from an arbitrarily long context. Something must be forgotten.

This raises a natural question: when information is provided entirely in context, how much of it actually ends up in the state, and how well can the

model retrieve it? Moreover, beyond performance, how does this process work mechanistically: where in the model is memory stored, how is it organized, and what determines whether a piece of information can be recovered? Prior work has studied the recall and state-tracking abilities of SSMs through behavioral benchmarks (Jelassi et al., 2024; Fu et al., 2023; Grazi et al., 2025), but relatively little is known about what is happening inside the state itself. Is poor recall due to information never being stored, or due to the model failing to extract what is already there?

We address this question by probing the internal states of RWKV-7 1.5B on controlled entity-binding tasks, where each input prompt contains a set of entity-property associations (e.g., “Lady Gaga’s favorite color is red”) that vary randomly across samples. Thanks to the fact that these associations are never seen during pretraining, any successful retrieval must rely on in-context memory. We design probes that respect the architecture’s native query mechanism: SSMs produce outputs by right-multiplying the state with a query vector, so we train probes that query the state in the same way. To validate that the heads identified by probing are genuinely involved in memory, we complement our probing analysis with counterfactual patching experiments that test for causal influence on the model’s outputs.

In this work we ask: *can we leverage the internal states of SSMs to understand how they store and retrieve in-context information, and where this process breaks down?*

Our main findings are as follows. First, probing reveals that entity-property bindings are reliably encoded in a small subset of heads, with the best head reaching 96.3% accuracy, and that querying from the right (the natural direction) substantially outperforms querying from the left. Second, counterfactual patching confirms that replacing just 4 out of 768 heads is enough to change the model’s

answer, while replacing the same number of random heads has almost no effect. Third, the same small set of heads is important across semantically distinct domains, suggesting they function as universal memory heads. Fourth, probe accuracy far exceeds the model’s own retrieval accuracy, indicating that the bottleneck lies in querying the state rather than in storing information. Finally, we show that semantically similar context accelerates forgetting, consistent with subspace interference in the state matrix.

2 Related Work

Attention-free sub-quadratic sequence models.

Recent “linear recurrent” language-model backbones replace token–token softmax attention with an explicit recurrent state updated online, enabling linear-time inference and constant per-token memory. This family includes structured state space models and closely related linear-attention-as-recurrence formulations, spanning S4-style layers and their simplifications (Gu et al., 2022a; Smith et al., 2023; Gupta et al., 2022; Gu et al., 2022b), selective SSM architectures such as Mamba (Gu and Dao, 2024), and Transformer/RNN hybrids such as RWKV (Peng et al., 2023). A central theme in improving *memory and recall* in these models is *controlling forgetting* through input-dependent gating or decay (Gu and Dao, 2024; Peng et al., 2023, 2025; Yang et al., 2024). Complementary work increases *effective state capacity* and state-tracking ability—often framed as a key bottleneck for in-context retrieval—by moving from purely additive updates to delta-rule or gated-delta updates and related state-expansion mechanisms (Yang et al., 2025b,a; Siems et al., 2025; Grazzi et al., 2025). Finally, several works refine the SSM layer/algorithm itself (e.g., more stable parameterizations/initializations and dual views that connect SSMs to masked attention), enabling more reliable long-range modeling and more efficient long-sequence training/inference (Gu et al., 2022b; Smith et al., 2023; Dao and Gu, 2024; Fu et al., 2023).

Entity binding as an in-context memory primitive. Entity–attribute binding tasks offer a controlled probe of in-context memory: the model must maintain multiple concurrent associations (e.g., a key-value dictionary) and retrieve the correct one at query time, without relying on pre-training knowledge. Significant Recent work has

emphasized *synthetic* binding and entity-tracking setups—from static multi-entity attribute binding prompts to procedurally generated state-update narratives—that precisely control the number of entities, interference, and context length (Feng and Steinhardt, 2024; Kim and Schuster, 2023; Prakash et al., 2024; Dai et al., 2024). Interpretability studies on these benchmarks suggest that successful LMs allocate dedicated representational degrees of freedom that act like *identifiers* for bindings: Some argue for a “binding ID” subspace attached to entity and attribute token positions (Feng and Steinhardt, 2024); follow-up representational and causal analyses refine this picture by isolating low-rank directions encoding order-related signals that govern binding behavior (Dai et al., 2024). Complementary mechanistic work on synthetic *variable* binding further supports the view that binding can be mediated by sparse, specialized circuits that are discoverable via automated causal localization and patching (Davies et al., 2023; Wu et al., 2025). Concurrent work further decomposes the retrieval process, showing that models combine positional, lexical, and reflexive mechanisms to retrieve bound entities (Gur-Arieh et al., 2025). Our entity-binding datasets follow this controlled regime, but we target sub-quadratic recurrent-state models where bindings must be retained in a compressed state; this shifts the emphasis from *whether the model attends to the correct key-value pair* to *which bindings persist in the state and whether the model’s query mechanism is able to retrieve them*.

Interpretability tools for studying memory mechanisms.

Our work sits within mechanistic interpretability, which aims to localize and characterize internal computations responsible for model behavior. Probing methods train auxiliary predictors to decode information from hidden activations; recent ‘lens’ techniques decode intermediate representations into output distributions, providing a token-level view of how predictions evolve across depth (Belrose et al., 2025). Beyond correlational probes, causal interventions are commonly used to establish necessity and sufficiency of components. Meng et al. develop causal tracing interventions to localize computations supporting factual recall and show that specific mechanisms can be edited (ROME) (Meng et al., 2023). Geva et al. further dissect the multi-step process by which autoregressive models aggregate subject and relation information to predict attributes (Geva et al., 2023).

Activation patching has become a standard causal tool for circuit-level analysis, and recent work systematizes methodological choices and metrics for patching-based localization (Zhang and Nanda, 2024). Broader frameworks for circuit-based reasoning about Transformers provide a language for decomposing computations into interpretable parts (Elhage et al., 2021). We adopt these interpretability principles in the sub-quadratic setting by (i) designing probes that mirror the architecture’s native readout direction and (ii) using counterfactual patching on internal state representations to test whether probe-identified components have a causal effect on retrieval.

3 State Space Models

Many state-of-the-art sub-quadratic architectures, including Mamba (Gu and Dao, 2024), RWKV (Peng et al., 2023), GLA (Yang et al., 2024), and Deltanet (Yang et al., 2025b), can be unified under the framework of *state space models* (SSMs); see section 3.1 for concrete examples. Despite their architectural differences, all of these models can be written in the following generic form.

The model maintains an internal state $S_t \in \mathbb{R}^{d \times d}$ that is updated at each time step based on the previous state and the current input $x_t \in \mathbb{R}^d$:

$$S_t = f(S_{t-1}) + g(x_t), \quad (1)$$

$$o_t = S_t q(x_t), \quad (2)$$

where f is a decay or transformation function applied to the previous state, $g(x_t)$ is some function of the current input (independent of other timesteps), and $o_t \in \mathbb{R}^d$ is the output. The output is produced by *querying* the state via right-multiplication with a query vector $q(x_t) \in \mathbb{R}^d$ derived from the current input.

Unlike transformers, whose attention mechanism incurs $O(L^2)$ computational cost with respect to sequence length L , SSM-based models enable inference in $O(L)$ time. This efficiency comes from compressing all past information into a fixed-size state $S_t \in \mathbb{R}^{d \times d}$, which is updated incrementally rather than recomputed from scratch.

This raises a fundamental question: given the finite capacity of the state, *how does the model store and retrieve in-context information?*

3.1 Examples

To illustrate the generality of this framework, we show how two popular architectures fit the SSM formulation.

Gated Linear Attention (GLA)). In GLA, the state update and query take the form:

$$S_t = S_{t-1} \odot (1\alpha_t^\top) + v_t k_t^\top, \quad o_t = S_t q_t, \quad (3)$$

where $\odot$ denotes element-wise multiplication, and $\alpha_t, v_t, k_t, q_t \in \mathbb{R}^d$ are learned projections of the input.

Mamba-2. In Mamba-2, the formulation is:

$$S_t = \gamma_t S_{t-1} + v_t k_t^\top, \quad o_t = S_t q_t, \quad (4)$$

where $\gamma_t \in \mathbb{R}$ is a learned scalar decay factor.

Both architectures share the key property that the output is produced by querying the state from the right.

4 Methodology

4.1 Entity-Binding Datasets

We construct *in-context* entity-binding datasets to study how SSMs store and retrieve factual associations. Each dataset follows a generic structure: samples consist of N_e statements of the form “<entity> <relation> <property>”, where each entity is associated with one of C possible property values.

These associations are provided entirely within the input prompt (not learned during pretraining) and vary randomly across samples. One designated *target entity* appears in all samples, but its associated property changes. The order of entities is randomized, and the target entity appears at a random position. This ensures that any successful retrieval must rely on in-context memory rather than memorized facts. We generate 10,000 prompts per dataset for probing experiments and 50 sample pairs for counterfactual patching. See fig. 1 for examples.

4.2 Probing State Representations

Recall from eq. (2) that SSMs produce outputs by querying the state via right-multiplication: $o_t = S_t q(x_t)$. This suggests a natural way to probe whether entity-property bindings are stored in the state: we can train a probe that mimics this query mechanism.

For each internal state $S_t \in \mathbb{R}^{d \times d}$ (indexed by layer ℓ and head h), we extract the state at the *final token position* of the input sequence. We then train a probe with two learned components: (i) a **query component** $q_{\text{probe}} \in \mathbb{R}^d$ that queries the state from the right, producing $S_t q_{\text{probe}} \in \mathbb{R}^d$; and

Favorite Color ($N_e = 30, C = 10$)
<i>Relation:</i> "X's favorite color is Y."
Lady Gaga's favorite color is red.
Beyoncé's favorite color is green.
...
Lives in City ($N_e = 30, C = 10$)
<i>Relation:</i> "X lives in Y."
The shark lives in France.
The dog lives in Italy.
...

Figure 1: Examples from our entity-binding datasets. Each sample contains N_e entity-property pairs with one target entity whose property varies across samples.

Given the following context, let's answer the question below.
Context:
Lady Gaga's favorite color is red.
Beyoncé's favorite color is green. ...
Question: What is Lady Gaga's favorite color?
Answer: Lady Gaga's favorite color is

Figure 2: Prompt template for evaluating model retrieval. The model must generate the correct property (e.g., "red") as the next token.

(ii) a **classifier component** $W_{\text{cls}} \in \mathbb{R}^{C \times d}$ that maps the queried vector to C class logits.

The full probe is:

$$\text{probe}(S_t) = W_{\text{cls}} S_t q_{\text{probe}} \in \mathbb{R}^C. \quad (5)$$

We call this the *natural probe* because it mirrors the model's native state-querying mechanism: the state is multiplied by a vector *from the right*, just as in eq. (2).

To validate that this structure is important, we also train a *non-natural probe* that queries from the opposite direction:

$$\text{probe}_{\text{non-nat}}(S_t) = (q_{\text{probe}}^\top S_t) W_{\text{cls}} \in \mathbb{R}^C, \quad (6)$$

where $q_{\text{probe}} \in \mathbb{R}^d$ is applied from the left, and $W_{\text{cls}} \in \mathbb{R}^{d \times C}$ projects to class logits. If memory is encoded consistently with the model's query mechanism, the *natural probe* should significantly outperform the *non-natural probe*; we verify this in section 5.1.

4.3 Training Details

We train each probe with a 70/30 train/validation split, up to 20,000 epochs with early stopping (patience of 20 epochs), a batch size of 1,000, and a learning rate of 10^{-3} using the Adam optimizer.

Table 1: Top 10 heads ranked by *natural probe* validation accuracy on the Favorite Color dataset.

Rank	Head	Val Acc.	Train Acc.
1	L15H11	96.3%	97.5%
2	L15H2	93.0%	95.4%
3	L15H13	91.4%	93.7%
4	L14H23	88.5%	91.4%
5	L15H27	79.0%	81.1%
6	L9H18	72.8%	76.6%
7	L15H1	65.3%	67.9%
8	L14H18	61.8%	65.9%
9	L15H8	61.1%	62.8%
10	L12H18	58.6%	63.3%

4.4 Evaluating Model Retrieval

To compare probe accuracy with the model's own retrieval ability, we construct a question-answering prompt that queries the model for the target entity's property. fig. 2 shows an example for the Favorite Color dataset.

We measure top-1 accuracy: the model must generate the correct property label as its next token, where we only consider tokens corresponding to valid property values from the dataset (e.g., the $C = 10$ colors).

4.5 Causal Intervention

To establish that the heads identified by probing have a *causal* effect on model behavior, we perform counterfactual patching experiments using the prompt structure from section 4.4.

The procedure is as follows: (i) generate two prompts A and B that differ only in the target entity's property (e.g., "Lady Gaga's favorite color is red" vs. "Lady Gaga's favorite color is blue"); (ii) run both prompts through the model, collecting states after processing the context; (iii) for prompt A , replace the states of a *subset* of heads with the corresponding states from prompt B ; and (iv) continue generation and measure whether the output switches from property A to property B .

We compare several head selection strategies: a baseline with no heads patched, measuring the model's normal accuracy; the top 0.5% of heads ranked by *natural probe* accuracy; the same number of heads selected uniformly at random; and patching all heads, representing the maximum possible effect.

5 Results

We conduct all experiments using RWKV-7 1.5B, an SSM-based language model with 24 layers and




Figure 3: Comparison of *natural probe* (querying from the right) versus *non-natural probe* (querying from the left) accuracy on the Favorite Color dataset. Each point represents the probe accuracy for a given probe for a given head, ranked by accuracy of the probe. The natural probe consistently outperforms the non-natural probe, with the gap widening at higher ranks.

32 heads per layer (768 total heads), achieving state-of-the-art performance at its scale (Peng et al., 2025).

We begin by validating our probing methodology, showing that the probe is not overly powerful and that the querying direction matters (section 5.1). We then use counterfactual patching to demonstrate that the heads identified by probing have a causal influence on model outputs (section 5.2). Comparing probe accuracy to the model’s own retrieval performance reveals that the main bottleneck lies in querying the state rather than in storing information (section 5.3). We further show that the same small set of heads is important across semantically distinct domains (section 5.4), and that semantically similar context accelerates forgetting (section 5.5).

5.1 Validating the Probing Approach

Before interpreting probe results, we first verify that the probe architecture is meaningful: it should only succeed when the target information is actually encoded in the state, rather than being powerful enough to extract arbitrary patterns. We verify this through two complementary checks: we show the probe is not overly powerful (section 5.1.1) and that the querying direction matters (section 5.1.2).

5.1.1 The Probe is Not Overly Powerful

If the probe were too expressive, it could achieve high accuracy on any head regardless of whether that head stores relevant information. However, table 1 shows that the *natural probe* achieves high accuracy on only a small fraction of heads. The

Table 2: Counterfactual patching results. “Correct”: the model outputs the original property; “Switched”: the model outputs the counterfactual property; “Neither”: any other output.

Method	Correct	Switched	Neither
Baseline	90%	0%	10%
Natural probe (top 0.5%)	14%	36%	50%
Random (0.5%)	86%	2%	12%
All heads	0%	76%	24%

top head (L15H11) reaches 96.3%, but accuracy drops sharply: by rank 5 it falls below 80%, and by rank 10 below 60%. Most of the 768 heads yield near-chance performance.

This concentration of high-accuracy probes in a small subset of heads, rather than diffuse success across all 768 heads, indicates that the probe is identifying genuine “memory heads” rather than exploiting spurious correlations.

5.1.2 Querying from the Right Outperforms Querying from the Left

A core design choice in our probing approach is querying the state from the right, mirroring the model’s native mechanism (eq. (2)). To validate that this direction is not an arbitrary choice, we compare the *natural probe* against a *non-natural probe* that queries from the left (eq. (6)).

The *natural probe* significantly outperforms the *non-natural probe*: the best *natural probe* reaches 96.3%, while the best *non-natural probe* achieves only 70.8%.

This gap confirms that memory is encoded in a manner consistent with the model’s native query mechanism (eq. (2)). Probing from the right extracts information effectively; probing from the left does not. fig. 3 visualizes this comparison across the top 10 heads for each probe type.

5.2 Causal Effect of Memory Heads

To verify that probe-identified heads play a causal role in storing memory, we perform counterfactual patching experiments on 50 sample pairs from the Favorite Color dataset. table 2 shows the results.

The results show a striking asymmetry. Patching just 4 heads out of 768 (the top 0.5% by *natural probe* accuracy) is enough to make the model switch to the counterfactual property 36% of the time, a dramatic behavioral shift from a relatively small intervention. In contrast, patching the same number of randomly selected heads (averaged over 5 seeds) yields only a 2% switch rate. This large

gap confirms that the heads identified by the *natural probe* are not merely correlated with memory storage but play a direct causal role in the model’s retrieval process. Patching all 768 heads provides an upper bound of 76%, indicating that these few probe-selected heads already account for a substantial fraction of the model’s total memory capacity.

5.3 The Bottleneck is Querying, Not Storage

A key observation emerges from comparing probe performance to model performance. While our probes extract the correct binding with up to 96.3% accuracy, the model’s own ability to answer questions about these bindings is substantially lower.

When we prompt the model using the template in fig. 2, its accuracy is far below probe accuracy. This gap implies that the information *is stored* in the state (the probe finds it) but the model struggles to *query* it effectively during generation.

This finding challenges the common assumption that SSMs’ limitations stem from insufficient memory capacity (Jelassi et al., 2024; Yang et al., 2025b; Grazzi et al., 2025). Instead, our results suggest that the bottleneck lies in the model’s ability to formulate effective queries.

5.4 Universal Memory Heads

We analyze whether the same heads are important across different semantic domains by comparing top-performing heads on the Favorite Color dataset versus Lives in City.

We find substantial overlap: 7 of the top 10 heads are shared across both datasets. fig. 4 visualizes this overlap, showing that the majority of top-performing heads are consistent across semantically distinct tasks. This suggests the existence of *universal memory heads* that specialize in entity-property binding regardless of semantic content. We defer investigation of the mechanism underlying these heads to future work.

5.5 Semantic Collision Accelerates Forgetting

We investigate how context affects memory retention by measuring probe accuracy as a function of token distance from the information. We observe that increased semantic similarity between the prompt content and the target subject accelerates the model’s forgetting rate, as can be seen in figs. 5 and 6. When subsequent sentences discuss similar entities, probe accuracy degrades faster than when the intervening content is semantically distinct. More specifically, we create two types

Top 10 Memory Heads By Dataset




Figure 4: Overlap of top 10 heads ranked by *natural probe* accuracy across two different datasets. Seven heads (shown in the intersection) achieve high accuracy on both Favorite Color and Lives in City tasks, demonstrating domain-general memory storage capabilities.




Figure 5: Top 3 accuracy of the homogeneous and mixed data probes on homogeneous and mixed data as a function of token distance from the binding pair we query.

of datasets: a homogeneous dataset containing only sentences of one type (e.g., "Lady Gaga’s favorite animal is Fox"), and a mixed dataset that combines sentences from two different domains (e.g., favorite animals and favorite colors) in a ratio where the target domain represents only a small fraction (roughly 1/30) of the total sentences.

We hypothesize that this effect arises from the difficulty of encoding semantically similar key-value pairs in a fixed-size state matrix: when consecutive entries share similar key vectors, they compete for the same subspace and overwrite each other more aggressively. This interference mechanism is a direct consequence of the state update rule (eq. (1)). Understanding and mitigating this collision effect is an interesting avenue for future work.

6 Future Work

Our findings open several directions for future research.

A natural next step is to characterize the mecha-




Figure 6: Top 1 accuracy of the homogeneous and mixed data probes on homogeneous and mixed data as a function of token distance from the binding pair we query.

nism underlying universal memory heads. We have shown that a small subset of heads consistently stores entity-property bindings across semantically distinct domains, but the question of what makes these heads special remains open. Understanding their internal dynamics, whether they develop specialized decay patterns, allocate subspaces differently, or emerge from particular training dynamics, could inform architectural improvements and targeted fine-tuning strategies for sub-quadratic models.

The gap between probe accuracy and model retrieval accuracy suggests that improving the query mechanism is a promising direction. Our probes demonstrate that the information is present in the state, yet the model fails to retrieve it reliably. Designing better query strategies, possibly inspired by the structure of successful probes, could improve SSM performance on tasks requiring in-context recall.

It would also be valuable to investigate how these findings scale. Our experiments focus on a 1.5B parameter model, and it remains to be seen whether larger SSMs exhibit the same concentration of memory in a few heads, whether more heads become memory-capable with scale, and whether the query bottleneck persists or diminishes.

Finally, the semantic collision phenomenon we observe opens a line of work on mitigating interference between similar entities. Exploring training objectives or architectural modifications that reduce subspace competition, such as encouraging orthogonal key representations for same-domain entities, could improve memory retention in settings where the context is semantically homogeneous.

7 Conclusion

We investigated how state space models store and retrieve in-context information by probing their internal states. By designing probes that mirror the model’s native right-multiplication query mechanism, we showed that entity-property bindings are reliably encoded in a small subset of heads, and that probing from the right substantially outperforms probing from the left. Counterfactual patching confirmed that these heads play a direct causal role in the model’s outputs: replacing just 4 out of 768 heads is sufficient to alter the model’s answer. Across semantically distinct domains, the same heads consistently emerge as the most informative, pointing to the existence of universal memory heads.

Perhaps most notably, probe accuracy far exceeds the model’s own retrieval accuracy, indicating that the relevant information is present in the state but the model struggles to access it during generation. This suggests that the primary limitation of current SSMs lies not in storage capacity but in the effectiveness of the query mechanism. We also found that semantically similar context accelerates forgetting, likely due to subspace interference in the state matrix. Together, these findings point toward improving query strategies and reducing semantic collision as promising directions for closing the gap between what sub-quadratic models store and what they can retrieve.

8 Limitations

Our study has several limitations. All experiments are conducted on a single model (RWKV-7 1.5B), so it remains unclear whether the findings generalize to other SSM architectures or to larger scales. The entity-binding datasets we use, while useful for controlled analysis, are synthetic and structurally simple compared to the kinds of factual associations that arise in natural text; it is possible that memory dynamics differ in more realistic settings. Additionally, several of our findings are observational rather than fully developed: we identify universal memory heads but do not explain the mechanism behind them, we show that the query bottleneck exists but do not propose a solution, and our hypothesis about semantic collision causing subspace interference is supported by indirect evidence but not formally tested. We view these as starting points for future investigation rather than definitive conclusions.

9 AI Disclosure and Reflection

We used the Cursor IDE with several AI models throughout this project. On the code side, AI assisted with writing almost all of the code. On the writing side, AI helped draft and revise sections of this paper, with all content reviewed and edited by the authors.

References

Nora Belrose, Igor Ostrovsky, Lev McKinney, Zach Furman, Logan Smith, Danny Halawi, Stella Biderman, and Jacob Steinhardt. 2025. [Eliciting latent predictions from transformers with the tuned lens](#).

Tom B. Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel M. Ziegler, Jeffrey Wu, Clemens Winter, Christopher Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. [Language models are few-shot learners](#). In *Advances in Neural Information Processing Systems*.

Qin Dai, Benjamin Heinzerling, and Kentaro Inui. 2024. [Representational analysis of binding in language models](#).

Tri Dao and Albert Gu. 2024. [Transformers are ssms: Generalized models and efficient algorithms through structured state space duality](#).

Xander Davies, Max Nadeau, Nikhil Prakash, Tamar Rott Shaham, and David Bau. 2023. [Discovering variable binding circuitry with desiderata](#).

Nelson Elhage, Neel Nanda, Catherine Olsson, Tom Henighan, Nicholas Joseph, Ben Mann, Amanda Askell, Yuntao Bai, Anna Chen, Tom Conerly, et al. 2021. A mathematical framework for transformer circuits.

Jiahai Feng and Jacob Steinhardt. 2024. [How do language models bind entities in context?](#)

Daniel Y. Fu, Tri Dao, Khaled K. Saab, Armin W. Thomas, Atri Rudra, and Christopher Ré. 2023. [Hungry hungry hippos: Towards language modeling with state space models](#).

Mor Geva, Jasmijn Bastings, Katja Filippova, and Amir Globerson. 2023. [Dissecting recall of factual associations in auto-regressive language models](#). In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*.

Riccardo Grazi, Julien Siems, Arber Zela, Jörg K. H. Franke, Frank Hutter, and Massimiliano Pontil. 2025. [Unlocking state-tracking in linear rnns through negative eigenvalues](#).

Albert Gu and Tri Dao. 2024. [Mamba: Linear-time sequence modeling with selective state spaces](#).

Albert Gu, Karan Goel, and Christopher Ré. 2022a. [Efficiently modeling long sequences with structured state spaces](#).

Albert Gu, Ankit Gupta, Karan Goel, and Christopher Ré. 2022b. [On the parameterization and initialization of diagonal state space models](#).

Ankit Gupta, Albert Gu, and Jonathan Berant. 2022. [Diagonal state spaces are as effective as structured state spaces](#).

Yoav Gur-Arieh, Mor Geva, and Atticus Geiger. 2025. [Mixing mechanisms: How language models retrieve bound entities in-context](#).

Samy Jelassi, David Brandfonbrener, Sham M. Kakade, and Eran Malach. 2024. [Repeat after me: Transformers are better than state space models at copying](#). In *Proceedings of the 41st International Conference on Machine Learning*.

Najoung Kim and Sebastian Schuster. 2023. [Entity tracking in language models](#).

Kevin Meng, David Bau, Alex Andonian, and Yonatan Belinkov. 2023. [Locating and editing factual associations in gpt](#).

Bo Peng, Eric Alcaide, Quentin Anthony, Alon Albalak, Samuel Arcadinho, Stella Biderman, Huanqi Cao, Xin Cheng, Michael Chung, Matteo Grella, Kranti Kiran GV, Xuzheng He, Haowen Hou, Jiaju Lin, Przemyslaw Kazienko, Jan Kocon, Jiaming Kong, Bartłomiej Koptyra, Hayden Lau, Krishna Sri Ipsit Mantri, Ferdinand Mom, Atsushi Saito, Guangyu Song, Xiangru Tang, Bolun Wang, Johan S. Wind, Stanislaw Wozniak, Ruichong Zhang, Zhenyuan Zhang, Qihang Zhao, Peng Zhou, Qinghua Zhou, Jian Zhu, and Rui-Jie Zhu. 2023. [Rwkv: Reinventing rnns for the transformer era](#).

Bo Peng, Ruichong Zhang, Daniel Goldstein, Eric Alcaide, Xingjian Du, Haowen Hou, Jiaju Lin, Jiaxing Liu, Janna Lu, William Merrill, Guangyu Song, Kaifeng Tan, Saiteja Utpala, Nathan Wilce, Johan S. Wind, Tianyi Wu, Daniel Wuttke, and Christian Zhou-Zheng. 2025. [Rwkv-7 "goose" with expressive dynamic state evolution](#).

Nikhil Prakash, Tamar Rott Shaham, Tal Haklay, Yonatan Belinkov, and David Bau. 2024. [Fine-tuning enhances existing mechanisms: A case study on entity tracking](#).

Julien Siems, Timur Carstensen, Arber Zela, Frank Hutter, Massimiliano Pontil, and Riccardo Grazi. 2025. [Deltaproduct: Improving state-tracking in linear rnns via householder products](#).

Jimmy T. H. Smith, Andrew Warrington, and Scott W. Linderman. 2023. [Simplified state space layers for sequence modeling](#).

- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob
Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz
Kaiser, and Illia Polosukhin. 2023. [Attention is all
you need.](#)
- Yiwei Wu, Atticus Geiger, and Raphaël Millière. 2025.
[How do transformers learn variable binding in sym-
bolic programs?](#)
- Songlin Yang, Jan Kautz, and Ali Hatamizadeh. 2025a.
[Gated delta networks: Improving mamba2 with delta
rule.](#)
- Songlin Yang, Bailin Wang, Yikang Shen, Rameswar
Panda, and Yoon Kim. 2024. [Gated linear attention
transformers with hardware-efficient training.](#)
- Songlin Yang, Bailin Wang, Yu Zhang, Yikang Shen,
and Yoon Kim. 2025b. [Parallelizing linear transform-
ers with the delta rule over sequence length.](#)
- Fred Zhang and Neel Nanda. 2024. [Towards best prac-
tices of activation patching in language models: Met-
rics and methods.](#)