


Sort-bin profiles — every Met-Pro substrate (1 of 9)


tiers on this page: $7 \times A$, $13 \times B$ · $A = \Delta\text{PSI} \geq 1.0$ in two or more genotypes, $B =$ in exactly one, $C =$ best $0.5\text{--}1.0$ · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (2 of 9)


tiers on this page: $16 \times B$, $4 \times C$ · $A = \Delta\text{PSI} \geq 1.0$ in two or more genotypes, $B =$ in exactly one, $C =$ best $0.5\text{--}1.0$ · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (3 of 9)


tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (4 of 9)


tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (5 of 9)


tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (6 of 9)


tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (7 of 9)


tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (8 of 9)


tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.

Sort-bin profiles — every Met-Pro substrate (9 of 9)

tiers on this page: 20 × C · A = $\Delta\text{PSI} \geq 1.0$ in two or more genotypes, B = in exactly one, C = best 0.5–1.0 · ranked by best ΔPSI within tier



Read each knockout against the control of its own experiment: blue and blue-dashed against dark grey (Data S3A), pink against light grey (Data S3B). The two greys are different experiments, not replicates, and there is no within-genotype replicate anywhere in this workbook. PSI is the read-weighted mean of these six bins, so these curves and every ΔPSI quoted in this project are one measurement at two resolutions. Tier is how much evidence there is, not how good a substrate is: with no within-genotype replicate, 0.6 in one clone is not evidence of absence.