[Region name] model validation

Field	Entry
Region	[Region name | identifier | Regional workbook]
Catch source	[Provider; catch years; catch basis; date/version] [Region | Catch files]
Selected article	[Authors (year). Title.] [DOI | Paper PDF | Paper folder]
Other known articles	[Author/year; short title; useful DOI or local record, one entry per article]
Selected model	[Exact model ID/name; period; domain; source groups] [Folder | JSON | Saved runtime, if relevant]
Other models from the same article	[Other model: period; area; distinguishing features, one entry per model]
Selection rationale	Article - [documented reason, or ?] Model - [documented reason, or ?]
Model extraction	[Material source conflicts and treatment | Useful reconstruction/conflict links] [Diet discrepancy and treatment; missing/default GS; derived BA; other material changes, where relevant]
GE diagnostics	[Evidence-based verdict] [Negative SPPR finding; each affected source and group by name/ID when present] rho_living = [value] b = [value] Detritus [pool name/ID]: SPPR = [value] [Material balance finding, if relevant]
TE diagnostics	[Evidence-based verdict] [Negative SPPR finding; each affected source and group by name/ID when present] rho_living = [value] Detritus [pool name/ID]: SPPR = [value] [Material balance finding, if relevant]
SPPR calculation	[Researcher calculation choices and notes]
Geographic fit	A. Region covered by study: [approximate value or range]%. B. Study area covered by region: [approximate value or range]%.
Temporal fit	[Model period; catch years; material implications of transferring fixed coefficients or weights]
Other	
Open issues and next action	
Review and reproducibility	Researcher name: [name] | review date: [dd/mm/yyyy]

Taxon mapping and coverage

Reference: [year and catch basis]; [source scope and taxon/group filters].

[n] source groups [+ computational imports separately]; [n] catch taxa.

Simple-chain PPR totals [value] t C in [year].

[Missing TL/coefficient note only when needed; distinguish zero catch from unknown annual PPR.]

Method: [simple-chain method name].

Excel taxon appendix and descriptive Sources sheet: [relative hyperlink].

Overall confidence	Taxa (n)	Catch (%)	Simple-chain PPR (%)
High	[n]	[%]	[%]
Medium	[n]	[%]	[%]
Low	[n]	[%]	[%]
Very low	[n]	[%]	[%]
Unresolved	[n]	[%]	[%]

Overall confidence uses the weaker required membership or allocation component.

Group assignment rules

Plain-language rule	Confidence	PPR percentage
[Actual rules, highest PPR share first]	[Level]	[%]

Membership evidence: [concise descriptive sources and useful links].

Allocation weight rules

Plain-language rule	Confidence	PPR percentage
[Actual allocation rule in full words]	[Level]	[%]

Weights and assumptions: [actual basis and material transfer assumptions; source links].

Each percentage is the independent simple-chain PPR associated with taxa using that rule.

Unresolved taxa: [names and short reasons, or none]. [n] Very low decisions cover [%] of catch and [%] of simple-chain PPR.

Very low decisions

Affected taxa	Why confidence is very low
[Exact taxa sharing one evidenced reason]	[Region/model-specific composition, analogue or allocation uncertainty]

Geographic evidence screenshots

Target region R and selected model study area S. [Overlap method and approximation, if applicable.]

Region area

Target region boundary
[Insert readable boundary image]

[Region name/ID; boundary source/version | Source | Image]

Study area in the article

Study boundary for the selected model
[Insert readable boundary image]

[Article; figure/page; represented model area | Source PDF | Image]

[If a figure is unavailable, state the missing source or reason.]