

TMT Metadata Specification

Level 0 Core

I want to have common core attributes used consistently across all metadata levels.
我希望在所有元数据级别上一致地使用通用核心属性。

Level 1 Tests

As a tester I want to store test metadata close to the test source code.
作为测试人员，我想将测试元数据存储在与测试源代码的附近。

Level 2 Plans

As a tester I want to easily execute selected tests or selected test steps in given environment.
作为一名测试人员，我想在给定的环境中轻松执行选定的测试或选定的测试步骤。

Level 3 Stories

As a developer I want to define application features and track which have been already implemented, verified and documented. 作为一名开发人员，我想定义应用程序特性和跟踪已经实现、验证和文档化的特性。

Level 3 Stories

301-example

Instructive examples of real-life usage. 现实生活中的使用示例。

One example is worth thousand words. Providing a few, well selected, examples helps to understand quickly and get inspiration for initial experimenting. 一个例子胜过千言万语。提供一些精心挑选的示例有助于快速理解并获得初始实验的灵感。

302-story

User story describing the feature to be implemented. 描述要实现的功能的用户故事。

This is a required attribute. Each story has to define or inherit a story definition. 这一属性是必需的。每个故事属性都必须定义或继承一个用户故事。

303-title

Title to be used when generating documentation. 创建文档时需要用到的标题。

As a story writer I want to specify a title which should be used when generating online documentation from user stories. 作为一个编故事的人，我想在从用户故事生成在线文档时指定一个标题。