Level 0 Core	I want to have common core attributes used consistently across all metadata levels.
Level 1 Tests	As a tester I want to store test metadata close to the test source code.
TMT Metadata Specification  Level 2 Plans	As a tester I want to easily execute selected tests or selected test steps in given environment.
Level 3 Stories	As a developer I want to define application features and track which have been already implemented, verified and documented.
	vant fedora/rhel source package names 的源码包名

**Level 1 Tests** 

N/A

101	Relevant fedora/rhel source package names 相关的源码包名
101-componer	As a SELinux tester testing the 'checkpolicy' component I want to run Tier 1 tests for all SELinux components plus all checkpolicy tests.
	Test maintainer contact 测试维护人员联系方式
102-contact	As a developer reviewing a complex test which failed I would like to contact the person who maintains the code and understands it well.
102	Detailed description of what the test does 测试目的详细描述
103-description	As a developer I review existing test coverage for my component and would like to get an overall idea what is covered without having to read the whole test code.
104 dantis	Maximum time for test execution 最大的测试执行时间
104-duration	As a test harness I need to know after how long time I should kill test if it is still running to prevent resource wasting.
105	Environment variables to be set before running the test 运行测试之前的环境变量设定
105-environme	As a tester I need to pass environment variables to my test script to properly execute the desired test scenario.
100 (	Test framework defining how tests should be executed 执行测试的框架
106-framework	As a tester I want to include tests using different test execution framework in a single plan.
105	Test automation state 测试自动化状态
107-manual	As a tester I need to store detailed manual instructions covering test scenario I have to perform manually.
	Directory to be entered before executing the test 执行测试须进入的目录
108-path	As a test writer I want to define the directory from which the test script should be executed.
109-recommer	Packages or libraries recommended for the test execution 测试执行时所推荐的软件包或函数库
103-Tecommen	As a tester I want to specify additional packages which should be installed on the system if available and no error should be reported if they cannot be installed.
110 require	Packages or libraries required for test execution 测试执行时必须的软件包或函数库
110-require	As a tester I want to specify packages and libraries which are required by the test and need to be installed on the system so that the test can be successfully executed.
\ 111-result	Specify how test result should be interpreted 测试结果解释方式
TTT-Tesuit	As a tester I want to regularly execute the test but temporarily ignore test result until more investigation is done and the test can be fixed properly.
\ 112-summary	Concise summary of what the test does 摘要
112-Sullillary	As a developer reviewing multiple failed tests I would like to get quickly an idea of what my change broke.
112 4-7	Free form tags for easy filtering 便于过滤的标签
113-tag	As a user I want to run only a subset of available tests.
	Shell command which executes the test 执行测试的脚本命令
114-test	As a test writer I want to run a single test script in multiple ways (e.g. by providing different parameters).
	Name of the tier set this test belongs to 测试隶属的CI级别
115-tier	N/A