

Parameter + Calculated (Parameter-i Calculated-ə bağlamaq)

The screenshot displays the Tableau Desktop interface. On the left, the 'Data' pane shows a list of tables and measures. A right-click context menu is open over the 'Orders (sample-superstore-subset-...)' data source. The menu options include 'Create Calculated Field...', 'Create Parameter...', 'Group by Folder', 'Group by Data Source Table', 'Sort by Name', 'Sort by Data Source Order', 'Hide All Unused Fields', 'Show Hidden Fields', 'Expand All', and 'Collapse All'. An arrow points to the 'Create Parameter...' option. The main view area is titled 'Parameter + IF' and contains two empty drop zones labeled 'Drop field here'. The 'Columns' and 'Rows' shelves are empty. The 'Filters' and 'Marks' shelves are also empty, with the 'Marks' shelf showing 'Automatic' as the default mark type.

Data Analytics < Pages Columns Rows

Orders (sample-superstore-subset-...)

Search

Tables

- Abc Region
- # Row
- Abc Ship
- Abc Ship
- Abc State
- Abc Measure
- # Discount
- # Product
- # Profit
- # Quantity
- # Sales
- # Shipping Cost
- # Unit Price
- Latitude (generated)
- Longitude (generated)
- Orders (Count)
- Measure Values

Create Calculated Field...

Create Parameter...

Group by Folder

Group by Data Source Table

Sort by Name

Sort by Data Source Order

Hide All Unused Fields

Show Hidden Fields

Expand All

Collapse All

Filters

Marks

Automatic


Colour Size Text

Detail Tooltip

Drop field here

Drop field here

Parameter-də List yaratmaq



Show Parameter



Calculated yaratmaq (Parameter-ə bağlamaq üçün)


The screenshot shows the Tableau interface with the 'Orders (sample-superstore-subset-excel)' data source. The 'Tables' pane on the left lists various fields, including 'Sales or Profit'. The 'Marks' card is set to 'Automatic'. A 'Parameter + IF' dialog box is open, showing the following code:

```
IF [Sales or Profit_Parameter] = "Sales" THEN [Sales]
ELSE
    [Profit]
END


// IF [Sales or Profit_Parameter] = "Sales" THEN SUM([Sales])
// ELSE
//     SUM([Profit])
// END
```

The dialog box also includes a message 'The calculation is valid.' and buttons for 'Apply' and 'OK'. Arrows indicate the workflow: one arrow points from the 'Sales or Profit' field in the 'Tables' pane to the 'Sales or Profit' field in the 'Parameter + IF' dialog box, and another arrow points from the 'Sales or Profit' field in the 'Tables' pane to the 'Sales or Profit' field in the 'Marks' card.

Calculated-i Rows, Order Date Columns atmaq (Parameter-də Sales seçmək)



Parameter-də Profit seçmək



Datayı hazırlamaq - JOIN

Tableau Public Desktop

File Data Window Help

Connections

- Sales (Microsoft Excel)
- Location (Microsoft Excel)
- Products (Microsoft Excel)

Sheets

- Sheet1
- New Union
- New Table Extension

Sales+ (Multiple Connections)

Sales is made of 3 tables. ⓘ

Sales

Sheet1


Sheet11

Sales


13 fields 4248 rows

#	#	#	#	#	#	#
Sales Profit	Sales Margin	Sales Sales (Sales)	Sales Total Expenses	Sales Marketing	Sales Area Code	Sales Product Id
94	130	219	36	24	719	


Scatter Plot (Aggregate Measures - Active)




Scatter Plot - Product üzrə - (Aggregate Measures - Active)




Trend Line





Result




Scatter Plot (Aggregate Measures - None Active)









Product-ı Color-ə atmaq



Bir Product üzrə Baxmaq



Product-ı Color-ə və Filter-ə atmaq (Bir Product üzrə)



Result

