

INDEX() - İndeks yaratmaq - Create Caluclated Field

The screenshot illustrates the process of creating a calculated field using the INDEX() function in Tableau. The interface is divided into several panes: Data, Analytics, Pages, Columns, and Rows. The Data pane on the left shows a list of fields under the 'ConsoleGames (Console...)' table, including Genre, Name, Platform, Publisher, Year, Measure Names, EU Sales, Index, JP Sales, NA Sales, Other Sales, Rank, ConsoleGames (Count), and Measure Values. The 'Index' field is highlighted in green. The Analytics pane shows the 'Automatic' mark type selected. The Columns pane shows the 'Index' field being added. The Rows pane shows the 'field here' placeholder. A dialog box titled 'Index' is open, displaying the text 'Results are computed along Table (across).', the function 'INDEX()', and the message 'The calculation is valid.' at the bottom. The 'Default Table Calculation' link is visible, and the 'Apply' and 'OK' buttons are at the bottom right of the dialog.

Data | Analytics | Pages | Columns | Rows

ConsoleGames (Console...)

Search

Tables

- Genre
- Name
- Platform
- Publisher
- Year
- Measure Names
- EU Sales
- Index**
- JP Sales
- NA Sales
- Other Sales
- Rank
- ConsoleGames (Count)
- Measure Values

Filters

Marks

- Automatic
- Colour
- Size
- Text
- Detail
- Tooltip

INDEX

Index

Results are computed along Table (across).

INDEX()

The calculation is valid.


Default Table Calculation

Apply OK

Calculated-i Discrete-ə Çevirmək

The screenshot displays a data tool interface with a 'Data' tab and an 'Analytics' view. On the left, a 'Tables' list includes 'Genre', 'Name', 'Platform', 'Publisher', 'Year', 'Measure Names', 'EU Sales', 'Index', 'JP Sales', 'NA Sales', 'Other Sales', 'Rank', 'ConsoleGames (Count)', and 'Measure Values'. The 'Index' table is highlighted with a green bar. A right-click context menu is open over the 'Index' table, showing options like 'Duplicate', 'Rename', 'Hide', 'Delete', 'Create', 'Convert to Discrete', 'Change Data Type', 'Default Properties', 'Geographic Role', 'Group by', 'Folders', 'Replace References...', and 'Describe...'. A black arrow points from the 'Index' table to the 'Convert to Discrete' option. The main workspace is divided into 'Columns' and 'Rows' sections, both containing a 'Drop field here' prompt. On the right, a vertical sidebar shows various visualization options, including a bar chart, a line chart, and a map. At the bottom right, a legend indicates 'For horizontal' with '0 or more' and '1 or more' categories.

Birinci mütləq Nəsə atılmalıdır Sonra Index



CONTAINS() - Axtarış Funksiyası - Create Caluclated Field

The screenshot illustrates the process of creating a calculated field in Tableau. On the left, the 'Tables' pane lists various fields from the 'Orders (sample-superstore-subset-excel)' data source. The 'Contains' field is highlighted. In the center, the 'Marks' card is set to 'Automatic'. On the right, a 'Contains' dialog box is open, displaying the formula `CONTAINS ([Product Name], 'avery')`. The dialog box also shows a progress bar and a message 'The calculation is valid.' with 'Apply' and 'OK' buttons. Arrows indicate the flow of the process: from the 'Contains' field in the 'Tables' pane to the 'Contains' dialog box, and from the 'Apply' button to the 'Marks' card.

Tables

- City
- Contains
- Customer ID
- Customer Name
- Customer Segment
- Order Date
- Order ID
- Order Priority
- Postal Code
- Product Category
- Product Container
- Product Name
- Product Sub-Category
- Region
- Row ID
- Ship Date
- Ship Mode

Filters

Marks

Automatic

Colour Size Text

Detail Tooltip

Drop field here

Contains

Orders (sample-superstore-subset-excel)

`CONTAINS ([Product Name], 'avery')`

The calculation is valid.

Apply OK

Contains Caluclated-i Filter-a, Product Name-i Row-a

The screenshot shows the Tableau Desktop interface with a calculated filter 'Contains: True' applied to the 'Product Name' field. The 'Filter [Contains]' dialog box is open, showing the 'General' tab with 'Select from list' chosen and 'True' selected. Arrows indicate the flow from the 'Contains' filter in the Marks card to the 'Filter [Contains]' dialog, and from the 'OK' button to the main view.

Tableau Interface Elements:

- Data Source:** ConsoleGames (Console...), Orders (sample-superst...)
- Columns:** Product Name
- Rows:** Product Name
- Marks:** Automatic
- Filters:** Contains: True
- Tables:** City, Contains, Customer ID, Customer Name, Customer Segment, Order Date, Order ID, Order Priority, Postal Code, Product Category, Product Container, Product Name, Product Sub-Category, Region, Row ID, Ship Date, Ship Mode, State or Province, Measure Names, Discount

Filter [Contains] Dialog Box:

- General Tab:** Select from list (selected), Custom value list, Use all
- Enter search text:** [Search bar]
- Selection:** ☐ False, ☒ True
- Buttons:** All, None, Exclude
- Summary:** Field: [Contains], Selection: Selected 1 of 2 values, Wildcard: All, Condition: None, Limit: None
- Buttons:** Reset, OK, Cancel, Apply

Case When Caluclated-i Dimension-a Çevirmek

The screenshot shows the Power BI Desktop interface. On the left, the 'Tables' pane lists several tables, including 'Case When', which is highlighted in green. A black arrow points from 'Case When' to the 'Convert to Dimension' option in the context menu. The context menu is open, showing options like 'Duplicate', 'Rename', 'Hide', 'Delete', 'Create', 'Transform', 'Convert to Discrete', 'Convert to Dimension', 'Change Data Type', 'Default Properties', 'Geographic Role', 'Group by', 'Folders', 'Replace References...', and 'Describe...'. The 'Convert to Dimension' option is highlighted in blue. On the right, the 'Columns' pane shows a table with a header 'CASE WHEN' and a column 'Drop field here'. Below this, there is a 'Drop field here' label and a 'Drop field here' button.

Columns
CASE WHEN
Drop field here

Case When-i Text-ø, Ship Mode-u Row-a

The screenshot displays a data visualization tool interface with the following components:

- Data Panel:** Lists tables including 'Case When', 'City', 'Contains', 'Customer ID', 'Customer Name', 'Customer Segment', 'Order Date', 'Order ID', 'Order Priority', 'Postal Code', 'Product Category', 'Product Container', 'Product Name', 'Product Sub-Category', 'Region', 'Row ID', 'Ship Date', and 'Ship Mode'.
- Columns Panel:** Shows 'Ship Mode' as the selected column.
- Rows Panel:** Displays the 'CASE WHEN' calculation.
- Marks Panel:** Includes 'Automatic', 'Colour', 'Size', 'Text', 'Detail', and 'Tooltip' options.
- Visual Output:** A table titled 'CASE WHEN' showing the results of the calculation for different ship modes.

The 'CASE WHEN' calculation is applied to the 'Ship Mode' column, resulting in the following data:

Ship Mode	Count
Delivery Truck	2
Express Air	3
Regular Air	1

2-ci - Üsul Case When-i Measure-ə qaytarmaq

ConsoleGames (Console...

Orders (sample-superst...

Search

Filter

Table

Tables

Case When

City

Contains

Customer ID

Customer Name

Customer Segment

Order Date

Order ID

Order Priority

Postal Code

Product Category

Product Container

Product Name

Product Sub-Category

Region

Row ID

Ship Date

Ship Mode

Hide

Delete

Aliases...

Create

Transform

Convert to Continuous

Convert to Measure

Change Data Type

Default Properties

Geographic Role

Group by

Folders

Hierarchy

Replace References...

Describe...

Rows

CASE WHEN 2

Drop field here

Drop field here

Drop field here

Case When-i Text-ø, Ship Mode-u Row-a

Data | Analytics | Pages | Columns | Rows | Ship Mode

Filters

CASE WHEN 2

Ship Mode	
Delivery Truck	2,566
Express Air	3,321
Regular Air	7,036

Marks

Automatic

Colour | Sum | Text

Detail | Tooltip

SUM(Case Wh...

Tables

- Product Sub-Category
- Region
- Row ID
- Ship Date
- Ship Mode
- State or Province
- Measure Names
- Case When
- Discount
- Product Base Margin
- Profit
- Quantity ordered new
- Sales
- Shipping Cost
- Unit Price
- Latitude (generated)
- Longitude (generated)
- Orders (Count)

Case When-i MAX və ya MIN etmək

The screenshot illustrates the process of applying a maximum calculation to a measure field in Tableau. The interface shows the 'Data' pane on the left with a list of tables and fields. The 'Marks' card is selected, and a measure field 'SUM(Case When)' is being edited. A context menu is open, showing the 'Measure (Sum)' option selected. The 'Maximum' option is highlighted in the 'Measure (Sum)' submenu. The 'Filter...' menu is also open, showing options like 'Show Filter', 'Apply to Worksheets', 'Format...', 'Include in Tooltip', 'Dimension', and 'Attribute'.


Tables:

- Product Sub-Category
- Region
- Row ID
- Ship Date
- Ship Mode
- State or Province
- Measure Names
- Case When
- Discount
- Product Base Margin
- Profit
- Quantity ordered new
- Sales
- Shipping Cost
- Unit Price
- Latitude (generated)
- Longitude (generated)
- Orders (Count)

Measure (Sum) Submenu:

- Sum
- Average
- Median
- Count
- Count (Distinct)
- Minimum
- Maximum
- Percentile
- Std. Dev
- Std. Dev (Pop.)
- Variance
- Variance (Pop.)

Result



LOOKUP - Create Calculated Field

The screenshot illustrates the process of creating a calculated field in Tableau. On the left, the 'Tables' pane lists various data sources, with 'Participation Data (participation_statistics (1))' selected. The 'Marks' card is set to 'Automatic'. A dialog box titled 'LOOKUP 1' is open, displaying the formula: `LOOKUP(SUM([Boys Participation]), -1)`. The dialog also shows 'Results are computed along Table (across)' and 'The calculation is valid. 1 Dependency'. Arrows indicate the flow from the data source selection to the formula entry and the validation status.

ConsoleGames (Console...)
Orders (sample-superst...)
Participation Data (partc...

Search

Tables

- Abc Sport
- Abc State
- Abc Year
- Abc Measure Names
- # Boys Participation
- # Girls Participation
- # **Lookup**
- + Latitude (generated)
- + Longitude (generated)
- # Participation Data (Count)
- # Measure Values

Filters

LOOKUP 1

Lookup

Participation Data (participation_statistics (1))

Results are computed along Table (across).

`LOOKUP(SUM([Boys Participation]), -1)`

Detail

Tooltip

Drop field here

The calculation is valid. 1 Dependency

Default Table Calculation

Apply OK

1-ci Üsul - Year-i Row-a, Boys Participation və Lookup-ı 'Show Me' qaydası ilə

Tableau Interface Components:

- Data:** ConsoleGames (Console...), Orders (sample-superst...), Participation Data (partc...)
- Tables:** Sport, State, Year, Measure Names, Boys Participation, Girls Participation, Lookup, Latitude (generated), Longitude (generated), Participation Data (Count), Measure Values
- Columns:** Measure Names
- Rows:** Year
- Filters:** Measure Names
- Marks:** Automatic
- Measure Values:** SUM(Boys Participa..), Lookup

Table Data:

Year	Boys Participation	Lookup along Table..
2002/2003	3,988,684	3,988,684
2003/2004	4,038,253	4,038,253
2004/2005	4,110,319	4,038,253
2005/2006	4,217,448	4,110,319
2006/2007	4,321,103	4,217,448
2007/2008	4,372,115	4,321,103
2008/2009	4,422,662	4,372,115
2009/2010	4,455,740	4,422,662
2010/2011	4,494,406	4,455,740
2011/2012	4,484,987	4,494,406
2012/2013	4,489,285	4,484,987
2013/2014	4,527,994	4,489,285
2014/2015	4,519,312	4,527,994
2015/2016	4,544,574	4,519,312
2016/2017	4,563,238	4,544,574
2017/2018	4,565,580	4,563,238
2018/2019	4,534,758	4,565,580

2-ci Üsul - Year-i Row-a, Measure Names-i Columns-a, Measure Values-i Text-ə

The screenshot displays a Power BI report configuration. The 'Columns' pane shows 'Measure Names' and 'Year' as the primary dimensions. The 'Rows' pane shows 'Year'. The 'Filters' pane shows 'Measure Values' as the text field. The 'Measure Values' pane shows a list of measures: SUM(Boys Participa...), CNT(Participation D...), SUM(Girls Participat...), and Lookup. The main table displays the following data:

Year	Boys Participa tion	Count of Participati...	Girls Participa tion	Lookup
2002/2003	3,988,684	2,652	2,856,358	
2003/2004	4,038,253	2,651	2,865,884	
2004/2005	4,110,319	2,652	2,908,390	
2005/2006	4,217,448	2,652	2,947,105	
2006/2007	4,321,103	2,652	3,021,807	
2007/2008	4,372,115	2,652	3,057,766	
2008/2009	4,422,662	2,650	3,114,091	
2009/2010	4,455,740	3,315	3,172,336	
2010/2011	4,494,406	3,315	3,173,549	
2011/2012	4,484,987	3,315	3,207,533	
2012/2013	4,489,285	3,315	3,221,255	
2013/2014	4,527,994	3,315	3,267,664	
2014/2015	4,519,312	3,320	3,287,735	
2015/2016	4,544,574	3,825	3,324,326	
2016/2017	4,563,238	4,183	3,400,297	
2017/2018	4,565,580	4,335	3,415,306	
2018/2019	4,534,758	4,336	3,402,733	

Measure Names-i Filter-ə atmaq və Lazımı Sütünları seçmək

The screenshot shows the Power BI Desktop interface with the 'Filter [Measure Names]' dialog box open. The dialog is used to filter measures based on the 'Measure Names' column. The 'General' tab is active, showing a list of measures with checkboxes. 'Boys Participation' and 'Lookup' are selected. The 'Summary' section shows 'Field: [Measure Names]', 'Selection: Selected 2 of 4 values', 'Wildcard: All', 'Condition: None', and 'Limit: None'.

Measure Names

Boys Participation

Girls Participation

Lookup

Count of Participation Data

Field: [Measure Names]

Selection: Selected 2 of 4 values

Wildcard: All

Condition: None

Limit: None

Year	Boys Participation	Lookup
2002/2003	3,988,684	
2003/2004	4,038,253	
2004/2005	4,110,319	
2005/2006	4,217,448	
2006/2007	4,321,103	
2007/2008	4,372,115	
2008/2009	4,422,662	
2009/2010	4,455,740	
2010/2011	4,494,406	
2011/2012	4,484,987	
2012/2013	4,489,285	
2013/2014	4,527,994	
2014/2015	4,519,312	
2015/2016	4,544,574	
2016/2017	4,563,238	
2017/2018	4,565,580	
2018/2019	4,534,758	

Lookp-da 'Compute Using - Table' Seçmek

The screenshot shows the Tableau interface with a view titled 'LOOKUP 2'. The Columns shelf contains 'Measure Names' and the Rows shelf contains 'Year'. The Marks card is set to 'Automatic'. The Measure Values shelf contains 'SUM(Boys Participa...)' and 'Lookup'. A right-click context menu is open over the 'Lookup' measure, with the 'Compute Using' option selected. A secondary menu is open for 'Compute Using', showing 'Table (down)' as the selected option. The 'Lookup' measure is highlighted in green in the Measure Values shelf.

Table Data:

Year	Boys Participation	Lookup
2002/2003	3,988,684	
2003/2004	4,038,253	
2004/2005	4,110,319	
2016/2017	4,563,238	
2017/2018	4,565,580	
2018/2019	4,534,758	

Result

Analytics

ConsoleGames (Console...)

Orders (sample-superst...)

Participation Data (partc...

Search

Measure Names

Tables

Sport

State

Year

Measure Names

Boys Participation

Girls Participation

Lookup

Latitude (generated)

Longitude (generated)

Participation Data (Count)

Measure Values

Pages

Filters

Measure Names

Marks

Automatic

Colour

Size

Text

Detail

Tooltip

Measure Values

SUM(Boys Participa...

Lookup

Columns

Measure Names

Rows

Year

LOOKUP 2

Year	Boys Partici pation	Lookup along Table..
2002/2003	3,988,684	
2003/2004	4,038,253	3,988,684
2004/2005	4,110,319	4,038,253
2005/2006	4,217,448	4,110,319
2006/2007	4,321,103	4,217,448
2007/2008	4,372,115	4,321,103
2008/2009	4,422,662	4,372,115
2009/2010	4,455,740	4,422,662
2010/2011	4,494,406	4,455,740
2011/2012	4,484,987	4,494,406
2012/2013	4,489,285	4,484,987
2013/2014	4,527,994	4,489,285
2014/2015	4,519,312	4,527,994
2015/2016	4,544,574	4,519,312
2016/2017	4,563,238	4,544,574
2017/2018	4,565,580	4,563,238
2018/2019	4,534,758	4,565,580

