IDS Operations Portal — Client Handover Overview

IDS-GCC Internal Operations System | August 2026

System Overview

The IDS Operations Portal is a private, web-based internal management system built for IDS-GCC Gulf region operations. It consists of three integrated components: a web portal for day-to-day operations, a cloud database, and an automated tender monitoring service.

Components

1. Web Portal

URL: https://ids-portal-gold.vercel.app/

The portal is the primary user interface. It provides access to the following modules:

Module	Description
Projects	Track active projects, task lists, priorities, and statuses
Opportunities	Manage bids and incoming work; auto-creates a project on award
Financials	POs and invoices to/from clients and suppliers (admin only)
Finance Dashboard	Summary of invoices paid and overdue (admin only)
Tender Monitoring	Monitor and manually trigger Nama and OETC portal scrapers
Contacts	Searchable contact directory (1,100+ contacts) with Excel export
Companies	Client, contractor, and supplier company registry
Clients / Contractors / Suppliers	Role-specific views linked to the company registry
Admin	User management, role permissions, and lookup tables

User Roles:

- **Admin** — full access to all modules, including financials and user management
- **Engineer** — read-only access to projects; no access to financials or admin

---

2. Database (Supabase)

Platform: Supabase (PostgreSQL, hosted on AWS) **Project ID:** rwokkfbwksmdcjcbyyhw

All application data is stored in Supabase. Key tables include: `projects`, `project_tasks`, `opportunities`, `invoices`, `purchase_orders`, `contacts`, `companies`, `clients`, `contractors`, `suppliers`, `tenders`, `profiles`, and `module_permissions`.

Supabase also handles:

- User authentication (email/password login, password reset)

- Role-based access control via the `profiles` table
- Database webhooks that trigger automated email alerts on new tenders

---

3. Tender Monitor (Automated Scraper)

Purpose: Checks the Nama iSupplier and OETC iSupplier portals for new tenders automatically.

How it works:

1. A script runs daily at 7:30am Dubai time on a dedicated cloud server
2. Any newly found tenders are saved to the Supabase database
3. A notification email is sent automatically to paul.winick@ids-gcc.com
4. The portal's Tender Monitoring page shows the last run status and allows on-demand "Run Now" triggers

Cloud Server: Oracle Cloud VM, UAE Central region (Abu Dhabi) — required because the Nama portal blocks non-UAE IP addresses.

Code Repository (GitHub)

Platform: GitHub **Repository:** github.com/idsgcc/ids_portal

All source code for the portal and scraper scripts is version-controlled here. Each change is committed with a descriptive message. This provides a full audit trail of every modification made to the system.

Credential	Value
Username	_____
Password / PAT	_____

Hosting (Vercel)

Platform: Vercel **Live URL:** https://ids-portal-gold.vercel.app/

The web portal is deployed via Vercel and updates automatically whenever code is pushed to the GitHub repository's main branch. No manual deployment steps are required for routine updates.

Credential	Value
Username / Email	_____
Password	_____

Database (Supabase)

Platform: Supabase **Dashboard:** supabase.com/dashboard/project/rwokkfbwksmdcjcbyyhw

The database dashboard allows viewing all tables, running queries, managing users, and monitoring usage.

Credential	Value

Username / Email	_____
Password	_____

Security

Component	Security Measures
Web Portal	All pages require authenticated login. Password reset via email. Role-based access control — engineers cannot see financials or admin tools. HTTPS enforced by Vercel.
Database	Supabase Row-Level Security (RLS) policies enforce access per user. The service-role key (full DB access) is stored only as a server-side environment variable — never exposed to the browser. Anon key has limited read permissions only.
API Routes	All Next.js API routes validate the authenticated session server-side before returning data. Unauthenticated requests return 401.
Scraper API	The Flask API on the cloud server is protected by a Bearer token. Requests without the correct token are rejected.
Cloud Server	SSH access is key-pair only (no password authentication). The private SSH key is held securely and is not committed to the code repository.
Secrets	All API keys, database credentials, and tokens are stored as environment variables — in Vercel's encrypted environment settings for the portal, and in the systemd service config on the VM. None are hardcoded in source code or committed to GitHub.
Email Alerts	Automated tender notifications and error alerts are sent via Resend (transactional email service).

Key Contacts & Dependencies

Service	Provider	Purpose
Hosting	Vercel	Web portal deployment and CDN
Database	Supabase	PostgreSQL database, auth, and webhooks
Cloud VM	Oracle Cloud (UAE Central)	Runs the daily tender scraper
Email	Resend	Automated email notifications
Code	GitHub	Source code repository and version control

What Ongoing Maintenance Looks Like

- **No routine maintenance required** — the scraper runs on a schedule, the portal is always-on via Vercel, and Supabase is a managed database service.
- **Updates to the portal** — a developer pushes code to GitHub; Vercel automatically redeploys within ~1 minute.

- **If a scraper fails** — an error email is sent automatically. The scraper can also be re-run manually from the portal's Tender Monitoring page without any developer involvement.
- **Adding users** — done from the Admin page within the portal itself; no database access required.
- **Backups** — Supabase provides automated daily backups on the Pro plan.

Document prepared August 2026. For technical questions, contact the development team.