


Manual de Push Token



Push Token

Su función es conectar MV al master de darktrace.

PUSH TOKEN de master

suc-niquia-ppal:tKA361mRYpLAN3oQ

<https://10.8.38.189:443>

adm-niquia:NtgSJksNRDTCT7Ej

<https://10.8.38.190:443>

suc-colxv-ppal:VzoEG6yUp89h1cZ1

<https://10.7.0.45:443>

adm-colxv-vsensord:6hYWvY5GD18woFRT

<https://10.7.0.46:443>

Cuando muestre el siguiente error es porque no está conectado a la master DT

```
Healthcheck results
all_services : [OK]
master_connectivity : [ERROR]
No Master configuration found - please set in confconsole
incoming_data : [OK]
last_software_update : [WARNING]
Pending Dpkg updates - try 'sudo dpkg --configure -a' to correct the problem.
ossensor_registered : [OK]
ossensor_count : [OK]
No osSensors registered
system_resources : [OK]
apparmor : [OK]
kernel : [OK]
Currently running 5.4.0-208-generic.
time_sync : [ERROR]
The current system time is: Thu 21 May 11:15:25 -05 2026
NTP is configured for the following servers, but has failed to synchronise in over 10 minutes. Please
check network connectivity.
10.101.99.1
< OK >
```

Primer paso:

Buscar el código del sitio en el Excel de distribución de equipos por master:

Para mirar a que master a punta.

Link: [Distribucion de equipos por Master.xlsx](#)

	A	B	C	D	E	F	G	H	I	J
1	Dispositivo	Codigo	Tipo de dispositivo	Tipo de sensor	Dirección IP	Master				
482	SUC_10957_VSENSOR_01_LA VICTORIA BARRANQUILLA	10957	SENSOR	SUCURSAL	10.140.43.51	ADM_90001_MASTER_01_Sucursales Niquia				
537										
538										

Segundo Paso:

Despues de saber hacia donde Master apunta, tomar el push token, el código anterior de 10957 a punta al master de sucursales niquia

suc-niquia-ppal:tKA361mRYpLAN3oQ

<https://10.8.38.189:443>

adm-niquia:NtgSJksNRDTCT7Ej

<https://10.8.38.190:443>

suc-colxv-ppal:VzoEG6yUp89h1cZ1



<https://10.7.0.45:443>


adm-colxv-vsensor:6hYWvY5GD18woFRT

<https://10.7.0.46:443>

Tercer Paso:

Ubicar el push token en la interfaz







El pull es obsoleto y el push tiene problemas de vulnerabilidades

Cuarto Paso:


Ingresamos el campo de Probe push token y master hostname “OJO CON LOS ESPACIOS”, le damos OK




Le damos OK



Le damos YES




Le damos OK



Quinto Paso:

Verificamos en el Healthcheck



```
Healthcheck results
all_services : [OK]
master_connectivity : [OK]
  10.8.38.189:443 is accessible
  HTTPS connectivity succeeded
incoming_data : [OK]
last_software_update : [OK]
ossensor_registered : [OK]
ossensor_count : [OK]
  No osSensors registered
system_resources : [OK]
apparmor : [OK]
kernel : [OK]
  Currently running 5.4.0-208-generic.
time_sync : [WARNING]
  The current system time is: Thu 21 May 11:33:13 -05 2026
  NTP is configured for the following servers, but has yet to synchronise. Please check again soon.
  10.101.99.1

< OK >
```

Master_connectivity: [OK] --- Listo buen trabajo.