

←

↺

No seguro

https://abbogspcpp01.bancolombia.corp/tips/tipsContent.action#tipsAuthSources.action

☆

🔗

☆

Verifique que es usted

...

HPE

aruba

networking

Dashboard

Monitoring

Configuration

Services

Authentication

Methods

Sources

Identity

Posture

Enforcement

Network

Policy Simulation

ClearPass Policy Manager

Limited access only; for full access, please login to the Policy Manager Publisher

Menu

The HTTPS(RSA) Server Certificate will expire in 27 day(s).

Configuration » Authentication » Sources

Authentication Sources

An authentication source is the identity store (Active Directory, LDAP directory, etc.) against which users and devices are authenticated.

Export All

Filter: Name contains

Go

Clear Filter

Show 20 records

#	Name	Type	Description
1.	☐ AD-Bancolombia	Active Directory	
2.	☐ AD-Bancolombia-ATRIO	Active Directory	Fuente de Autenticación con Directorio Activo para servicios de Sedes Administrativas y GZ
3.	☐ AD-Bancolombia_Contingencia	Active Directory	
4.	☐ AD-Bancolombia-DG	Active Directory	Fuente de Autenticación con Directorio Activo para servicios de DG
5.	☐ AD-Bancolombia_Pruebas	Active Directory	
6.	☐ AD-Bancolombia_Pruebas-Espec	Active Directory	
7.	☐ AD-Bancolombia_Pruebas-Especiales	Active Directory	
8.	☐ AD-Bancolombia-TO	Active Directory	Fuente de Autenticación con Directorio Activo para servicios de TO
9.	☐ AD-Bancolombia_VPRO	Active Directory	
10.	☐ [Admin User Repository]	Local SQL DB	Authenticate users against Policy Manager admin user

The HTTPS(RSA) Server Certificate will expire in 27 day(s).

Configuration » Authentication » Sources

Authentication Sources

Export All

An authentication source is the identity store (Active Directory, LDAP directory, etc.) against which users and devices are authenticated.

Filter: Name contains Go Clear Filter Show 20 records

#	Name	Type	Description
1.	☐ AD-Bancolombia	Active Directory	
2.	☐ AD-Bancolombia-ATRIO	Active Directory	Fuente de Autenticación con Directorio Activo para servicios de Sedes Administrativas y GZ
3.	☐ AD-Bancolombia_Contingencia	Active Directory	
4.	☐ AD-Bancolombia-DG	Active Directory	Fuente de Autenticación con Directorio Activo para servicios de DG
5.	☐ AD-Bancolombia_Pruebas	Active Directory	
6.	☐ AD-Bancolombia_Pruebas-Espec	Active Directory	
7.	☐ AD-Bancolombia_Pruebas-Especiales	Active Directory	
8.	☐ AD-Bancolombia-TO	Active Directory	Fuente de Autenticación con Directorio Activo para servicios de TO
9.	☐ AD-Bancolombia_VPRO	Active Directory	
10.	☐ [Admin User Repository]	Local SQL DB	Authenticate users against Policy Manager admin user

The HTTPS(RSA) Server Certificate will expire in 27 day(s).

Configuration » Authentication » Sources » Add - AD-Bancolombia

Authentication Sources - AD-Bancolombia

Summary General Primary **Attributes** Backup 1 Backup 2 Backup 3

Specify filter queries used to fetch authentication and authorization attributes

Filter Name	Attribute Name	Alias Name	Enabled As
1. Authentication	dn	UserDN	-
	department	Department	-
	title	Title	-
	company	company	-
	memberOf	memberOf	-
	telephoneNumber	Phone	-
	mail	Email	-
	displayName	Name	-
	accountExpires	Account Expires	-
2. Group	cn	Groups	-
3. Machine	dNSHostName	HostName	-

[Back to Authentication Sources](#)

Cancel

Configure Filter

- Configuration
- Attributes
- Browse
- Filter

Execute filter query to select attributes for role mapping:

Filter Query: (&(sAMAccountName=%{Authentication:Username}))(objectClass=user))

Enter the values for the parameters before executing the query:

%{Authentication:Username} = cnxipmcm

Execute

CN=cnxipmcm,OU=PAM,OU=Conexion,OU=BanColom
Especiales

12.dSCorePropagationData	20251111193359.0Z
13.dSCorePropagationData	16010714042433.0Z
14.description	CyberArk - Microsoft Endpoint Configuratio
15.displayName	cnxipmcm
16.distinguishedName	CN=cnxipmcm,OU=PAM,OU=Conexion,OU
17.employeeID	44444444
18.givenName	cnxipmcm

	Name	Alias Name		Enabled As	
1.	dn	UserDN	=	-	
2.	department	Department	=	-	
3.	title	Title	=	-	

Save

Close

Configure Filter

- Configuration
- Attributes
- Browse
- Filter

Execute filter query to select attributes for role mapping:

Filter Query: (&(sAMAccountName=%{Authentication:Username}))(objectClass=user)

Enter the values for the parameters before executing the query:

%{Authentication:Username} = cnxipmcm

Execute

CN=cnxipmcm,OU=PAM,OU=Conexion,OU=BanColombia,OU=Cuentas Especiales,DC=...

93359.0Z

42433.0Z

Microsoft Endpoint Configuration Manage - OC: 2967338

cm,OU=PAM,OU=Conexion,OU=BanColombia,OU=Cuentas Especiales,DC=...

	Name	Alias Name		Enabled As	
1.	dn	UserDN	=	-	
2.	department	Department	=	-	
3.	title	Title	=	-	

Save Close