■ 2022 Business site GHG emissions statement (calculation form)

emission activities	fuel name	fuel consumption	unit	energy consumption	Greenhouse Gas Emissions				Energy Conversion Factors				Carbon emission factor			Global Warming Potential		
					CO2	CH4	N2O	Total	net calorific value		gross calorific value		CO2	CH4	N2O	CO2	CH4	N2O
				TJ	tCO2eq	tCO2eq	tCO2eq	tCO2eq	10^{-3}TOE/unit	MJ/unit	10^{-3}TOE/unit	MJ/unit	kgCO2/TJ	kgCH4/TJ	kgN2O/TJ			
													electricity emission factor					
													kgCO2/kWh	kgCH4/kWh	kgN2O/kWh			
gas stationary combustion	LNG	-	N㎥	0.0	-	-	-	-		48		52.7472527	56100	1.0	0.1	1	21	310
liquid stationary combustion	gasoline	-	ℓ	0.0	-	-	-	-		44.3		47.1276596	69300	25.0	8	1	21	310
	Kerosene	-	ℓ	0.0	-	-	-	-		43.8		46.5957447	71900	3.0	0.6	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	Propane LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	63100	62.0	0.2	1	21	310
	-	-																
mobile combustion	gasoline	31,680	ℓ	1.5	97.257	0.737	3.480	101.5		44.3		47.1276596	69300	25.0	8	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	74100	62.0	0.2	1	21	310
indirect emission	electricity	1,631,220	kwh	23.6	1,063.555	-	-	1,063.6					0.6520			1	21	310
	steam	-	TJ															
				25				1,165										

1. Gloss calorific value means calorific value including latent heat of steam generated in the combustion process of fuel
2. Net calorific value is used when calculating greenhouse gas emissions, and total calorific value is used when counting energy consumption.

■ 2023 Business site GHG emissions statement (calculation form)

emission activities	fuel name	fuel consumption	unit	energy consumption	Greenhouse Gas Emissions				Energy Conversion Factors				Carbon emission factor			Global Warming Potential		
					CO2	CH4	N2O	Total	net calorific value		gross calorific value		CO2	CH4	N2O	CO2	CH4	N2O
				TJ	tCO2eq	tCO2eq	tCO2eq	tCO2eq	10^{-3}TOE/unit	MJ/unit	10^{-3}TOE/unit	MJ/unit	kgCO2/TJ	kgCH4/TJ	kgN2O/TJ			
													electricity emission factor					
													kgCO2/kWh	kgCH4/kWh	kgN2O/kWh			
gas stationary combustion	LNG	-	Nm³	0.0	-	-	-	-		48		52.7472527	56100	1.0	0.1	1	21	310
liquid stationary combustion	gasoline	-	ℓ	0.0	-	-	-	-		44.3		47.1276596	69300	25.0	8	1	21	310
	Kerosene	-	ℓ	0.0	-	-	-	-		43.8		46.5957447	71900	3.0	0.6	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	Propane LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	63100	62.0	0.2	1	21	310
	-	-																
mobile combustion	gasoline	31,680	ℓ	1.5	97.257	0.737	3.480	101.5		44.3		47.1276596	69300	25.0	8	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	74100	62.0	0.2	1	21	310
indirect emission	electricity	1,799,080	kwh	26.1	1,173.000	-	-	1,173.0					0.6520			1	21	310
	steam	-	TJ															
				28				1,274										

1. Gloss calorific value means calorific value including latent heat of steam generated in the combustion process of fuel
2. Net calorific value is used when calculating greenhouse gas emissions, and total calorific value is used when counting energy consumption.

■ 2024 Business site GHG emissions statement (calculation form)

emission activities	fuel name	fuel consumption	unit	energy consumption	Greenhouse Gas Emissions				Energy Conversion Factors				Carbon emission factor			Global Warming Potential		
					CO2	CH4	N2O	Total	net calorific value		gross calorific value		CO2	CH4	N2O	CO2	CH4	N2O
				TJ	tCO2eq	tCO2eq	tCO2eq	tCO2eq	10^{-3}TOE/unit	MJ/unit	10^{-3}TOE/unit	MJ/unit	kgCO2/TJ	kgCH4/TJ	kgN2O/TJ			
													electricity emission factor					
													kgCO2/kWh	kgCH4/kWh	kgN2O/kWh			
gas stationary combustion	LNG	-	Nm³	0.0	-	-	-	-		48		52.7472527	56100	1.0	0.1	1	21	310
liquid stationary combustion	gasoline	-	ℓ	0.0	-	-	-	-		44.3		47.1276596	69300	25.0	8	1	21	310
	Kerosene	-	ℓ	0.0	-	-	-	-		43.8		46.5957447	71900	3.0	0.6	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	Propane LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	63100	62.0	0.2	1	21	310
	-	-																
mobile combustion	gasoline	31,680	ℓ	1.5	97.257	0.737	3.480	101.5		44.3		47.1276596	69300	25.0	8	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	74100	62.0	0.2	1	21	310
indirect emission	electricity	2,220,827	kwh	32.2	1,447.979	-	-	1,448.0					0.6520			1	21	310
	steam	-	TJ															
				34				1,549										

1. Gloss calorific value means calorific value including latent heat of steam generated in the combustion process of fuel
2. Net calorific value is used when calculating greenhouse gas emissions, and total calorific value is used when counting energy consumption.

■ 2025 Business site GHG emissions statement (calculation form)

emission activities	fuel name	fuel consumption	unit	energy consumption	Greenhouse Gas Emissions				Energy Conversion Factors				Carbon emission factor			Global Warming Potential		
					CO2	CH4	N2O	Total	net calorific value		gross calorific value		CO2	CH4	N2O	CO2	CH4	N2O
				TJ	tCO2eq	tCO2eq	tCO2eq	tCO2eq	10^{-3}TOE/unit	MJ/unit	10^{-3}TOE/unit	MJ/unit	kgCO2/TJ	kgCH4/TJ	kgN2O/TJ			
													electricity emission factor					
													kgCO2/kWh	kgCH4/kWh	kgN2O/kWh			
gas stationary combustion	LNG	-	Nm³	0.0	-	-	-	-		48		52.7472527	56100	1.0	0.1	1	21	310
liquid stationary combustion	gasoline	-	ℓ	0.0	-	-	-	-		44.3		47.1276596	69300	25.0	8	1	21	310
	Kerosene	-	ℓ	0.0	-	-	-	-		43.8		46.5957447	71900	3.0	0.6	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	Propane LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	63100	62.0	0.2	1	21	310
	-	-																
mobile combustion	gasoline	20,592	ℓ	1.0	63.217	0.479	2.262	65.958		44.3		47.1276596	69300	25.0	8	1	21	310
	Diesel	-	ℓ	0.0	-	-	-	-		43		45.7446809	74100	3.9	3.9	1	21	310
	LPG	-	kg	0.0	-	-	-	-		47.3		50.3191489	74100	62.0	0.2	1	21	310
indirect emission	electricity	2,816,566	kwh	54.5	2,450.412	-	-	2,450.4					0.8700			1	21	310
	steam		TJ															
				55				2,516										

1. Gloss calorific value means calorific value including latent heat of steam generated in the combustion process of fuel
2. Net calorific value is used when calculating greenhouse gas emissions, and total calorific value is used when counting energy consumption.