


2

Aprendizado por Reforço

Reinforcement Learning






Agente

Ambliente







acção

recompensa



italolelis.com/snake



POINTS: 2

TOP: 22

(ESC) RESET
(SPACE) PAUSE

SCORED: **22682** POINTS

DIED: **4826** TIMES

Learning Rate



Discount Factor



Action Randomization



☐ Full set of states (may take longer to train)


▶ TRAIN

RESET

italoelis.com/snaake







POINTS: 2

TOP: 22

(ESC) RESET
(SPACE) PAUSE

SCORED: **22682** POINTS

DIED: **4826** TIMES

Learning Rate



Discount Factor



Action Randomization



☐ Full set of states (may take longer to train)

▶ TRAIN

RESET

POINTS: 2

TOP: 22

SCORED: **22682** POINTS

DIED: **4826** TIMES

Learning Rate



Discount Factor



Action Randomization



Full set of states (may take longer to train)

(ESC) RESET
(SPACE) PAUSE

▶ TRAIN

RESET

acãao

recommends

Tipos de Aprendizado

Supervisionado

Não-Supervisionado

Por Reforço



Detecção de Fraudes



Segmentação de Clientes



NPCs em Jogos



Diagnóstico Médico



Manutenção Preditiva



Veículos Autônomos

Aplicação em Cenarios Reais