


Who is





?











Model-based motion estimation

VideoSense: Internet scale video semantics









Visual concept detection, tracking & reasoning



Real-time video big data

MULTIMEDIA DATA DELUGE





facebook.




50M photos/month 6B+ images total

150M photos/month 5B+ images total 9B photos/month

100 hours uploaded/minute Content ID scans over 250 years of video/day


Photos taken per year



3.8
TRILLION
PHOTOS
TOTAL

"How Many Photos Have Been Taken Ever?", Hunter Schwarz, Buzzfeed

Premium TV Data



What Is Big Data


- Three V's:
 - –Data Volume
 - –Data Variety
 - —Data Velocity

Conclusion

- Simple algorithm big data, k-means/NN/ context based
- New multimedia big data paradigm needed:
 2D graph like
- 3. From passive retrieval to active media

Big Data To The Rescue


Non-parametric Approach



"80 Million Tiny Images", A,. Torralba, W. T. Freeman, IPAM Workshop on Numerical Tools and Fast Algorithms for Massive Data Mining, Search Engines and Applications, October 23rd 2007

Big Data To The Rescue

Non-parametric Approach




BIG DATA: 10,000 FOOT VIEW

Structured Data

	First	Address	City	State	ZIP
Buffet	Jimmy	Somewhere on the Beach	Key West	FL	33040
Bush	George	1600 Pennsylvania Ave	Washington	DC	20500
Cartman	Eric	84 Bigboned Way	South Park	co	84214
Crockett	Davey	The Alamo	San Antonio	TX	78210
Doe	Jane	821 Zimbabwe Ave	Washington	DC	20021
Gates	Bill	1 Microsoft Way	Redmond	WA	98052
Jefferson	George	194 Deelux Apartments	In the Sky	NY	10041
Kong	King	Empire State Building	New York	NY	10118
Munster	Herman	1313 Mockingbird Lane	Fargo	ND	58102
Rockne	Knute	146 Keenan Hall	Notre Dame	IN	46556
Simpson	Homer	742 Evergreen Terrace	Springfield	US	12345
Smith	Bob	12 Main Street	Anytown	IN	46001
0.7 11.00		1			
	Cartman Crockett Doe Gates Jefferson Kong Munster Rockne Simpson	Cartman Eric Crockett Davey Doe Jane Gates Bill Jefferson George Kong King Munster Herman Rockne Knute Simpson Homer	Cartman Eric 84 Bigboned Way Crockett Davey The Alamo Doe 821 Zimbabwe Ave Gates Bill 1 Microsoft Way Jefferson George 194 Deelux Apartments Kong King Empire State Building Munster Herman 1313 Mockingbird Lane Rockne Knute 146 Keenan Hall Simpson Homer 742 Evergreen Terrace	Cartman Eric 84 Bigboned Way South Park Crockett Davey The Alamo San Antonio Doe 821 Zimbabwe Ave Washington Gates Bill 1 Microsoft Way Redmond Jefferson George 194 Deelux Apartments In the Sky Kong King Empire State Building New York Munster Herman 1313 Mockingbird Lane Fargo Rockne Knute 146 Keenan Hall Notre Dame Simpson Homer 742 Evergreen Terrace Springfield	Cartman Eric 84 Bigboned Way South Park CO Crockett Davey The Alamo San Antonio TX Doe Jane 821 Zimbabwe Ave Washington DC Gates Bill 1 Microsoft Way Redmond WA Jefferson George 194 Deelux Apartments In the Sky NY Kong King Empire State Building New York NY Munster Herman 1313 Mockingbird Lane Fargo ND Rockne Knute 146 Keenan Hall Notre Dame IN Simpson Homer 742 Evergreen Terrace Springfield US

SELECT * FROM People
WHERE State NOT IN ('AL', 'CA')
ORDER BY Last;


Unstructured Data




NoSQL Data Models



Structured vs. Unstructured



Limitation of Existing Multimedia Data Analysis Architecture



Relational Database v.s. NoSQL






- Fast
- ACID
- SQL Compliance

- Flexible (structured/not)
- Scalability
- Complex Data Processing





HDFS: Hadoop Distributed File System

A given file is broken down into blocks (default=64MB), then blocks are replicated across cluster (default=3).


Optimized for:

- Throughput
- Put/Get/Delete
- Appends


Block Replication for:

- Durability
- Availability
- Throughput

Block Replicas are distributed across servers and racks.




MapReduce: Computational Framework



Key Benefits of Hadoop

- Agility/Flexibility (Quickest Time to Insight)
- Scalability of Storage/Compute (Freedom to Grow)
- Complex Data Processing (Any Language, Any Problem)

Hadoop Image Processing Example



The Answer to All?

- Indexing images is HARD, 16,000 machines to learn "cat"; state-of-the-art recognition low
- Even if indexed 100%, concepts cannot be captured comprehensively

The meanings we attribute to an image are inherently a graph





SOLUTION: SKETCH BASED RETRIEVAL?





60

Search

About 2 results (0.29 seconds)

Everything

Images

Maps

Videos

News

Shopping

More



Image size: 1024 × 829

No other sizes of this image found.

Visually similar













KO)

Search

About 2 results (0.29 seconds)

Everything

Images

Maps

Videos

News

Shopping

More



Image size: 319 × 482

No other sizes of this image found.

Visually similar













medici_sketch.bmp × describe image here

10

Search

About 2 results (0.29 seconds)

Everything

Images

Maps

Videos.

News

Shopping


More




Image size: 443 × 482

No other sizes of this image found.


Visually similar





Important Parts?

Input Query




Important Parts










Multimedia Big Data Opportunities

- Active media
- Crowd source computational photography
 - Photosynth, scene completion
- Tracking across many surveillance cameras
- Concept discovery
 - Fashion trend
 - Business intelligence

ACTIVE MEDIA

Automatic Content Recognition



Smart TV/Second Screen





Photosynth









Your image has been uploaded! Where was this photo taken?


Use Exact Coordinates Location on Map Sole Proprietor Seafood & Spirits 118 Highland St. 0.72 miles away Don't see the right location? Search for it! sole proprietor Search Char Search

Save with Location Save without Location










Initial observations without repositioning the sales team to a critical location. (N=149)



After repositioning a sales clerk to a critical location for 16 or more seconds. (N=155)













Conclusion

- Simple algorithm big data, k-means/NN/ context based
- New multimedia big data paradigm needed:
 2D graph like
- 3. From passive retrieval to active media









trista.chen@gmail.com