

Tutorial – Encaminhamento da conta de email IEEE

Os novos membros do IEEE agora tem direito a uma conta do Google (chamada de GoogleApps @ IEEE). A conta do IEEE é vinculada a uma conta do Google. É possível tanto acessar a conta a partir de <http://email.ieee.org> ou encaminhar os e-mails dessa conta para outras contas, caso o usuário deseje centralizar suas contas de email.


Para configurar o encaminhamento, siga as etapas a seguir:

Caso você queira centralizar na sua conta do Gmail


Basta usar o Coletor de Emails do Gmail. Assim, sua caixa de entrada irá baixar via POP3 os e-mails da conta do IEEE e será possível enviar e-mails como @ieee.org usando SMTP. Para configurar o coletor de e-mails, siga os passos encontrados [nesse link](#).

Para outros serviços de email


1. Acesse <http://email.ieee.org> e entre com seu alias e senha (configurados no cadastro):




2. Clique em Settings (item com desenho de roda dentada):



3. Dentro de Settings temos, novamente, Settings:




4. Clique na guia “Forwarding and POP/IMAP” (Encaminhamento e POP/Imap):



5. Clique em “Add a forwarding address” (Adicione um Endereço de Encaminhamento):
(Avançado: se você deseja criar filtros para redirecionar apenas determinados tipos de e-mails, pode clicar em “creating a filter!”. Caso deseje encaminhar todos os e-mails, ignore esse link).



6. Na caixa de diálogo que irá aparecer, digite o e-mail que irá receber os e-mails encaminhados (a sua conta normal) e clique em “Next” (Próximo).



1. Status: POP is enabled for all mail that has arrived since 12/3/13

- ☐ Enable POP for all mail (even mail that's already been downloaded)
- ☐ Enable POP for mail that arrives from now on
- ☐ Disable POP

2. When I download my mail, I want to keep it on the server

3. Configure automatic mail syncing

Status:

- ☒ Enable POP
- ☐ Disable POP


When I download my mail, I want to keep it on the server

- ☒ Auto-Expunge on - Delete messages from the server.
- ☐ Auto-Expunge off - Wait for the client to update the server.

When a message is marked as deleted and expunged from the last visible IMAP folder:

- ☒ Archive the message (default)
- ☐ Move the message to the Trash
- ☐ Immediately delete the message forever

7. Outra caixa de diálogo aparecerá pedindo para confirmar a sua escolha, clique em “Proceed”:



Add a forwarding address

Tip: You can also forward only some of your mail by [creating a filter](#)

1. Status: POP is enabled for all mail that has arrived since 12/3/13

- ☐ Enable POP for all mail (even mail that's already been downloaded)
- ☐ Enable POP for mail that arrives from now on
- ☐ Disable POP

2. When I download my mail, I want to keep it on the server

3. Configure automatic mail syncing

Status:

- ☒ Enable POP
- ☐ Disable POP


When I download my mail, I want to keep it on the server

- ☒ Auto-Expunge on - Delete messages from the server.
- ☐ Auto-Expunge off - Wait for the client to update the server.


When a message is marked as deleted and expunged from the last visible IMAP folder:

- ☒ Archive the message (default)
- ☐ Move the message to the Trash
- ☐ Immediately delete the message forever


8. Uma janela dizendo que um código de confirmação foi enviado aparecerá. Clique em OK.




9. Acesse a sua conta de e-mail e copie o código que você recebeu. Volte na sua conta do IEEE, siga novamente os passos de 1 a 4, digite o código de confirmação na caixa “Verify SeuEndereco” e clique em Verify.



10. Selecione a opção “Forward a copy of incoming mail to SeuEndereço and keep IEEE Mail’s copy in the Inbox”. Essa opção mantém uma cópia dos emails encaminhados na caixa de entrada da sua conta do IEEE, você pode alterar essa configuração se quiser.



11. Habilite o IMAP de acordo com a imagem a seguir e clique em “Save Changes” para salvar as configurações.



Settings

General Labels Inbox Accounts Filters **Forwarding and POP/IMAP** Chat Labs Offline Themes

3. Configure your email client (e.g. Outlook, Eudora, Netscape Mail)
[Configuration instructions](#)

IMAP Access:
(access IEEE Mail from other clients using IMAP)
[Learn more](#)

Status: IMAP is enabled

☒ Enable IMAP
☐ Disable IMAP

When I mark a message in IMAP as deleted:

☒ Auto-Expunge on - Immediately update the server. (default)
☐ Auto-Expunge off - Wait for the client to update the server.

When a message is marked as deleted and expunged from the last visible IMAP folder:

☒ Archive the message (default)
☐ Move the message to the Trash
☐ Immediately delete the message forever

Folder Size Limits

☒ Do not limit the number of messages in an IMAP folder (default)
☐ Limit IMAP folders to contain no more than this many messages

Configure your email client (e.g. Outlook, Thunderbird, iPhone)
[Configuration instructions](#)

Save Changes **Cancel**

Tudo Pronto! Aproveite sua conta de e-mail do IEEE!