

Clean Quarto Report

One source, HTML and PDF outputs

Imad El Badisy

2026-06-24

Table of contents

1	Goal	1
2	Data	1
3	Figure	2
4	Inline Result	2
5	Render	3
6	References	3

1 Goal

This demo shows the basic Quarto workflow: write prose, run code, label outputs, cite a source, and render the same file to HTML or PDF (Posit Software, PBC 2026).

2 Data

We use the built-in `mtcars` dataset so the example runs without downloads.

```
knitr::kable(head(mtcars), digits = 2)
```

Table 1: First six rows of the mtcars dataset.

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160	110	3.90	2.62	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6	160	110	3.90	2.88	17.02	0	1	4	4
Datsun 710	22.8	4	108	93	3.85	2.32	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258	110	3.08	3.21	19.44	1	0	3	1
Hornet	18.7	8	360	175	3.15	3.44	17.02	0	0	3	2
Sportabout											
Valiant	18.1	6	225	105	2.76	3.46	20.22	1	0	3	1

3 Figure

Figure Figure 1 shows the relationship between car weight and fuel economy.




Figure 1: Fuel economy decreases as car weight increases.

4 Inline Result

The dataset contains 32 cars and 11 variables.

5 Render

```
quarto render report.qmd --to html  
quarto render report.qmd --to pdf
```

6 References

Posit Software, PBC. 2026. *Quarto Documentation*. <https://quarto.org/docs/>.