


1. The diagram below shows the **production of olive oil**. Summarise the information by selecting and reporting the main features, and make comparisons where relevant.




The diagram illustrates the process of producing olive oil. Overall, the production of this oil involves a series of operations, beginning with the harvesting of olives and ending with the **distribution** of the final product.

The process begins with the picking of olives from trees. Once harvested, they are thoroughly **rinsed** with cold water to eliminate any **impurities** before being **transferred** on a **conveyor belt** to the **smashing** stage, where they are crushed to produce a paste. Following this, the paste is subsequently placed into **perforated** bags, which facilitate the extraction of olive paste while separating out the olive stones.

In the subsequent stage, the olive **paste** undergoes pressing to **extract** the oil further. After pressing, the oil is subjected to a **separation** process, where water is removed, resulting in pure olive oil. Finally, the extracted oil is stored and eventually sold in shops.

2. The plans below show a student room for two people and a student room for one person at an Australian university.



The diagrams compare **single and twin rooms** at an Australian university. Overall, the latter room type **is better equipped** and has larger areas compared to the former; however, this comes **at the expense of** higher rent.

Differences can be seen in the expenses and measurements of the two room types. Students in twin rooms pay \$350 per week, \$150 more than those in single rooms. Although rooms designed for one and two students share the same 6m length, their widths differ, with single rooms at 2.5m and twin rooms at 4m.

On the left side of both room types, there is one bathroom and various **amenities**, including a sink, stove, and microwave. Only **two-person rooms** feature a **dining set** opposite a television, **catering for** entertainment during meals. **Adjacent to** this set are two cupboards that divide twin rooms into two sections, each with a bed and a study desk. In contrast, on the right side of the **one-person room**, there is only a study desk and a bed, accompanied by a TV.

Or,


The floor plans illustrate the differences between two student rooms, designed for one and two occupants, at an Australian university.

Overall, **the dual occupancy room** is more spacious, with additional furnishings, and its rental cost is correspondingly higher compared to **the single one**.

In terms of size, both units share the same length of 6 meters. However, **the two-person room** has been designed with a greater width (4 meters) compared to **the one-person room** (2.5 meters), resulting in a higher weekly rental cost (\$350 vs \$200). As the visitor enters the room, the two rooms **display similar features** on the left, namely a bathroom and a bookshelf. Beyond that, both have a study desk facing the wall and a bed **by the back wall**. However, the **larger room** is **furnished with** a circular table with two chairs outside the bathroom.

Moving to the right-hand side of the entrance, both feature a kitchen that comes with a sink, a stove, and a microwave. However, the kitchen in **the two-occupant room** is in the corner opposite the bathroom, providing more space for cooking, while **the single room's** kitchen is located by the right-hand wall, offering a more confined cooking space when the door is open. Moreover, the space on the right-hand side of **the twin room** contains an additional study desk beside the TV, and a second bed, separated from the first one by two cupboards, **while the single room** is furnished with only a TV on this side, offering more usable space.

3. The diagram below the process of **producing bottled and canned carbonate drinks**. Summarize the information by describing the main features of the charts and making comparisons where appropriate.




The diagram illustrates the linear process involved in the production of **carbonated drinks**, starting from **raw water** and ending with bottled and canned beverages ready for distribution. Overall, the process comprises five main stages, beginning with **water purification** and culminating in packaging for **supermarket delivery**.

Initially, raw water is purified in the water cleaning stage, where it passes through a filter to eliminate **physical impurities**. The water then moves through a softener and is treated with chemicals to further purify it before being pumped into the next phase. In the second stage, known as heating evaporation and carbonation, the purified water is heated using **electric heaters**, and then cooled via a **cooling pipe** before **carbon dioxide** is added, transforming it into **carbonated water**.

The third stage involves mixing, where the carbonated water is transferred into a **mixing tank** and combined with syrup, colouring, and flavouring to create the final beverage. After mixing, the drink enters the filtering and filling stage. Here, it is filtered once again and then poured into either bottles or cans, ready for retail use. Finally, in the **packaging stage**, the filled containers are boxed and dispatched to supermarkets for sale to consumers.

4. The diagram below describes the structure of a **home smokery** and how it works.



The diagram illustrates the design and operation of a home smokery.

Overall, the system has two main sections: an underground smoke-generation section and an above-ground smoking box where food is processed.

The underground section consists of three interconnected chambers. The first chamber, equipped with a lid, is responsible for regulating airflow, while the second compartment, also fitted with a lid, contains logs that are burned to generate smoke. The third chamber, located right under the food box, serves as a passage, allowing smoke to rise to the top of the box where food items are waiting to be cooked.

To operate the smokery, the lid on the first chamber is opened to allow fresh air to enter, providing a sufficient supply of oxygen to the second chamber, where logs are burned. The combustion produces smoke, which travels through a pipe to the food box. Here, food items such as fish or meat are exposed to the rising smoke, gradually cooking them through the smoking process.

5. The diagrams give information about changes in a student accommodation.


The diagrams illustrate how much a student accommodation has changed from 2010 to the present.

In general, the building witnessed several changes all over its layout throughout the period. The most remarkable modification was the extension of the space used for the study-bedrooms. At the same time, some other features have been converted or removed to serve the new design.


In 2010, located at the center of the area was the main building, to the southwest part of which lay a large hall and a bathroom. Opposite those rooms to the right side were a study-bedroom and a kitchen. Currently, the hall has been expanded to include the bathroom and a new en suite bathroom inside, while the kitchen has been enlarged and used as a social area.

A living room and a study-bedroom have been constructed in the northern part of the building. However, the living room has been replaced by a large study-bedroom in the current design. Next to the building to the west, another study-bedroom has been constructed right next to the old study-bedroom. Finally, the garden to the south of the building has been replaced by a parking area, while the northside one remains unchanged.

(196 words)



6. The diagram below shows the process of growing and preparing pineapples and pineapple products.



The diagram illustrates the process of cultivating pineapples and transforming them into different commercial products.


Overall, the process begins with growing pineapples, followed by harvesting and sorting, and ends with either converting them into packaged goods or exporting them.

First of all, pineapple crowns are planted in tropical climates with temperatures ranging from 23 to 30 degrees Celsius. The crowns are spaced 26 cm apart to ensure healthy growth. After seven months, ethylene is applied to stimulate the growth of the fruit. The pineapples then take another five months to reach full maturity, by which time they weigh around 2 kg and measure about 30 cm.

After being harvested, the pineapples are thoroughly washed to remove any dirt or impurities, and then sorted by size. The smallest pineapples have their crowns removed and are peeled and juiced using an extractor, while medium-sized ones are also decrowned, peeled, and sliced before being canned. The biggest pineapples are coated with wax, packed into crates and exported overseas.

7. The process of **producing drinking water by solar power** powdered pump and filter. Summarise the information by selecting and reporting the main features, and make comparisons where relevant.

www.dolacademy.vn



The diagram illustrates a six-step process by which solar energy is used to generate clean drinking water from an underground well.

Overall, the entire system comprises six distinct stages, beginning with the generation of solar energy and culminating in the provision of filtered, drinkable water.


In the initial stage, solar radiation is absorbed by a photovoltaic panel, which captures the sunlight and transfers the energy to a converter. This converter plays a crucial role in transforming solar energy into electrical power. The electricity produced is then supplied to a pump installed within an underground well. As the pump becomes activated, it draws water from beneath the ground and channels it upwards to begin the purification process.

After the water is brought to the surface, it is directed into a storage tank positioned on a raised wooden platform. Within this elevated tank, the water undergoes filtration through an integrated system that removes impurities and contaminants. In the final stage, the purified water is dispensed through a tap, allowing it to be collected in a portable container, ready for safe and convenient consumption.


(182 words)

8. The maps below show a part of a village in 1910 and the same part of the village in 2010.

Shalton village in 1910



Shalton village in 2010



BODY 1 : 1910

- bordered by School Road, London Road, High Street
- center : a large house + trees
- south : grocer + house + baker
- High Street : some houses
- School Road : school + butcher + house
- London Road + School Road : post office

ielts-nguyenhuyen.com

BODY 2 : 2010

- centre
 - large house + trees → houses + side road
 - grocer → cafe
 - baker → house
- School Road
 - butcher → supermarket + parking
 - house → bank
 - school } remained
 - post office } unchanged
- London Road, High Street : new houses

The two maps **depict** a section of a village called Shalton in 1910 and how it looked a century later.

Overall, **the most striking transformation** was the removal of green spaces and the addition of several commercial and residential areas.

In 1910, this section of the village **was bordered by** three major roads: School Road to the west, London Road to the east, and High Street to the south, which together formed a **triangular** layout. At the heart of the village stood a large house surrounded by trees, and directly to its south were a grocer, a small house, and a baker. Several houses were located on High Street, whereas along School Road, there was a school, a butcher, and another house. A post office stood at the corner of School Road and London Road.

By 2010, the most significant change was the disappearance of the large house and its surrounding greenery to make way for a new **residential area**, accessed via a side road **branching off from** London Road. The grocer had been converted into a café, while the baker had been removed. A new supermarket with an adjoining parking lot had **occupied** the area where the butcher once stood. In addition, the house to the north of School Road had been replaced by a bank, while the post office opposite it and the school in the southwest remained unchanged. Meanwhile, a number of houses had been **constructed** along London Road and High Street.

9. The maps below show a beachfront area in Australia in 1950 and today.

The maps illustrate the transformation of an Australian beachfront area between 1950 and the present.


Overall, the site has evolved from a **simple recreational space** into a more **developed precinct** featuring **expanded facilities**. It is also important to highlight that the access road along the northern edge has been widened from a single-lane to a **dual carriageway**.

In 1950, visitors entered via a road at the top right, which led directly to one **car park** at the eastern end. Immediately below, a **central pavilion** stood flanked on its left by several **dining tables**, while a **children's playground** occupied the far west corner. Along the shoreline, two identical 25 metre pools were positioned: one roughly mid-section of the beach and the other adjacent to the lighthouse on the eastern tip.


Today, the **upgraded dual carriageway** provides access to two car parks—one at each end of the site. On the western side, the former playground has been replaced by three restaurant blocks. The pavilion and dining tables remain centrally located, and to their east a new **surf club** sits beside the lighthouse. **Leisure offerings** have also increased, with a larger 50 metre pool installed to the west of the pavilion while the original 25 metre pool persists to the east.

(209 words)


1950



Now



10. The diagram below shows how one type of coal is used to produce electricity.



The diagram illustrates the process of generating electricity from a particular kind of coal.

Overall, this process comprises multiple steps occurring at different facilities: starting from the mining of the coal, to the production of gas, and eventually the generation of electrical power used for various purposes.

To begin with, coal is extracted from a mine, after which it is ground down by a crusher. The pulverized coal is then put into a mine cart before being loaded onto a truck for transportation. Once this material has been transported to the factory, it is heated to produce gas.

The process continues with the gas being sent to a separate facility, in which it is cooled while waste heat is discharged. After the cooling process is complete, the gas will be directed to a facility where it is purified. It is thereafter transferred once again to a power plant which uses the gas to generate electricity and expel any excess heat waste. Finally, the electricity produced is distributed via transmission lines to homes and industries.

Or,


The diagram illustrates how a specific variety of coal is utilized in the generation of electricity. Looking from an overall perspective, it is readily apparent that the process of electricity production is divided into three main stages. These consist of the initial extraction of coal, its treatment in various facilities, and finally the **distribution/provision** of electricity to necessary areas.

At the beginning, coal is extracted from underground mines and subsequently subjected to a crushing process. **The resulting** smaller pieces of coal are thereafter loaded on trucks to be transferred to a gasifier, in which it is heated to create gas.

In the following stages, the produced gas is conveyed to a separate facility, where it is cooled to dissipate residual heat and then sent to another treatment plant for purification. After that, the clean gas enters a gas power plant and is combusted to generate electricity, with additional waste heat released as a byproduct of the conversion process. Lastly, the produced electricity is transmitted through power lines and supplied to various end users, including households and industrial facilities.

Words: 179

11. The maps show changes in a city in 1950 and now.



The maps give information on the differences that have happened in a city between 1950 and the present day.

Overall, there has been a dramatic expansion of both the business and residential area, while much of the river had been turned into a lake.

In the 1950, there was scarcely any infrastructure in the city compared to today. A river ran through its centre, and there was only one road connecting the government building, which was situated south of the river, and the business district on the north side. The residential area was also comparatively smaller, and only wrapped halfway around the business district. This makes sense given the population was only 20,000, one tenth of what it is now. There were also only four

roads, with the single **intersection** located in the middle of the business district. Lastly, there was also a small airport situated east of the city.

Since then, the city has **undergone some major changes**. Firstly, a large lake had been created in the middle section of the river, with **an additional bridge** having been built to cross it. Both the business and residential district have also been expanded, with the business district now being on both sides of the lake, and the residential area completely surrounding it. There is now a **dam** in the east end of the lake, separating it from the river, and there is also an additional government building in the south of the city. Furthermore, the airport has greatly expanded, and there are now two extra roads.


12. The map below shows the plan of a proposed new town. Summarize the information by selecting and reporting the main features, and make comparisons where relevant.

The graphic depicts how a town will be planned for future development. Overall, the town is **expected to feature** a predominantly residential and industrial landscape, with housing units and public facilities **distributed** around a **central ring road**, coupled with two distinct industrial zones located at different sites within the town.


The town is divided into four sections by a large **intersection**, with a unique square-shaped central area rather than a typical **roundabout**. This central square hosts several key **amenities**, including two parking lots and two bus stations **positioned at** each corner. Surrounding the central square, **recreational buildings** are primarily located along the southern exit, providing residents with easy **access to leisure activities**. Another **significant feature** is a

ring road that encircles the town, ensuring efficient connectivity between different zones.

In the western section, the majority of the space is **allocated for residential purposes**, with the exception of an industrial zone planned for the northwest corner. Similarly, the northeastern section is **dedicated** entirely to housing. The southeastern part **stands out** as it is almost fully **occupied** by an expansive industrial park, indicating a significant focus on industrial activities in this area.



13. The diagram shows the design of a modern landfill for household waste. Summarize the information by selecting and reporting the main features and make comparisons where relevant.



The diagram illustrates how a modern landfill for **household waste** is made and used.

Overall, there are three main stages involved in the process, starting with digging the hole, then using it and when it is full, it is closed by means of a clay sheet.


The construction begins with a hole being **dug** in the ground, which is just above the natural rock layer. Then, protective linings, consisting of an outer clay layer and an inner one made of **artificial** materials, are **applied to** the bottom and the sides of the hole to prevent waste leakage into the environment. At the same time, **a drainage system** is **installed**, including a drainage tank and pipes, to allow waste water to exit the site.

Once the installation is complete, the landfill is ready for use, as **household waste** is dumped into the hole over time. During this stage, **waste-liquid** from the **refuse** sinks to the bottom, where it **builds up** in the tank and


is rerouted via drainage pipes to avoid the accumulation of toxic liquids. After reaching its full capacity, the hole is covered by clay, then the trash is left to decompose, producing waste gases, which are finally collected through a gas-collecting system.

14. The diagrams show changes in a student common room.

Student common room- 5 years ago



Student common room- Now



The plans indicate the adjustments made to a student common room. In general, the present common room contains more benches and new amenities, such as a television and a drinks machine. Further, there has been a rearrangement of tables and chairs as well as kitchen amenities.

The common room 5 years ago compared to its current version could be said to have a much simpler design. There were four sets of identical tables

and chairs in the middle of the room, and a bookshelf in one of the corners of the room. The kitchen amenities include a sink, cupboard, two benches, a microwave and refrigerator, **lined up** from on the left side of the room.

Today, the space next to the table on the immediate right of the entrance has been **occupied by a bench** used for laptops, displacing another set of tables and chairs. Meanwhile, on the left of the entrance, there is now a long table with eight chairs, in contrast to the other round tables with six chairs. Meanwhile in one corner of the room, the bookshelf has been replaced by three armchairs and a television. Finally, the **kitchen facilities remain relatively untouched**, except for a bench that **was substituted with a microwave**.

15. The graph below shows a typical American and a Japanese office.


The pictures compare the layout of a typical office in Japan and America.

Overall, the office setups in Japan and America are diametrically different, with the former encouraging collaboration at the workplace and the latter reflecting the independent working style.


In Japan, tables of members in the same team are placed together to facilitate group discussions, forming two large areas, each of which is overseen by a section manager. Meanwhile, the space of an American office is divided into separate cubicles with high walls to minimize distractions. The working station of the Japanese department manager directly faces the joint desks of his subordinates, offering him an overall view to monitor all the activities in the office. By contrast, the working spaces of the management team including two section managers and one department manager are located separately with partitions on the East side of the American office.

There is only one window at the back of the department manager's seat in the Japanese layout whereas two windows are set up to stretch across the Western and the Eastern walls in the American office. While the office in America is equipped with a printer copier, a storage and two conference rooms, there are no such facilities in the Japanese office.

The graph below shows a typical American and a Japanese office



16. The diagrams below show the development of a town called Brindell and the local areas in 1800, 1900 and 2000.



The three maps illustrate the development of a town called Brindell and its surrounding areas in the years 1800, 1900, and 2000.

Overall, Brindell underwent significant transformation over the two centuries, shifting from a predominantly agricultural and forested area to a more urbanized region with industrial and recreational developments.

In 1800, the landscape around Brindell was mostly agricultural and undeveloped. The town was relatively small, with a large animal farmland located nearby. Crops were cultivated in the upper part of the


map, while a large woodland area covered the opposite side. A river, known as the River Stour, flowed through the middle, separating different land uses.

By 1900, there had been no major changes to Brindell, the crop fields, or the woodland. However, the farmland once used for animals was entirely replaced by Bun Hill, a new village established for workers, located close to a newly developed industrial zone.


By 2000, Brindell, Bun Hill, and the nearby industrial area had all expanded significantly, leading to a noticeable reduction in the width of the River Stour. Despite these changes, the crop farmland remained untouched. That same year, a new park named Bun Hill was built, running alongside the edge of the woodland.

17. The diagrams below show a small local museum and its surroundings in 1957 and 2007.

Museum 1957



Museum 2007



The maps illustrate the layout of a museum and its grounds in 1957 and the changes that had occurred by 2007.

Overall, the museum building was extended, serving more purposes with additional rooms for exhibitions and education, and a parking area replaced part of the garden. This **extension**, however, resulted in a reduction of the **green space** in the museum's grounds.

Looking first at the interior of the building in 1957, upon entering the entrance hall, visitors would have seen a local history room on their left and a museum storeroom on the right, while beyond the entrance hall was a space for the largest room, the national history exhibition. Fifty years later, the entrance had been relocated to a **new extension** left of the original, where visitors first encountered a shop. To its right were the reception area and an **adjacent** coffee shop. The local history room was moved to the center of the building, and beyond it were two brand new sections for special exhibitions and an education center.

Outside the grounds of the museum, a road ran along the southern side of the map, which remained unchanged in 2007. However, the road that **branched off** from it, leading to the entrance hall had been removed by 2007, and a new car park was developed southeast of the museum. Finally, there used to be many green spaces in the layout, most of which had disappeared by the latter year, except for the garden in the northwest corner.

18. The picture below shows the plan of museum in 1998 and after some changes was made in 2008.


The two maps illustrate how the layout of a museum changed between 1998 and 2008. Overall, the museum underwent significant redevelopment, with the addition of new visitor facilities and the reorganisation of several existing areas.

In 1998, a central garden was surrounded on three sides by permanent exhibition rooms. A café was located directly above the garden, while the shop, WC, and bags-and-coats area were situated to the right of the

entrance. On the left-hand side, there was a temporary exhibition room, and the ticket counter was positioned centrally near the entrance.

By 2008, the museum had been modernised to improve visitor experience. A restaurant was introduced in the upper-left area, replacing part of the exhibition space, while a café sitting area was added adjacent to the garden. The garden itself was redesigned to include fountains. In addition, the shop and bags-and-coats facilities were relocated to the lower-left corner, whereas the WC was moved slightly towards the centre. The permanent exhibition rooms continued to occupy the right-hand side, although their internal layout was modified.

Overall, the main changes involved the introduction of new amenities, the enhancement of the central garden, and the relocation of several service facilities.




19.


The maps below show a bookstore in 2000 and now.

(Designed by ieltscity.vn)

2000



Now




The two maps illustrate the layout of a bookstore in 2000 and the present day.

Overall, while the **core structure** of the bookstore remains the same, there have been some **noteworthy** changes in the arrangement of bookshelves and the addition of a café and tables.

In 2000, the largest section in the bookstore was **allocated** to **fiction** books, located on both sides of the store. **Non-fiction** books occupied the space at the bottom right corner, while genres such as travel, art, hobbies, and cookery were arranged in the middle part of the store. A section labeled "new books" was placed near the entrance, along with a **service desk** on the left-hand side.

In contrast, the current layout has undergone several **modifications**. The fiction section has been reduced in size, and the space previously occupied by non-fiction books is now a café. The non-fiction section has been moved to the top right corner, replacing part of the old fiction area. In the center of the store, three tables have been introduced, creating a more **communal** space. Additionally, the sections for travel, art, hobbies, and cookery books have remained in the same area, but their positions have been slightly adjusted.

20. The diagram below shows a simple system that turn dirty water into clean water.



The diagram illustrates a simple method of **purifying dirty water** in order to make it suitable for consumption.

Overall, the system showcases how **readily available natural materials** and **basic equipment** can be utilized to produce **drinkable water** in just a few straightforward steps.

Firstly, a storage drum and a plastic barrel are positioned adjacent to each other, with the top of the latter higher than the former. These two **components** are connected by a pipe running from the bottom of the barrel into the side of the drum. Subsequently, a filter is constructed within the barrel by adding layers of sand, charcoal, and gravel. Lastly, a tap is **installed** at the bottom of the drum, and another one is placed at the top of the pipe.

The process commences by lifting the plastic lid of the barrel and pouring impure water into it. The water then **passes through** the filter and travels up the pipe into the drum, where it is stored. When the tap in the drum is opened, **potable water** is released for use.