## Muhammet Batuhan Ozdogan

## IF.06.01 TINF Operating Systems - Free Blocks, Quotas - Exercises.

- 1. (10 %) Free Blocks Management Using a Linked List Consider a file system managing free blocks by using linked lists. The table below shows the final two blocks storing free blocks. Fill the empty tables below to show the changes which occur in the tables after the following scenarios. Highlight the changes using a color pencil.
  - (a) Five new blocks are allocated
  - (b) The block 22 is freed
  - (c) Another 5 blocks are allocated
  - (d) Another block is allocated
  - (e) Another three blocks are allocated
  - (f) Four blocks (23456, 8345345, 56, and 634534) are freed

Block #	17	18	
Next Block	18	0	
	4589	24353	
	43546	98745	
	718	76345	
	345	9877	
	23456	7345	
	8345345	34535	
	634534	154698	
	3478	967	
	56	8657	

					D1 1 //	45	
Block #	17 18	Block #	17	18	Block #	17	18
Next Block	18 0	Next Block	18	0	Next Block	18	0
	4589 29353		4589	24353			24353
	43546 98745		43546	98795			98 745
	719 76345		718	76365			76345
	345 9877		345	9877			9877
	7345		22	7345			7345
	34535			34535			34535
	454698			154638			154638
	367			967			967
	8657			8657			8657
Block #	18	Block #		18	Block #	56	18
Next Block	0	Next Block		0	Next Block	18	0
	24353			24353		*****	24353
	38745			98745			98745
	76345			76345			76345
	9877			3877			9877
	7345			7345			7345
	31535			34535			34535
	154638						23456
	367						8345349
	17						634534

2. Free Blocks Management — Comparision Given the two memory footprint scenarios for Free Blocks Management as presented in class. State the condition under which the linked list approach uses less space than the bitmap approach.

When there's so much blocks allocated, that the linked list needs less space than the bitmap.