NPM в подробностях

NPM это не только npm install

npm init

Interactively create a package.json file

PromZard

~/.npm-init.js

npm install

Install a package

- npm install --save
- npm install --save-dev
- npm i -S
- npm i -D

npm outdated

Check for outdated packages

```
        Package
        Current ansi
        Wanted MISSING autolinker
        Latest autolinker
        Location autolinker

        autolinker
        MISSING autoprefixer-stylus
        MISSING autoprefixer-stylus
        0.3.8
        0.3.8
        autolinker

        autoprefixer-stylus
        MISSING autoprefixer-stylus
        0.5.9
        0.8.1
        autoprefixer-stylus

        benchmark
        MISSING autoprefixer
        1.0.8
        1.0.8
        benchmark

        browserify
        MISSING autoprefixer
        1.0.8
        1.0.8
        benchmark

        chai
        MISSING autoprefixer
        1.0.8
        1.0.8
        benchmark

        chai
        MISSING autoprefixer
        1.0.8
        benchmark
        benchmark

        chai
        MISSING autoprefixer
        1.0.4
        benchmark
        benchmark

        browserify
        MISSING autoprefixer
        1.0.8
        benchmark
        benchmark

        browserify
        MISSING autoprefixer
        1.0.8
        1.0.9
        benchmark

        browserify
        MISSING autoprefixer
        1.0.2
        1.1.0
        commonmark

        chai
        MISSING autoprefixer
        1.0.3
        1.0.3
        autoprefixer

        chai
        MISS
```

6

npm version

Bump a package version



• major: breaking changes

• minor: feature add

• patch: bug fix, docs

SemVer

npm version

Bump a package version

npm version prepatch

npm version patch

npm version preminor

npm version minor

npm version premajor

npm version major

npm shrinkwrap

Lock down dependency versions

Fix for:



npm-shrinkwrap.json - lock packages with dependencies

npm-shrinkwrap.json will be updated on npm install

npm pack

Create a tarball from a package

node-bin

Local NodeJS version per project

Set node-bin as dependency in package.json

npm run-script

Run arbitrary package scripts

Run arbitrary package scripts

• npm run adds node_modules/.bin to the PATH provided to scripts

npm run-script

Like a shell

- && for chaining tasks
- & for running tasks simaltaneously
- < for inputting the contents (stdin) of a file to a command
- > for redirecting output (stdout) of a command and dumping it to a file
- | for redirecting output (stdout) of a command and sending it to another command

How to Use npm as a Build Tool

Run arbitrary package scripts

- npm run adds node_modules/.bin to the PATH provided to scripts
- Like a shell (&&, &, <, >, |)
- Replace platform depended with node modules (rm rimraf, cat catw, etc.)

npm run-script

npm-run-all (parallel, scoped tasks: build:*)

Run arbitrary package scripts

- npm run adds node_modules/.bin to the PATH provided to scripts
- Like a shell (&&, &, <, >, |)
- Replace platform depended with node modules (rm rimraf, cat catw, etc.)
- npm-run-all (parallel, scoped tasks: build:*)

npm run-script

Run arbitrary package scripts

- npm test
- npm start
- npm restart
- npm stop
- npm run %NAME%
- pre-, post- hooks

More docs

Run arbitrary package scripts

- npm run adds node_modules/.bin to the PATH provided to scripts
- Like a shell (&&, &, <, >, |)
- Replace platform depended with node modules (rm rimraf, cat catw, etc.)
- npm-run-all (parallel, scoped tasks: build:*)
- pre-, post- hooks

npm team, npm access

Manage organization teams and team memberships
Set access level on published packages



sinopia

a private/caching npm repository server

Sinopia

Вопросы

- Вячеслав Зайцев
- slava@interfaced.ru