
college_homepage.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Engineering College</title>
    <style>
        body,
        html {
            margin: 0;
            font-family: Arial, Helvetica, sans-serif;
            font-size: 15px;
        /* N A V B A R */
        #header {
            background: rgba(0, 0, 0, 0.8);
            padding: 20px 0;
            width: 100%;
            position: fixed;
            left: 0;
            top: 0;
        .container {
            width: 86%;
            margin: 0 auto;
        #header .container {
            display: flex;
            justify-content: space-between;
            align-items: center;
        .main-nav,
```

```
.main-nav ul {
    padding: 0;
    margin: 0;
    list-style: none;
.main-nav ul li {
    float: left;
    margin-left: 15px;
    font-size: 15px;
.main-nav ul li a {
   color: #fff;
   text-decoration: none;
    font-size: 15px;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 8px 10px;
    border-radius: 10px;
   transition: all 0.3s ease;
nav ul li a:hover,
nav ul li a.active {
    color: #1b1b1b;
    background-color: #fff;
nav .menu-btn i {
    color: #fff;
    font-size: 15px;
    cursor: pointer;
    display: none;
#click {
    display: none;
@media (max-width:940px) {
```

```
nav .menu-btn i {
                display: block;
            #click:checked~.menu-btn i::before {
                content: "\f00d";
            nav ul {
                position: fixed;
                top: 80px;
                right: -100%;
                background: #111;
                height: 100vh;
                width: 100%;
                display: block;
               text-align: center;
            #click:checked~ul {
                right: 0;
                transition: all 0.3s ease;
            nav ul li {
                margin: 40px 0;
            nav ul li a {
                font-size: 10px;
                display: block;
       /* S E C T I O N */
        .banner img {
           max-width: 100%;
           vertical-align: top;
    </style>
</head>
```

```
<body>
   <header id="header">
       <div class="container">
           <nav class="main-nav">
               <input type="checkbox" name="" id="click">
               <label for="click" class="menu-btn"><i class="fas</pre>
fa-bars"></i></label>
               <l
                   <a href="#home" class="active">HOME</a>
                   <a href="about.html">ABOUT US</a>
                   <a
href="department.html">DEPARTMENT</a>
                  <a href="faculty.html">FACULTY</a>
                  <a href="research.html">RESEARCH AND</a>
PLACEMENT</a>
                  <a href="contact.html">CONTACT US</a>
               </nav>
       </div>
       <!-- E N D -->
   </header>
   <!-- S E C T I O N - 1 -->
   <section class="banner" id="home">
       <div>
           <img src="/images/clg_background.jpg">
       </div>
   </section>
   <!-- E N D -->
</body>
</html>
```





about.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>About Us</title>
    <style>
        body{
            margin: 0;
            padding: 0;
            font-size: 15px;
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            box-sizing: border-box;
            font-family: Arial, Helvetica, sans-serif;
        /* N A V B A R */
        #header {
            background: rgba(0, 0, 0, 0.8);
            padding: 20px 0;
            width: 100%;
            position: fixed;
            left: 0;
            top: 0;
        .container {
            width: 86%;
            margin: 0 auto;
        #header .container {
            display: flex;
```


```
justify-content: space-between;
    align-items: center;
.main-nav,
.main-nav ul {
    padding: 0;
    margin: 0;
   list-style: none;
.main-nav ul li {
   float: left;
    margin-left: 15px;
   font-size: 15px;
.main-nav ul li a {
    color: #fff;
    text-decoration: none;
    font-size: 15px;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 8px 10px;
    border-radius: 10px;
   transition: all 0.3s ease;
nav ul li a:hover,
nav ul li a.active {
    color: #1b1b1b;
    background-color: #fff;
nav .menu-btn i {
    color: #fff;
    font-size: 15px;
    cursor: pointer;
    display: none;
#click {
```

```
display: none;
@media (max-width:940px) {
    nav .menu-btn i {
        display: block;
    #click:checked~.menu-btn i::before {
        content: "\f00d";
    nav ul {
        position: fixed;
        top: 80px;
        right: -100%;
        background: #111;
        height: 100vh;
        width: 100%;
        display: block;
        text-align: center;
    #click:checked~ul {
        right: 0;
        transition: all 0.3s ease;
    nav ul li {
        margin: 40px 0;
    nav ul li a {
       font-size: 10px;
        display: block;
.container {
    width: 86%;
   margin: 0 auto;
```

```
.about-section {
    height: 100vh;
    display: flex;
    align-items: center;
    background-color: #cfd6f9;
/* R E A D - M O R E */
    padding: 15px;
    font-size: 25px;
    border-radius: 10px;
    border: 2px solid #0d5fa3;
.read-more-state {
    display: none;
.read-more-target {
   max-height: 0;
   opacity: 0;
   font-size: 0;
   transition: 0.45s ease;
.read-more-state:checked~.read-more-wrap,
.read-more-target {
    opacity: 1;
   font-size: inherit;
.read-more-state~.read-more-trigger::before {
    content: 'Read More';
.read-more-state:checked~.read-more-trigger::before {
    content: 'Read Less';
```

```
.read-more-trigger {
           margin-top: 20px;
           padding: 0 25px;
           display: inline-block;
           cursor: pointer;
           font-size: 20px;
           line-height: 2;
           border-radius: 10px;
           background-color: #0d5fa3;
       h1 {
           font-size: 25px;
           font-weight: 900;
   </style>
</head>
<body>
   <!-- N A V B A R -->
   <header id="header">
       <div class="container">
           <nav class="main-nav">
               <input type="checkbox" name="" id="click">
               <label for="click" class="menu-btn"><i class="fas</pre>
fa-bars"></i></label>
               <u1>
                   <1i><a
href="college homepage.html">HOME</a>
                   <a href="about.html" class="active">ABOUT
US</a>
                   <1i><a
href="department.html">DEPARTMENT</a>
                   <a href="faculty.html">FACULTY</a>
                   <a href="research.html">RESEARCH AND</a>
PLACEMENT</a>
                   <a href="contact.html">CONTACT US</a>
               </nav>
       </div>
   </header>
   <!-- E N D -->
```

```
<section class="about-section" id="about">
        <div class="container">
           <input type="checkbox" class="read-more-state"</pre>
id="post">
           <h1>About Us</h1>
           Lorem ipsum dolor, sit amet
consectetur adipisicing elit. Eius necessitatibus
               assumenda iste hic nihil reiciendis quasi sit
eveniet ut tempore.
               <span class="read-more-target">Lorem ipsum dolor
sit, amet consectetur adipisicing elit. Rem optio
                   eveniet fugiat sunt eaque accusamus expedita,
non, quasi voluptas dignissimos, illum magnam corrupti
                   nostrum cumque adipisci quis minima iure beatae
tempore exercitationem asperiores explicabo
                   sapiente? Sunt, corrupti inventore, totam aut
laudantium pariatur quibusdam quia mollitia alias
                   ducimus nemo eaque obcaecati!
           <label for="post" class="read-more-trigger"></label>
        </div>
    </section>
</body>
</html>
```



department.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Departments</title>
    <style>
        body {
            margin: 10px;
            padding: 15px;
            font-size: 18px;
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            box-sizing: border-box;
            font-family: Arial, Helvetica, sans-serif;
            background-color: #d6f9cf;
        /* N A V B A R */
        #header {
            background: rgba(0, 0, 0, 0.8);
            padding: 20px 0;
            width: 100%;
            position: fixed;
            left: 0;
            top: 0;
        .container {
            width: 86%;
            margin: 0 auto;
```

```
#header .container {
    display: flex;
    justify-content: space-between;
    align-items: center;
.main-nav,
.main-nav ul {
    padding: 0;
   margin: 0;
    list-style: none;
.main-nav ul li {
    float: left;
   margin-left: 15px;
   font-size: 15px;
.main-nav ul li a {
    color: #fff;
    text-decoration: none;
    font-size: 15px;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 8px 10px;
    border-radius: 10px;
    transition: all 0.3s ease;
nav ul li a:hover,
nav ul li a.active {
    color: #1b1b1b;
    background-color: #fff;
nav .menu-btn i {
    color: #fff;
    font-size: 15px;
    cursor: pointer;
    display: none;
```

```
#click {
    display: none;
@media (max-width:940px) {
    nav .menu-btn i {
        display: block;
    #click:checked~.menu-btn i::before {
        content: "\f00d";
    nav ul {
        position: fixed;
        top: 80px;
        right: -100%;
        background: #111;
        height: 100vh;
        width: 100%;
        display: block;
        text-align: center;
    #click:checked~ul {
        right: 0;
        transition: all 0.3s ease;
    nav ul li {
        margin: 40px 0;
    nav ul li a {
        font-size: 10px;
        display: block;
    .slide-container{
```

```
margin: 0 10px;
        display: flex;
        flex-wrap: wrap-reverse;
.container {
    width: 86%;
    margin: 0 auto;
.department-section {
    height: 100vh;
    display: flex;
    align-items: center;
    background-color: #d6f9cf;
/* C A R D S */
.slide-container {
    display: flex;
    /*max-width: 1120px;
    width: 100%;
    background-color: grey;
    padding: 40px 0;*/
.slide-content {
    margin: 0 40px;
.card {
    margin: 10px;
   width: 320px;
    border-radius: 35px;
    background-color: #fff;
.image-content,
.card-content {
    display: flex;
    flex-direction: column;
```

```
align-items: center;
   padding: 10px 14px;
.image-content {
   row-gap: 5px;
   padding: 25px 0;
.card-wrapper {
   display: flex;
   flex-direction: row;
.card-image {
   display: flex;
   flex-direction: column;
   height: 150px;
   width: 150px;
   border-radius: 50%;
   background: #fff;
   padding: 3px;
.card-image .card-img {
   height: 100%;
   width: 100%;
   object-fit: cover;
   border-radius: 50%;
   border: 4px solid #4070f4;
.name {
   font-size: 18px;
   font-weight: 500;
   color: #333;
.description {
   font-size: 14px;
   color: #707070;
   text-align: center;
```


```
.btn {
           border: none;
           font-size: 16px;
           color: #fff;
           padding: 8px 16px;
           background-color: #4070f4;
           border-radius: 6px;
           margin: 14px;
           cursor: pointer;
           transition: all 0.3s ease;
       .btn:hover {
           background: #265df2;
    </style>
</head>
<body>
   <!-- N A V B A R -->
    <header id="header">
       <div class="container">
           <nav class="main-nav">
               <input type="checkbox" name="" id="click">
               <label for="click" class="menu-btn"><i class="fas</pre>
fa-bars"></i></label>
               <l
                   <1i><a
href="college_homepage.html">HOME</a>
                   <a href="about.html">ABOUT US</a>
                   <a href="department.html"</a>
class="active">DEPARTMENT</a>
                   <a href="faculty.html">FACULTY</a>
                   <a href="research.html">RESEARCH AND</a>
PLACEMENT</a>
                   <a href="contact.html">CONTACT US</a>
               </nav>
```

```
</div>
    </header>
    <!-- E N D -->
    <section class="department-section" id="department">
        <div class="slide-container">
            <div class="slide-content">
                <div class="card-wrapper">
                    <div class="card">
                        <div class="img-content">
                            <span class="overlay"></span>
                            <div class="card-image">
                                <img src="images/CSE.png" alt=""</pre>
class="card-img">
                            </div>
                        </div>
                        <div class="card-content">
                            <h2 class="name">
                                Computer Science Engineering
                            </h2>
                            Computer Science and Engineering
(CSE) is an academic program at many universities which
                                comprises scientific and engineering
aspects of computing. CSE is also a term often used
                                in Europe to translate the name of
engineering informatics academic programs.
                            <button class="btn">
                                View More
                            </button>
                        </div>
                    </div>
                    <div class="card">
                        <div class="img-content">
                            <span class="overlay"></span>
                            <div class="card-image">
                                <img src="images/ITE.png" alt=""</pre>
class="card-img">
```

```
</div>
                       </div>
                       <div class="card-content">
                           <h2 class="name">
                               Information technology Engineering
                           </h2>
                           Computer Science and Engineering
(CSE) is an academic program at many universities which
                               comprises scientific and engineering
aspects of computing. CSE is also a term often used
                               in Europe to translate the name of
engineering informatics academic programs.
                           <button class="btn">
                               View More
                           </button>
                       </div>
                   </div>
                   <div class="card">
                       <div class="img-content">
                           <span class="overlay"></span>
                           <div class="card-image">
                               <img src="images/ENTC.png" alt=""</pre>
class="card-img">
                           </div>
                       </div>
                       <div class="card-content">
                           <h2 class="name">
                               Electronics and Telecommunications
Engineering
                           </h2>
                           Computer Science and Engineering
(CSE) is an academic program at many universities which
                               comprises scientific and engineering
aspects of computing. CSE is also a term often used
```

```
in Europe to translate the name of
engineering informatics academic programs.
                           <button class="btn">
                               View More
                           </button>
                       </div>
                   </div>
                   <div class="card">
                       <div class="img-content">
                           <span class="overlay"></span>
                           <div class="card-image">
                               <img src="images/MECH.png" alt=""</pre>
class="card-img">
                           </div>
                       </div>
                       <div class="card-content">
                           <h2 class="name">
                               Mechanical Engineering
                           </h2>
                           Computer Science and Engineering
(CSE) is an academic program at many universities which
                               comprises scientific and engineering
aspects of computing. CSE is also a term often used
                               in Europe to translate the name of
engineering informatics academic programs.
                           <button class="btn">
                               View More
                           </button>
                       </div>
                   </div>
                   <div class="card">
                       <div class="img-content">
                           <span class="overlay"></span>
                           <div class="card-image">
```

```
<img src="images/CIVIL.png" alt=""</pre>
class="card-img">
                            </div>
                        </div>
                        <div class="card-content">
                            <h2 class="name">
                                Civil Engineering
                            </h2>
                            Computer Science and Engineering
(CSE) is an academic program at many universities which
                                comprises scientific and engineering
aspects of computing. CSE is also a term often used
                               in Europe to translate the name of
engineering informatics academic programs.
                            <button class="btn">
                               View More
                            </button>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
</body>
</html>
```



faculty.html


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>About Us</title>
    <style>
        body,
        html {
            margin: 0;
            font-family: Arial, Helvetica, sans-serif;
            font-size: 15px;
        /* N A V B A R */
        #header {
            background: rgba(0, 0, 0, 0.8);
            padding: 20px 0;
            width: 100%;
            position: fixed;
            left: 0;
            top: 0;
        .container {
            width: 86%;
            margin: 0 auto;
        #header .container {
            display: flex;
            justify-content: space-between;
            align-items: center;
        .main-nav,
```

```
.main-nav ul {
    padding: 0;
    margin: 0;
    list-style: none;
.main-nav ul li {
    float: left;
    margin-left: 15px;
    font-size: 15px;
.main-nav ul li a {
   color: #fff;
   text-decoration: none;
    font-size: 15px;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 8px 10px;
    border-radius: 10px;
   transition: all 0.3s ease;
nav ul li a:hover,
nav ul li a.active {
    color: #1b1b1b;
    background-color: #fff;
nav .menu-btn i {
    color: #fff;
    font-size: 15px;
    cursor: pointer;
    display: none;
#click {
    display: none;
@media (max-width:940px) {
```

```
nav .menu-btn i {
       display: block;
   #click:checked~.menu-btn i::before {
        content: "\f00d";
   nav ul {
       position: fixed;
       top: 80px;
       right: -100%;
       background: #111;
       height: 100vh;
       width: 100%;
       display: block;
       text-align: center;
   #click:checked~ul {
       right: 0;
       transition: all 0.3s ease;
   nav ul li {
       margin: 40px 0;
   nav ul li a {
       font-size: 10px;
       display: block;
.container {
   width: 86%;
   margin: 0 auto;
.faculty-section {
   height: 100vh;
   display: flex;
```

```
align-items: center;
           background-color: #e7b5f1;
   </style>
</head>
<body>
   <!-- N A V B A R -->
    <header id="header">
       <div class="container">
           <nav class="main-nav">
               <input type="checkbox" name="" id="click">
               <label for="click" class="menu-btn"><i class="fas</pre>
fa-bars"></i></label>
               <u1>
                   <a
href="college homepage.html">HOME</a>
                   <a href="about.html" >ABOUT US</a>
                   <a href="department.html"</li>
>DEPARTMENT</a>
                   <a href="faculty.html"</a>
class="active">FACULTY</a>
                   <a href="research.html">RESEARCH AND</a>
PLACEMENT</a>
                   <a href="contact.html">CONTACT US</a>
               </nav>
       </div>
   </header>
   <!-- E N D -->
   <section class="faculty-section" id="faculty">
       <div class="container">
           <h1>Faculty</h1>
           Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam sunt labore voluptas optio. Optio
               quibusdam cumque eligendi. Laudantium repudiandae
consectetur magnam deleniti eos iusto architecto.
           Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam sunt labore voluptas optio. Optio
               quibusdam cumque eligendi. Laudantium repudiandae
consectetur magnam deleniti eos iusto architecto.
```

```
</div>
    </section>
    <!-- <section class="research-section" id="research">
        <div class="container">
           <h1>RESEARCH AND PLACEMENT</h1>
           Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam sunt labore voluptas optio. Optio
               quibusdam cumque eligendi. Laudantium repudiandae
consectetur magnam deleniti eos iusto architecto.
           Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam sunt labore voluptas optio. Optio
               quibusdam cumque eligendi. Laudantium repudiandae
consectetur magnam deleniti eos iusto architecto.
       </div>
    </section> -->
</body>
</html>
```



research.html


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>About Us</title>
    <style>
        body,
        html {
            margin: 0;
            font-family: Arial, Helvetica, sans-serif;
            font-size: 15px;
        /* N A V B A R */
        #header {
            background: rgba(0, 0, 0, 0.8);
            padding: 20px 0;
            width: 100%;
            position: fixed;
            left: 0;
            top: 0;
        .container {
            width: 86%;
            margin: 0 auto;
        #header .container {
            display: flex;
            justify-content: space-between;
            align-items: center;
        .main-nav,
```

```
.main-nav ul {
    padding: 0;
    margin: 0;
    list-style: none;
.main-nav ul li {
    float: left;
    margin-left: 15px;
    font-size: 15px;
.main-nav ul li a {
   color: #fff;
   text-decoration: none;
    font-size: 15px;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 8px 10px;
    border-radius: 10px;
   transition: all 0.3s ease;
nav ul li a:hover,
nav ul li a.active {
    color: #1b1b1b;
    background-color: #fff;
nav .menu-btn i {
    color: #fff;
    font-size: 15px;
    cursor: pointer;
    display: none;
#click {
    display: none;
@media (max-width:940px) {
```

```
nav .menu-btn i {
       display: block;
   #click:checked~.menu-btn i::before {
        content: "\f00d";
   nav ul {
       position: fixed;
       top: 80px;
       right: -100%;
       background: #111;
       height: 100vh;
       width: 100%;
       display: block;
       text-align: center;
   #click:checked~ul {
       right: 0;
       transition: all 0.3s ease;
   nav ul li {
       margin: 40px 0;
   nav ul li a {
       font-size: 10px;
       display: block;
.container {
   width: 86%;
   margin: 0 auto;
.research-section {
   height: 100vh;
   display: flex;
```

```
align-items: center;
           background-color: #f4abab;
   </style>
</head>
<body>
   <!-- N A V B A R -->
    <header id="header">
       <div class="container">
           <nav class="main-nav">
               <input type="checkbox" name="" id="click">
               <label for="click" class="menu-btn"><i class="fas</pre>
fa-bars"></i></label>
               <l
                   <a
href="college_homepage.html">HOME</a>
                   <a href="about.html" >ABOUT US</a>
                   <a href="department.html"</a>
>DEPARTMENT</a>
                   <a href="faculty.html" >FACULTY</a>
                   <a href="research.html"</a>
class="active">RESEARCH AND PLACEMENT</a>
                   <a href="contact.html">CONTACT US</a>
               </nav>
       </div>
   </header>
   <!-- E N D -->
   <section class="research-section" id="research">
       <div class="container">
           <h1>RESEARCH AND PLACEMENT</h1>
           Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam sunt labore voluptas optio. Optio
               quibusdam cumque eligendi. Laudantium repudiandae
consectetur magnam deleniti eos iusto architecto.
           Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam sunt labore voluptas optio. Optio
               quibusdam cumque eligendi. Laudantium repudiandae
consectetur magnam deleniti eos iusto architecto.
```

```
</div>
</section>
</body>
</html>
```



contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>About Us</title>
    <style>
        body,
        html {
            margin: 0;
            font-family: Arial, Helvetica, sans-serif;
            font-size: 15px;
        /* N A V B A R */
        #header {
            background: rgba(0, 0, 0, 0.8);
            padding: 20px 0;
            width: 100%;
            position: fixed;
            left: 0;
            top: 0;
        .container {
            width: 86%;
            margin: 0 auto;
        #header .container {
            display: flex;
            justify-content: space-between;
            align-items: center;
        .main-nav,
```

```
.main-nav ul {
    padding: 0;
    margin: 0;
    list-style: none;
.main-nav ul li {
    float: left;
    margin-left: 15px;
    font-size: 15px;
nav ul li a {
    color: #fff;
    text-decoration: none;
    font-size: 15px;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 8px 10px;
    border-radius: 10px;
    transition: all 0.3s ease;
nav ul li a:hover,
nav ul li a.active {
    color: #1b1b1b;
    background-color: #fff;
nav .menu-btn i {
    color: #fff;
    font-size: 15px;
    cursor: pointer;
    display: none;
#click {
    display: none;
@media (max-width:940px) {
```

```
nav .menu-btn i {
        display: block;
    #click:checked~.menu-btn i::before {
        content: "\f00d";
    nav ul {
        position: fixed;
        top: 80px;
        right: -100%;
        background: #111;
        height: 100vh;
       width: 100%;
       display: block;
       text-align: center;
    #click:checked~ul {
        right: 0;
       transition: all 0.3s ease;
    nav ul li {
        margin: 40px 0;
    nav ul li a {
       font-size: 10px;
        display: block;
/* CONTACT - FORM */
.section{
    margin-top: 5px;
.form-style-1 {
   margin: 10px auto;
   max-width: 400px;
    padding: 20px 12px 10px 20px;
```

```
font: 13px "Lucida Sans Unicode", "Lucida Grande", sans-
serif;
        .form-style-1 li {
            padding: 0;
            display: block;
            list-style: none;
            margin: 10px 0 0 0;
        .form-style-1 label {
            margin: 0 0 3px 0;
            padding: 0px;
            display: block;
            font-weight: bold;
        .form-style-1 input[type=text],
        .form-style-1 input[type=date],
        .form-style-1 input[type=datetime],
        .form-style-1 input[type=number],
        .form-style-1 input[type=search],
        .form-style-1 input[type=time],
        .form-style-1 input[type=url],
        .form-style-1 input[type=email],
        textarea,
        select {
            box-sizing: border-box;
            border: 1px solid #BEBEBE;
            padding: 7px;
            margin: 0px;
            outline: none;
        .form-style-1 input[type=text]:focus,
        .form-style-1 input[type=date]:focus,
        .form-style-1 input[type=datetime]:focus,
        .form-style-1 input[type=number]:focus,
        .form-style-1 input[type=search]:focus,
        .form-style-1 input[type=time]:focus,
        .form-style-1 input[type=url]:focus,
```

```
.form-style-1 input[type=email]:focus,
.form-style-1 textarea:focus,
.form-style-1 select:focus {
   -moz-box-shadow: 0 0 8px #88D5E9;
   -webkit-box-shadow: 0 0 8px #88D5E9;
   box-shadow: 0 0 8px #88D5E9;
   border: 1px solid #88D5E9;
.form-style-1 .field-divided {
   width: 49%;
.form-style-1 .field-long {
   width: 100%;
.form-style-1 .field-select {
   width: 100%;
.form-style-1 .field-textarea {
   height: 100px;
.form-style-1 input[type=submit],
.form-style-1 input[type=button] {
   background: #4B99AD;
   padding: 8px 15px 8px 15px;
   border: none;
   color: #fff;
.form-style-1 input[type=submit]:hover,
.form-style-1 input[type=button]:hover {
   background: #4691A4;
   box-shadow: none;
   -moz-box-shadow: none;
   -webkit-box-shadow: none;
.form-style-1 .required {
```

```
color: red;
   </style>
</head>
<body>
   <!-- N A V B A R -->
    <header id="header">
       <div>
           <nav class="main-nay">
               <input type="checkbox" name="" id="click">
               <label for="click" class="menu-btn"><i class="fas</pre>
fa-bars"></i></label>
               <l
                   <a
href="college homepage.html">HOME</a>
                   <a href="about.html">ABOUT US</a>
                   <a
href="department.html">DEPARTMENT</a>
                   <a href="faculty.html">FACULTY</a>
                   <a href="research.html">RESEARCH AND</a>
PLACEMENT</a>
                   <a href="contact.html"</p>
class="active">CONTACT US</a>
               </nav>
       </div>
   </header>
   <section class="section contact-section" id="contact">
       <div>
           <iframe
               src="https://www.google.com/maps/embed?pb=!1m18!1m12
!1m3!1d3780.2731696127853!2d73.75945111433116!3d18.65173387001882!2m
3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bc2b9e76c8fa205%3
A0x1b210131915734fd!2sPCC0E%20-
%20Pimpri%20Chinchwad%20College%20Of%20Engineering%20%7C%20Autonomou
s%20Engineering%20College%20in%20Pune!5e0!3m2!1sen!2sin!4v1671305626
057!5m2!1sen!2sin"
               width="100%" height="450" style="border:0;"
allowfullscreen="" loading="lazy"
```

```
referrerpolicy="no-referrer-when-
downgrade"></iframe>
        </div>
        <div class="section-contact-main contact-container">
            <form action="#">
                <label>Full Name <span
class="required">*</span></label><input type="text" name="field1"</pre>
                           class="field-divided"
placeholder="First" /> <input type="text" name="field2"</pre>
                           class="field-divided" placeholder="Last"
/>
                   <1i>>
                       <label>Email <span</pre>
class="required">*</span></label>
                       <input type="email" name="field3"</pre>
class="field-long" placeholder="demo@gmail.com" />
                   <1i>>
                       <label>Subject</label>
                        <input type="text" class="field-select">
                   <1i>>
                       <label>Your Message <span</pre>
class="required">*</span></label>
                        <textarea name="field5" id="field5"</pre>
class="field-long field-textarea"
                           placeholder="Type Your
Message"></textarea>
                   <1i>>
                       <button class="btn">Send Message</button>
                   </form>
        </div>
    </section>
</body>
</html>
```

