

GLP-1 TRACKING SERIES



# Side-Effect & Symptom Diary

*Weekly adverse-event checklists, severity sliders, and visit-prep pages*



Thirty-six undated weeks · 6 × 9 in · Grayscale interior

Undated · Personal use · Not medical advice

# A note before you begin

---

This journal is a personal tracking and management tool only. It is not medical advice, diagnosis, or treatment, and it is not a substitute for care from a licensed clinician. It is not affiliated with, endorsed by, or sponsored by any medication manufacturer or healthcare brand. Do not start, stop, or change a medication, meal plan, or activity based on this book. Record only what your own prescriber has directed. If you notice concerning symptoms, seek professional medical care promptly.

If you use a GLP-1 or similar medication (including semaglutide or tirzepatide programs), treat this book as a log of your own observations. Dosing, titration, missed doses, and side-effect decisions belong only to you and your prescriber. This diary does not diagnose. Worsening or severe symptoms require clinical care, not a journal entry.

## Copyright

Copyright (c) 2026. All rights reserved. For personal use by the purchaser. No part of this interior may be reproduced for resale. First undated edition.

## Edition

First undated edition, 2026. Printed for personal use. This is a tracking journal, not a clinical record.

# This journal belongs to

Name

Year I started this volume

Care team / clinic (optional)

Emergency contact

If found, please return to

Intention for this volume

# How to use this journal

---

## Weekly rhythm

- Left page: score each observation 0-5 for each day. Leave a cell blank if you did not notice it.
- Right page: capture what helped, what aggravated, and anything you want on the next clinic list.
- Every four weeks, fill a visit-prep page even if you do not have an appointment yet — it keeps the story linear.

## Be specific, not dramatic

- Timing matters: note whether nausea clustered after injection day, after a high-fat meal, or on an empty stomach.
- Do not change your dose because of a pattern you see here. Bring the pattern to your prescriber.

# Marks & scales

Use these marks consistently so patterns are easy to see later — and easy to share with your care team.

|              |                                                           |
|--------------|-----------------------------------------------------------|
| 0-5 severity | 0 none · 3 interrupts the day · 5 worst I have had        |
| Flagged days | Circle weekday pills for days you want to discuss         |
| Visit prep   | A one-page brief for your clinician, not a diagnosis form |

# Where I am starting

Current dose I was prescribed (record only)

---

---

---

Known sensitivities I already have

---

---

---

My clinician's contact / portal notes

---

---

---

The single symptom I most want to understand

---

---

---

BEGIN



# Weekly diary

Score 0-5. Blank means you did not notice it.

Week 1

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)



M T W T F S S

Week 2

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 3

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 4

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

# Visit prep 1

Appointment date ..... Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment



Week 5

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 5 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---

Week 6

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 6 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---

Week 7

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 7 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---

Week 8

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 8 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---



# Visit prep 2

Appointment date ..... Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 9

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 10

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 11

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 12

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)



M T W T F S S

# Visit prep 3

Appointment date ..... Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 13

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 14

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 14 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---

Week 15

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S



Week 16

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 16 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---

# Visit prep 4

Appointment date ..... Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 17

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 18

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 19

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)



M T W T F S S

Week 20

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

# Visit prep 5

Appointment date .....

Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 21

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 22

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 22 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---



Week 23

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

# Week 23 · management log

What seemed to help (foods, timing, rest, clinician advice I already have)

---

---

---

What seemed to aggravate

---

---

---

Hydration (glasses)        

Days I flagged for my clinician M T W T F S S

Bring-to-visit notes (patterns, questions, photos to show)

---

---

---

---

---

Sleep this week (hours, quality 1-5)

---

---

---

Next appointment · date / time / questions

---

---

---

---

---

---

---

---

---

---

Week 24

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

# Visit prep 6

Appointment date ..... Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 25

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 26

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)



M T W T F S S

Week 27

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 28

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

(M) (T) (W) (T) (F) (S) (S)

# Visit prep 7

Appointment date .....

Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 29

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S



Week 30

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 31

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 32

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

# Visit prep 8

Appointment date ..... Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment

Week 33

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)



M T W T F S S

Week 34

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 35

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

Week 36

Week of ..... Dose recorded (as prescribed) .....

Severity 0 none · 1 mild · 2 moderate · 3 strong · 4 severe · 5 worst

| Observation        | S | M | T | W | T | F | S |
|--------------------|---|---|---|---|---|---|---|
| Nausea             |   |   |   |   |   |   |   |
| Vomiting           |   |   |   |   |   |   |   |
| Reflux / heartburn |   |   |   |   |   |   |   |
| Constipation       |   |   |   |   |   |   |   |
| Diarrhea           |   |   |   |   |   |   |   |
| Fatigue            |   |   |   |   |   |   |   |
| Headache           |   |   |   |   |   |   |   |
| Dizziness          |   |   |   |   |   |   |   |
| Injection-site     |   |   |   |   |   |   |   |
| Appetite change    |   |   |   |   |   |   |   |
| Muscle aches       |   |   |   |   |   |   |   |
| Hair changes       |   |   |   |   |   |   |   |
| Mood dip           |   |   |   |   |   |   |   |
| Sleep change       |   |   |   |   |   |   |   |
| Sulphur burps      |   |   |   |   |   |   |   |
| Other              |   |   |   |   |   |   |   |

Other observations / timing (e.g. worse 24h after injection)

M T W T F S S

# Visit prep 9

Appointment date .....

Clinician .....

Top three observations since last visit

Questions I want answered

Changes since last visit (dose as prescribed, other meds, life stress)

What I need from this appointment





## Notes



