

RANGE BAND PRESS

WELLNESS TRACKING SERIES



Gut Health & Low-FODMAP Symptom Diary

Meal columns, symptom latency, Bristol chart, reintroduction cards



Live inside the range.

Eight weeks of daily pages · 6 × 9 in

Undated · Personal use · Not medical advice

A note before you begin

This journal is a personal tracking and management tool only. It is not medical advice, diagnosis, or treatment, and it is not a substitute for care from a licensed clinician. It is not affiliated with, endorsed by, or sponsored by any medication manufacturer or healthcare brand. Do not start, stop, or change a medication, meal plan, or activity based on this book. Record only what your own prescriber has directed. If you notice concerning symptoms, seek professional medical care promptly.

This journal is a personal tracking and management tool. It is not treatment, therapy, or a diagnosis. It does not replace a clinician, counselor, pelvic-floor physical therapist, registered dietitian, or other licensed professional. A low-FODMAP elimination is meant to be short and supervised. This book does not put you on a diet. Blood in stool, black stool, fever, or unexplained weight loss needs a clinician.

Copyright

Copyright (c) 2026. All rights reserved. For personal use by the purchaser. No part of this interior may be reproduced for resale. First undated edition.

Edition

First undated edition, 2026. Printed for personal use. This is a tracking journal, not a clinical record.

This journal belongs to

Name

Year I started this volume

Care team / clinic (optional)

Emergency contact

If found, please return to

Intention for this volume

How to use this journal

Meals on the left of the day, body on the bottom

- Write ingredients, not brand slogans. Garlic, onion, wheat, milk, polyols are the usual suspects — tick them in notes if they showed up.
- Latency is minutes from the last meal to the first symptom.
- Bristol types are a tracking shorthand, not a diagnosis. Circle one.
- Reintroduction cards are blank on purpose. Fill them from a dietitian's plan.

Marks & scales

Use these marks consistently so patterns are easy to see later — and easy to share with your care team.

Bristol 1-7	1 hard lumps · 4 smooth · 7 watery
Phase ticks	Where you are in YOUR plan

Where I am starting

Who is supervising this (RD / GI / none yet)

Foods I already know are loud

My one weekly gut goal

BEGIN



Daily food & symptom pages

Week 1 · day 1

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · day 2

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · day 3

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · day 4

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · day 5

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · day 6

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · day 7

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 1 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 2 · day 8

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · day 9

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · day 10

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · day 11

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · day 12

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · day 13

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · day 14

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 2 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 3 · day 15

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · day 16

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · day 17

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · day 18

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · day 19

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · day 20

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · day 21

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 3 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 4 · day 22

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · day 23

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · day 24

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · day 25

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · day 26

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · day 27

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · day 28

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 4 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 5 · day 29

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · day 30

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · day 31

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · day 32

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · day 33

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · day 34

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · day 35

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 5 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 6 · day 36

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · day 37

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · day 38

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · day 39

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · day 40

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · day 41

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · day 42

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 6 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 7 · day 43

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · day 44

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · day 45

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · day 46

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · day 47

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · day 48

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · day 49

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 7 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

Week 8 · day 50

Date Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · day 51

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · day 52

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · day 53

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · day 54

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · day 55

Date

Day

M

T

W

T

F

S

S

Phase

☐ Baseline

☐ Elimination

☐ Reintroduce

☐ Personalize

Breakfast

Time

Lunch

Time

Dinner

Time

Extras

Time

Symptoms · latency from last meal

☐ Pain

☐ Bloat

☐ Gas

☐ Reflux

☐ Urgency

☐ Fatigue

☐ Fog

☐ Other

Latency (minutes)

Severity 1-5

Stool (Bristol 1-7) — tracking only

1

2

3

4

5

6

7

Hard

Lumpy

Cracked

Smooth

Soft

Mushy

Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · day 56

Date

Day

M

T

W

T

F

S

S

Phase ☐ Baseline ☐ Elimination ☐ Reintroduce ☐ Personalize

Breakfast Time

Lunch Time

Dinner Time

Extras Time

Symptoms · latency from last meal

☐ Pain ☐ Bloat ☐ Gas ☐ Reflux

☐ Urgency ☐ Fatigue ☐ Fog ☐ Other

Latency (minutes) Severity 1-5

Stool (Bristol 1-7) — tracking only

1
Hard

2
Lumpy

3
Cracked

4
Smooth

5
Soft

6
Mushy

7
Watery

Notes (oil, garlic, wheat, polyols, stress, cycle)

Week 8 · review

Phase this week

Weekly gut goal (one behavior, not a personality rebuild)

Foods that seemed quiet

Foods that seemed noisy

Reintroduction candidate (only if my dietitian / plan says so)

Stress / sleep / cycle confounders

PHASE



Reintroduction cards

Use only if your own plan says so.

Reintroduction card 1

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 2

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 3

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 4

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 5

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 6

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 7

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 8

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 9

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 10

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card II

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Reintroduction card 12

Only reintroduce when your clinician or dietitian has you in that phase. This card records their plan, not a protocol from a book.

Food / group

Amount / day 1-3 (as directed)

Day 1 observations

Day 2 observations

Day 3 observations

Decision (keep / pause / retry later)

Notes

