

RANGE BAND PRESS

DEEP HEALTH SERIES



Adenomyosis & Fibroid Ledger

Bleed wave, pelvic pressure wave, and a cycle-window map



Live inside the range.

Ninety undated days · 6 × 9 in

Undated · Personal use · Not medical advice

A note before you begin

This journal is a personal tracking and management tool only. It is not medical advice, diagnosis, or treatment, and it is not a substitute for care from a licensed clinician. It is not affiliated with, endorsed by, or sponsored by any medication manufacturer or healthcare brand. Do not start, stop, or change a medication, meal plan, or activity based on this book. Record only what your own prescriber has directed. If you notice concerning symptoms, seek professional medical care promptly.

Personal tracking / management tool only. Not medical advice. Records what you and your own care team directed; this book gives no advice.

Copyright

Copyright (c) 2026. All rights reserved. For personal use by the purchaser. No part of this interior may be reproduced for resale. First undated edition.

Edition

First undated edition, 2026. Printed for personal use. This is a tracking journal, not a clinical record.

This journal belongs to

Name

Year I started this volume

Care team / clinic (optional)

Emergency contact

If found, please return to

Intention for this volume

How this journal works

Draw two waves

- Bleed intensity and pelvic pressure, 0-10, plotted as lines. Waves outline how you felt.

Mark the window

- Tick which cycle window you were in. The window map is the pattern your clinician needs.

Records only

- This book records what happened. It names nothing, advises nothing, diagnoses nothing.

Marks & scales

Use these marks consistently so patterns are easy to see later — and easy to share with your care team.

B	bleed wave
P	pressure wave
W	window

Where I am starting

One honest thing I already know:


One thing I want the record to show:

Where I want to be in 30 days:

One rule I am setting for myself:


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window

Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window

Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity



Exertion window

Pelvic pressure



Exertion window


Lower back



Exertion window


Wave — plot the reading, keep the line

Bleed intensity




Exertion window

Pelvic pressure



Exertion window

Lower back



Exertion window

Week 1

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 2

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 3

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 4

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 5

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 6

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 7

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 8

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 9

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 10

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 11

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Week 12

What got clearer:

What got louder:

What I will change next week:

One win (any size):

Month 1 — pattern

Most consistent pattern:.....

Most surprising:

What I am taking into next month:.....

Month 2 — pattern

Most consistent pattern:

Most surprising:

What I am taking into next month:

Month 3 — pattern

Most consistent pattern:

Most surprising:

What I am taking into next month:

What the record shows

What felt most consistent:

What changed this month:

What I want to ask (1-3 questions):

Comments from my care team:

Records only. This book gives no advice, interpretation, or treatment plan.

Notes

