



Minit

*Human-verified community
request → resolution*

AI proposes • named humans decide • the audit trail remembers

PROPOSED • FICTIONAL DATA
MAIC Nexus Challenge — T5



The civic handoff we are testing

- Multilingual requests can lose context across volunteer handoffs.
- Acknowledgement, assignment and outcome need one reconstructable record.
- One fixed low-risk request lets reviewers inspect authority, language, failure and isolation.
- No prevalence, adoption or impact claim is made.

SYNTHETIC DEMO RECORD


Broken walkway light beside Dewan Komuniti
Seri Damai

EXCLUDED

Emergencies • contacts • payments • official
filings • real delivery



One fictional request, end to end



Every command: idempotency key + expected version • locales: ms • en • zh-Hans



AI proposes. Humans decide.

1

AI proposal

Deterministic demo fixture — no live model call.
Category, urgency, location, missing info and summary. Every field: UNVERIFIED.

2

Named human review

Source and proposal remain side by side. Aina Rahman changes high → normal and records why. Server supplies actor and time.


3

External action

Only approved verified facts feed the preview. Simulate send only. No message is sent or delivered.



Authority stays server-side



Opaque session • tenant and role resolved on server • no raw tenant chooser • illegal transitions denied + safe event • second session and unrelated tenant denied in isolated direct-access tests.



Resolution is proposed, then verified

Dispatcher gate

Kumar Velu assigns only after human verification. Server enforces role, state and version.

Minimum necessary view

Mei Lin sees the synthetic case, records the repair and proposes resolution. She cannot close.

Separate approval

Siti Noor verifies evidence and exact version before the request becomes resolved.

Append-only history

Prior events remain. Corrections append later events; user roles cannot rewrite the trail.



Three explicit locales — one stored contract

- 1 Select ms, en or zh-Hans; the server stores the BCP 47 locale.
- 2 Preserve the original requester text and the verified fact set.
- 3 Render the response preview from verified facts in the stored locale.
- 4 Named human approval + Simulate send. zh-Hant is future work, not claimed.

SYNTHETIC DEMO RECORD • WCAG 2.2 AA TARGET • native/domain sign-off still required



Evidence, not adjectives

1

Audited model result

9 Aug 2026 • Gemini
gemini-3.5-flash-lite
117 / 125 fields • 10 synthetic
typeset fixtures
Zero scored invented under
repository method.

2

Hard limits

Not handwriting • not grounding
proof • not a hallucination
guarantee. Provider terms and
deployment equivalence unverified.

3

R1 isolated proof

Server-bound state • ordered events
• retry/version tests • synthetic
metrics • session/tenant denials.



Keep the boundary visible

Current • demo-only • proposed

- CURRENT — model calls and deterministic workflows in the audited MVP.
- DEMO-ONLY — fixed fictional case, actors, images, store and metrics.
- PROPOSED — Community Request-to-Resolution direction.
- R1 does not rehabilitate unsafe legacy financial, legal or deletion paths.

Not verified • product-grade work

- NOT VERIFIED — provider terms, past real-data status, production tenancy, pilot and impact.
- PRODUCT-GRADE WORK — lawful data gate, tenancy, operations, native review and independent security evidence.
- Private/proprietary R1; no publication authority.



PROPOSED • FICTIONAL DATA

*The ask is review,
not belief.*

Inspect truth • challenge authority • re-run isolation, language, mobile and retry tests • review limitations • owner go/no-go required before publication or submission