


233E1075 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Cárter del cigüeñal, Cilindro

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 021 0300	1	Cárter del cigüeñal (1,3-8,10-15)		
2	9639 003 1230	2	Retén 12x22x7 (1,3-8,10-15)		
3	9503 003 0246	2	Rodamiento ranurado de bolas 6201 (1,3-8,10-15)		
4	4140 036 0300	2	Arandela (1,3-8,10-15)		
5	4140 030 0401	1	Cigüeñal (1,3-8,10-15)	(25.2005)	
6	* 4140 030 0400	1	Cigüeñal (1,3-8,10-15)	(27.2001)	,
					(25.2005)
7	4140 029 2300	1	Junta del cilindro (1,3-8,10-15)		
8	4140 021 2500	1	Cubeta del cigüeñal (1,3-8,10-15)		
9	4140 020 1204	1	Cilindro con pistón Ø 34 mm (1,3-8,10-15) □ 10 - 14		
10	4140 030 2004	1	Pistón Ø 34 mm (1,3-8,10-15) □ 11 - 13		
11	4144 034 3000	1	Segmento de compresión Ø 34x1,2 mm (1,3-8,10-15)		
12	9463 650 0807	2	Seguro anular 8x0,7 (1,3-8,10-15)		
13	4137 034 1500	1	Bulón del pistón 8x5x22 (1,3-8,10-15)		
14	9075 478 4268	4	Tornillo cilíndrico IS-D5x60 (1,3-8,10-15)		
15	* 4137 034 3000	2	Segmento de compresión Ø 34x1,5 mm (1,3-8,10-15)	(50.2013)	
16	4140 195 0601	1	Rueda del starter		
17	* 4117 162 8900	1	Arandela (1,6-8,13-15)		
18	* 4140 190 2010	1	Pieza de arrastre (3-5,10-12) ErgoStart □ 19, 20	(50.2013)	
19	* 0000 998 0612	2	Resorte con patas (3-5,10-12) ErgoStart	(50.2013)	
20	* 4133 195 7201	2	Trinquete (3-5,10-12) ErgoStart	(50.2013)	
21	0000 400 7000	1	Bujía NGK BPMR7A (1,3-8,10-15)		
21	1110 400 7005	1	Bujía Bosch WSR 6 F (1,3-8,10-15)		
22	0783 830 2000	1	Pasta de junta Dirko HT rojo (B) (1,3-8,10-15)		
	4140 007 1050	1	Juego de juntas (1,3-8,10-15) □ 2, 7		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




232ET066 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Cárter del cigüeñal, Cilindro
2-MIX

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 021 0300	1	Cárter del cigüeñal (2,9)		
2	9639 003 1230	2	Retén 12x22x7 (2,9)		
3	9503 003 0246	2	Rodamiento ranurado de bolas 6201 (2,9)		
4	4140 036 0301	2	Arandela (2,9)		
5	4140 030 0407	1	Cigüeñal (2,9)		(25.2005)
6	4140 021 2500	1	Cubeta del cigüeñal (2,9)		
7	4140 029 2302	1	Junta del cilindro (2,9)		
8	4140 020 1203	1	Cilindro con pistón Ø 34 mm (2,9) <input type="checkbox"/> 9 - 13		
9	4144 030 2002	1	Pistón Ø 34 mm (2,9) <input type="checkbox"/> 10 - 12		
10	4144 034 3000	1	Segmento de compresión Ø 34x1,2 mm (2,9)		
11	9463 650 0805	1	Seguro anular 8x0,7 (2,9)		
12	4241 034 1500	1	Bulón del pistón 8x5x22 (2,9)		
13	9075 478 4268	4	Tornillo cilíndrico IS-D5x60 (2,9)		
14	4140 195 0601	1	Rueda del starter (2,9)		
15	0000 400 7000	1	Bujía NGK BPMR7A (2,9)		
15	1110 400 7005	1	Bujía Bosch WSR 6 F (2,9)		
16	0783 830 2000	1	Pasta de junta Dirko HT rojo (B) (2,9)		
	4140 007 1600	1	Juego de juntas (2,9) <input type="checkbox"/> 2, 7		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T





233E1066 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Mecanismo de arranque

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 190 4009	1	Mecanismo de arranque (1,2,6-9,13-15) □ 2 - 7, 9		
2	4140 190 0601	1	Resorte de retracción (1,2,6-9,13-15)		
3	4128 195 0400	1	Tambor del cordón (1,2,6-9,13-15)		
4	0000 958 0923	1	Arandela (1,2,6-9,13-15)		
5	1118 195 3500	1	Resorte (1,2,6-9,13-15)		
6	4116 195 7200	1	Trinquete (1,2,6-9,13-15)		
7	4140 195 3400	1	Empuñadura (1,2,6-9,13-15)		
8	0000 190 3404	1	Empuñadura ElastoStart Ø 3 mm (B) (1,2,6-9,13-15) □ 9, 10		
9	1120 195 8200	1	Cordón de arranque Ø 3x1060 mm (1,2,6-9,13-15)		
10	0000 195 7000	1	Caperuza (B) (1,2,6-9,13-15)		
11	* 0000 195 8200	1	Cordón de arranque Ø 3x800 mm (1,2,6-9,13-15)		(27.2001)
	0000 930 2208	1	Cordón de arranque Ø 3 mm x 30,5 m (A,B) (1,2,6-9,13-15)		
12	4140 967 1501	1	Placa de tipo FS 55 (1,2,6,7)		
13	4140 967 1529	1	Placa de tipo FS 55 R (8,9,13,14)		
14	* 4140 967 1505	1	Placa de tipo FS 55 T (15)		(14.2002)
15	* 4140 967 1509	1	Placa de tipo FS 55 TC (15)		(14.2002)
16	0000 951 1100	3	Tornillo IS-D5x20 (1,2,6-9,13-15)		
17	4140 084 6801	1	Distanciador (1,6-8,13,14)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233E1076 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Mecanismo de arranque ErgoStart

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 190 4015	1	Mecanismo de arranque (3,4,10,12) □ 1 - 10		
1	4140 190 0405	1	Tapa del stárter (3,4,10,12)		
2	4149 190 0600	1	Resorte de retracción (3,4,10,12)		
3	4149 195 0400	1	Tambor del cordón (3,4,10,12)		
4	4140 195 3400	1	Empuñadura (3-5,10-12)		
5	4137 195 8200	1	Cordón de arranque Ø 2,7x910 mm (3-5,10-12)		
6	4149 195 3500	1	Resorte (3,4,10,12)		
7	4140 195 2001	1	Pieza de arrastre (3,4,10,12)		
8	4116 195 7200	1	Trinquete (3-5,10-12)		
9	0000 958 0923	1	Arandela (3,4,10,12)		
10	1118 195 3500	1	Resorte (3,4,10,12)		
*	4140 190 4010	1	Mecanismo de arranque (3-5,10-12) □ 4, 5, 8 - 17		(50.2013)
11	*	4140 190 0410	1 Tapa del stárter (3-5,10-12)		(50.2013)
12	*	4140 190 0601	1 Resorte de retracción (3-5,10-12)		(50.2013)
13	*	4140 195 0410	1 Tambor del cordón (3-5,10-12)		(50.2013)
14	*	4140 190 0710	1 Carcasa de resorte (3-5,10-12)		(50.2013)
15	*	4140 195 2010	1 Pieza de arrastre (3-5,10-12)		(50.2013)
16	*	9307 021 0120	1 Disco 5,3 (3-5,10-12)		(50.2013)
17	*	9022 399 0950	1 Tornillo cilíndrico IS-M5x10 (3-5,10-12)		(50.2013)
18	4140 967 1517	1	Placa de tipo FS 55 C (3-5)		
19	4140 967 1518	1	Placa de tipo FS 55 RC (10-12)		
20	0000 951 1100	3	Tornillo IS-D5x20 (3-5,10-12)		
21	4140 084 6801	1	Distanciador (4,5,11,12)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233E1077 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Silenciador

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 140 0617	1	Silenciador (1-3,8-10)		
2	4140 140 0618	1	Silenciador (4,7,12,14) EEUU, AUS, CDN □ 3		
3	4140 140 6904	1	Empalme con rejilla (4,7,12,14) EEUU, AUS, CDN		
4	* 4140 140 0600	1	Silenciador (1,3,8,10)		(23.2003)
5	* 4140 140 0605	1	Silenciador (4,7,12,14,15) EEUU, AUS, CDN □ 6		(23.2003)
6	* 4140 140 6900	1	Empalme con rejilla (4,7,12,14,15) EEUU, AUS, CDN		(23.2003)
7	4140 149 0602	1	Junta de silenciador (1-4,7-10,12,14,15)		
8	9075 478 4268	2	Tornillo cilíndrico IS-D5x60 (1-4,7-10,12,14,15)		
9	0783 830 2000	1	Pasta de junta Dirko HT rojo (B) (1-4,7-10,12,14,15)		
	4140 007 1050	1	Juego de juntas (1-4,7-10,12,14,15) □ 7		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET039 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1 *	4140 140 0653	1	Silenciador (5,6,11,13) USDA Cert. I.D. 4140/08 □ 2 - 11		
2 *	4140 141 9002	1	Rejilla (5,6,11,13)		
3 *	9099 021 0805	2	Tornillo para chapa 4,2x6,5 (5,6,11,13)		
4 *	9022 421 0930	2	Tornillo cilíndrico IS-M5x8 (5,6,11,13)		
5 *	9075 478 4159	2	Tornillo cilíndrico IS-D5x24 (5,6,11,13)		
6 *	4140 149 0603	1	Junta de silenciador (5,6,11,13)		
7 *	4140 146 9000	1	Estera aislante (5,6,11,13)		
8 *	4140 140 7401	1	Chapa deflectora (5,6,11,13)		
9 *	4140 149 0604	1	Junta de silenciador (5,6,11,13)		
10 *	4140 145 1200	1	Brida (5,6,11,13,15)		
11 *	4140 149 0602	1	Junta de silenciador (5,6,11,13,15)		
12 *	4140 140 0651	1	Silenciador (5,6,11,13,15) USDA Cert. I.D. 4140/03 □ 5 - 7, 10, 11, 13 - 15	(21.2003)	
13 *	1130 141 9001	1	Rejilla (5,6,11,13,15)	(21.2003)	
14 *		1	Chapa de protección (D) (5,6,11,13,15)	(21.2003)	
15 *	9099 021 0805	3	Tornillo para chapa 4,2x6,5 (5,6,11,13,15)	(21.2003)	
16 *	4140 149 0601	1	Junta de silenciador (5,6,11,13,15)		
17 *	9075 478 4155	2	Tornillo cilíndrico IS-D5x24 (5,6,11,13,15)		
	4140 007 1050	1	Juego de juntas (5,6,11,13,15) □ 11		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET069 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 400 1200	1	Volante		(25.2005)
2	4140 162 8900	1	Arandela		
3	4140 162 9101	1	Casquillo distanciador		
4	4140 160 2005	1	Embrague		
			□ 2, 5, 6		
5	4140 162 7901	2	Resorte de tracción		
6		1	Resorte de disco 31,7x20,4x0,4 (D)		
7	4140 160 2903	1	Tambor del embrague (1,3-8,10-15)		
8	4144 160 2900	1	Tambor del embrague (2,9)		
9	4140 400 1308	1	Módulo de ignición (1,3,4,7,8,10,12,14,15)		
10	4140 400 1309	1	Módulo de ignición (2,9)		
11	4140 400 1305	1	Módulo de ignición (5,6,11,13)		
12	*	4140 400 1300	1 Módulo de ignición (1,3-8,10-15)		(27.2001)
13	4140 431 2100	1	Lengueta de enchufe		
14	9075 478 3023	2	Tornillo cilíndrico IS-D4x22		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET078 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Carcasa del motor (Manillar tubular cerrado)

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 020 3000	1	Carcasa del motor (8-15)		
2	4140 080 1602	1	Cubierta (8-15) □ 3		
3	*	4140 084 8300	1 Lámina deflectora (11,13,15) Cat.		
4	*	0000 967 4067	1 Indicación de advertencia Criba parachispas (14) EEUU		
5	9075 478 4159	4	Tornillo cilíndrico IS-D5x24 (8-15)		
6	4140 180 1113	1	Cable Bowden (8-10,12)		
7	*	4140 180 1105	1 Cable Bowden (8-15)		(16.2014)
8	*	4140 180 1100	1 Cable Bowden (8-15)		(27.2001)
9	4140 440 1900	2	Cable (8-15)		
10	4229 430 0203	1	Interruptor de Stop (8-15)		
11	4140 180 1500	1	Acelerador (8-15)		
12	4140 182 4500	1	Resorte con patas (8-15)		
13	4140 791 5400	1	Soporte (8-15)		
14	4140 182 0800	1	Palanca de bloqueo (8-15)		
15	4140 182 4505	1	Resorte con patas (8-15)		
16	9075 478 4155	6	Tornillo cilíndrico IS-D5x24 (8-10,12)		
17	*	9075 478 4155	7 Tornillo cilíndrico IS-D5x24 (8-15)		(50.2013)
18	9075 478 4115	1	Tornillo cilíndrico IS-D5x16 (8-15)		
19	*	4140 182 3300	1 Tubo flexible de aislamiento (11,13,15) Cat.		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




2338T033 GM

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	*	4140 020 3005	1 Carcasa del motor (14)		
2	*	4140 084 0905	1 Cubierta (14)		
3	*	9075 478 4159	4 Tornillo cilíndrico IS-D5x24 (14)		
4	*	4130 791 2005	1 Funda del manillar (14)		
5	*	4140 007 1006	1 Juego abrazadera de sujeción (14) □ 6		
6	*	9022 341 1270	1 Tornillo cilíndrico IS-M6x14 (14)		
7	*	4130 791 7600	1 Soporte de empuñadura (14)		
8	*	4140 180 1102	1 Cable Bowden (14)		
9	*	4130 182 1315	1 Carcasa parte izquierda (14)		
10	*	4130 182 1000	1 Acelerador (14)		
11	*	4130 182 4500	1 Resorte con patas (14)		
12	*	4130 182 0805	1 Palanca de bloqueo (14)		
13	*	4130 182 0800	1 Palanca de bloqueo (14)		
14	*	0000 997 0715	1 Resorte de presión (14)		
15	*	4130 430 0200	1 Interruptor de Stop (14)		
16	*	4130 432 2010	1 Pasador (14)		
17	*	4130 182 1310	1 Carcasa parte derecha (14)		
18	*	9099 021 2810	4 Tornillo para chapa 3,9x19 (14)		
19	*	4140 021 8900	1 Soporte (14)		
20	*	4140 440 1902	2 Cable (14)		
21	*	9075 478 4155	7 Tornillo cilíndrico IS-D5x24 (14)		
22	*	9075 478 4095	1 Tornillo cilíndrico IS-D5x12 (14)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233E1079 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Carcasa del motor (Empuñadura doble)

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 020 3002	1	Carcasa del motor (1-7,15)		
2	4140 080 1603	1	Cubierta (1-7,15) □ 3		
3	*	4140 084 8300	1 Lámina deflectora (5,6,15) Cat.		
4	9075 478 4159	4	Tornillo cilíndrico IS-D5x24 (1-7,15)		
5	*	1	Tubo flexible 100 mm (D) (1-7,15)		
	*	1	Tubo flexible 960 mm (1-7,15)		
6	9075 478 4155	6	Tornillo cilíndrico IS-D5x24 (1-4)		
7	*	9075 478 4155	7 Tornillo cilíndrico IS-D5x24 (1-7,15)		(50.2013)
8	4140 021 8900	1	Soporte (1-7,15)		
9	9075 478 4095	1	Tornillo cilíndrico IS-D5x12 (1-7,15)		
10	*	4140 182 3300	1 Tubo flexible de aislamiento (5,6,15) Cat.		


(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T



(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 124 2800	1	Filtro (1,3-8,10-15)		
2	4140 140 2851	1	Carcasa del filtro (1,3-8,10-15) □ 1, 3, 4, 6 - 8		
3	4140 141 3700	1	Palanca (1,3-8,10-15)		
4	4140 141 3801	1	Válvula del choke (1,3-8,10-15)		
5	*	4140 141 3800	1 Válvula del choke (1,3-8,10-15)	(27.2001)	
6	9417 003 7512	1	Tuerca elástica 4,0x9,6x1,8 (1,3-8,10-15)		
7	9216 261 0700	2	Tuerca hexagonal M5 (1,3-8,10-15)		
8	4140 141 0502	1	Tapa del filtro (1,3-8,10-15)		
9	*	4140 141 0500	1 Tapa del filtro (1,3-8,10-15)	(27.2001)	
10	4140 129 0900	1	Junta (1,3-8,10-15)		
11	4140 120 0622	1	Carburador C1Q-S265B (1,3,4,8,10,12)		
12	4140 120 0624	1	Carburador C1Q-S290A (1,8) BR		
13	*	4140 120 0619	1 Carburador C1Q-S186B (1,3-8,10-15)	(46.2012)	
				,	
				(16.2014)	
14	*	4140 120 0620	1 Carburador C1Q-S187A (1,8) BR	(16.2014)	
15	*	4140 120 0606	1 Carburador C1Q-S71 (1,3-8,10-15)	(25.2004)	
16	*	4140 120 0603	1 Carburador C1Q-S66 (1,3-8,10-15)	(36.2002)	
17	*	4140 120 0610	1 Carburador C1Q-S58A (1,3-8,10-15)	(27.2001)	
18	*	4140 120 0600	1 Carburador C1Q-S44A (1,3-8,10-15)		
19	*	4140 120 0601	1 Carburador C1Q-S53A (1,3-8,10-15)		
20	4114 149 1205	1	Junta (1,3-8,10-15)		
21	4140 121 1605	1	Brida intermedia (1,3-8,10-15)		
22	4140 182 7601	1	Pieza tensora (1,3-8,10-15)		
23	*	4140 182 7602	1 Pieza tensora (1,3-8,10-15)	(27.2001)	
24	9022 313 0680	1	Tornillo cilíndrico IS-M4x16 (1,3-8,10-15)		
25	*	4137 123 8900	1 Perno (1,3-8,10-15)	(27.2001)	
26	*	9417 003 7512	1 Tuerca elástica 4,0x9,6x1,8 (1,3-8,10-15)	(27.2001)	
27	9075 478 4159	2	Tornillo cilíndrico IS-D5x24 (1,3-8,10-15)		
28	9007 319 1135	2	Tornillo hexagonal M5x65 (1,3-8,10-15)		
29	4140 129 0906	1	Junta (1,3-8,10-15)		
	4140 007 1050	1	Juego de juntas (1,3-8,10-15) □ 10, 20, 29		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET082 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Filtro de aire, Brida intermedia
2-MIX

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 124 2800	1	Filtro (2,9)		
2	4140 140 2851	1	Carcasa del filtro (2,9) □ 1, 3 - 7		
3	4140 141 3700	1	Palanca (2,9)		
4	4140 141 3801	1	Válvula del choke (2,9)		
5	9417 003 7512	1	Tuerca elástica 4,0x9,6x1,8 (2,9)		
6	9216 261 0700	2	Tuerca hexagonal M5 (2,9)		
7	4140 141 0502	1	Tapa del filtro (2,9)		
8	4128 129 0900	1	Junta (2,9)		
9	4140 120 0623	1	Carburador C1Q-S282 (2,9)		
10	* 4140 120 0621	1	Carburador C1Q-S216 (2,9)		(16.2014)
11	4114 149 1205	1	Junta (2,9)		
12	4140 129 0904	1	Junta (2,9)		
13	4140 120 2300	1	Brida intermedia (2,9)		
14	4140 182 7601	1	Pieza tensora (2,9)		
15	9022 313 0680	1	Tornillo cilíndrico IS-M4x16 (2,9)		
16	9075 478 4159	4	Tornillo cilíndrico IS-D5x24 (2,9)		
	4140 007 1600	1	Juego de juntas (2,9) □ 8, 11, 12		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




232ET070 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Depósito de combustible

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4232 350 0411	1	Depósito de combustible □ 2 - 10		
2	1125 084 8900	1	Boquilla		
3	4140 358 7702	1	Tubo flexible		
4	0000 350 3502	1	Cabezal de aspiración		
5	0000 351 3201	1	Casquillo		
6	4140 353 2402	1	Soporte		
7	9074 478 4135	1	Tornillo para chapa IS-P5x20		
8	4128 350 0505	1	Cierre del depósito □ 9, 10		
9	0000 350 0900	1	Cordón		
10	0000 353 0800	1	Seguro imperdible		
11	4140 352 8100	3	Pieza intercalada		
12 *	4140 353 2400	1	Soporte	(27.2001)	
13 *	9075 478 4159	1	Tornillo cilíndrico IS-D5x24	(27.2001)	
14	0000 967 7239	1	Pictograma de aviso Cierre del depósito EEUU		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET061 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0622	1	Carburador C1Q-S265B (1,3,4,8,10,12) □ 1 - 28		
1	4228 121 5602	1	Surtidor fijo 0.39 (1,3,4,8,10,12)		
2	1120 122 3004	1	Resorte (1,3,4,8,10,12)		
3	4116 121 5100	1	Aguja de admision (1,3,4,8,10,12)		
4	1125 121 5000	1	Palanca reguladora de admisión (1,3,4,8,10,12)		
5	1120 121 9200	1	Eje (1,3,4,8,10,12)		
6	1120 122 6600	1	Tornillo con collar (1,3,4,8,10,12)		
7	4229 129 0901	1	Junta (1,3,4,8,10,12)		
8	4314 121 4700	1	Membrana reguladora (1,3,4,8,10,12)		
9	4314 120 2200	1	Brida (1,3,4,8,10,12)		
10	4226 121 2700	1	Caperuza (1,3,4,8,10,12)		
11	4140 121 0800	1	Tapa de cierre (1,3,4,8,10,12)		
12	4226 122 7100	4	Tornillo (1,3,4,8,10,12)		
13	1123 121 7800	1	Tamiz (1,3,4,8,10,12)		
14	1129 121 4800	1	Membrana de la bomba (1,3,4,8,10,12)		
15	1123 129 0905	1	Junta (1,3,4,8,10,12)		
16	1123 121 0800	1	Tapa de cierre (1,3,4,8,10,12)		
17	1125 122 4200	1	Pieza de apriete (1,3,4,8,10,12)		
18	4140 122 6200	1	Tornillo de tope del ralenti (1,3,4,8,10,12)		
19	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1,3,4,8,10,12)		
20	1120 121 7801	1	Tamiz (1,3,4,8,10,12)		
21	1123 120 9700	1	Juego embolo (1,3,4,8,10,12)		
22	4229 121 3303	1	Válvula de estrangulación (1,3,4,8,10,12)		
23	1125 122 7403	1	Tornillo de cabeza redonda (1,3,4,8,10,12)		
24	4229 122 6701	1	Tornillo regulador principal (1,3,4,8,10,12)		
25	4144 122 6801	1	Tornillo regulador del ralentí (1,3,4,8,10,12)		
26	4140 122 3000	1	Resorte (1,3,4,8,10,12)		
27	4140 120 7104	1	Eje de estrangulación con palanca (1,3,4,8,10,12)		
28	1125 122 9001	1	Arandela de seguridad (1,3,4,8,10,12)		
	4228 007 1051	1	Juego de piezas del carburador (1,3,4,8,10,12) □ 7, 8, 14, 15		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET094 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0624	1	Carburador C1Q-S290A (1,8) BR □ 1 - 29		
1	4228 121 5602	1	Surtidor fijo 0.39 (1,8)		
2	1120 122 3004	1	Resorte (1,8)		
3	4116 121 5100	1	Aguja de admision (1,8)		
4	1125 121 5000	1	Palanca reguladora de admisión (1,8)		
5	1120 121 9200	1	Eje (1,8)		
6	1120 122 6600	1	Tornillo con collar (1,8)		
7	4229 129 0901	1	Junta (1,8)		
8	4314 121 4700	1	Membrana reguladora (1,8)		
9	4314 120 2200	1	Brida (1,8)		
10	4226 121 2700	1	Caperuza (1,8)		
11	4140 121 0800	1	Tapa de cierre (1,8)		
12	4226 122 7100	4	Tornillo (1,8)		
13	1123 121 7800	1	Tamiz (1,8)		
14	1129 121 4800	1	Membrana de la bomba (1,8)		
15	1123 129 0905	1	Junta (1,8)		
16	1123 121 0800	1	Tapa de cierre (1,8)		
17	1125 122 4200	1	Pieza de apriete (1,8)		
18	4140 122 6200	1	Tornillo de tope del ralenti (1,8)		
19	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1,8)		
20	1120 121 7801	1	Tamiz (1,8)		
21	1123 120 9700	1	Juego embolo (1,8)		
22	4229 121 3303	1	Válvula de estrangulación (1,8)		
23	1125 122 7403	1	Tornillo de cabeza redonda (1,8)		
24	4229 122 6701	1	Tornillo regulador principal (1,8)		
25	4229 121 2701	1	Caperuza (1,8)		
26	4140 122 6800	1	Tornillo regulador del ralentí (1,8)		
27	4140 122 3000	1	Resorte (1,8)		
28	4140 120 7104	1	Eje de estrangulación con palanca (1,8)		
29	1125 122 9001	1	Arandela de seguridad (1,8)		
	4228 007 1051	1	Juego de piezas del carburador (1,8) □ 7, 8, 14, 15		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233T083 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0623	1	Carburador C1Q-S282 (2,9) □ 1 - 22		
1	4116 121 5100	1	Aguja de admision (2,9)		
2	4128 122 3000	1	Resorte (2,9)		
3	1125 121 5000	1	Palanca reguladora de admisión (2,9)		
4	1120 121 9200	1	Eje (2,9)		
5	0000 122 7101	1	Tornillo (2,9)		
6	4241 129 0901	1	Junta (2,9)		
7	4241 121 4700	1	Membrana reguladora (2,9)		
8	4140 120 2204	1	Brida (2,9)		
9	4226 121 2700	1	Caperuza (2,9)		
10	4140 121 0800	1	Tapa de cierre (2,9)		
11	4241 122 7100	4	Tornillo (2,9)		
12	1123 121 7800	1	Tamiz (2,9)		
13	1129 121 4800	1	Membrana de la bomba (2,9)		
14	1123 129 0905	1	Junta (2,9)		
15	4134 121 0802	1	Tapa de cierre (2,9)		
16	4140 122 6200	1	Tornillo de tope del ralenti (2,9)		
17	1125 122 4200	1	Pieza de apriete (2,9)		
18	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (2,9)		
19	4241 122 6702	1	Tornillo regulador principal (2,9)		
20	4229 121 2701	1	Caperuza (2,9)		
21	4140 122 6801	1	Tornillo regulador del ralentí (2,9)		
22	4144 121 2700	1	Caperuza (2,9)		
	4140 007 1061	1	Juego de piezas del carburador (2,9) □ 6, 7, 13, 14		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T



233E1073 AM


(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1 *	4140 120 0619	1	Carburador C1Q-S186B (1,3-8,10-15) □ 4,5,7-29,31-38	(16.2014)	,
2 *	4140 120 0616	1	Carburador C1Q-S153 (C) (1,3-8,10-15) □ 4,6-27,30-38	(46.2012)	(29.2010)
3 *	4140 120 0612	1	Carburador C1Q-S97A (C) (1,3-8,10-15) □ 4,6,22,25-27,30-36,38-43	(15.2009)	
4 *	4140 120 7101	1	Eje de estrangulación con palanca (1,3-8,10-15)	(16.2014)	
5 *	4140 122 3000	1	Resorte (1,3-8,10-15)	(16.2014)	
6 *	1123 122 3000	1	Resorte (1,3-8,10-15)	(29.2010)	
7 *	4128 121 8900	1	Perno (1,3-8,10-15)	(16.2014)	
8 *	4137 121 8600	1	Arandela (1,3-8,10-15)	(16.2014)	
9 *	1120 122 9000	1	Arandela de seguridad (1,3-8,10-15)	(16.2014)	
10 *	4229 121 3303	1	Válvula de estrangulación (1,3-8,10-15)	(16.2014)	
11 *	1125 122 7403	1	Tornillo de cabeza redonda (1,3-8,10-15)	(16.2014)	
12 *	1125 122 9001	1	Arandela de seguridad (1,3-8,10-15)	(16.2014)	
13 *	1129 121 4800	1	Membrana de la bomba (1,3-8,10-15)	(16.2014)	
14 *	1123 129 0905	1	Junta (1,3-8,10-15)	(16.2014)	
15 *	1123 121 0800	1	Tapa de cierre (1,3-8,10-15)	(16.2014)	
16 *	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1,3-8,10-15)	(16.2014)	
17 *	4116 121 5100	1	Aguja de admision (1,3-8,10-15)	(16.2014)	
18 *	1120 122 3004	1	Resorte (1,3-8,10-15)	(16.2014)	
19 *	1125 121 5000	1	Palanca reguladora de admisión (1,3-8,10-15)	(16.2014)	
20 *	1120 121 9200	1	Eje (1,3-8,10-15)	(16.2014)	
21 *	1120 122 6600	1	Tornillo con collar (1,3-8,10-15)	(16.2014)	
22 *	4229 129 0901	1	Junta (1,3-8,10-15)	(16.2014)	
23 *	4314 121 4700	1	Membrana reguladora (1,3-8,10-15)	(16.2014)	
24 *	4314 120 2200	1	Brida (1,3-8,10-15)	(16.2014)	
25 *	4226 122 7100	4	Tornillo (1,3-8,10-15)	(16.2014)	
26 *	4229 122 6701	1	Tornillo regulador principal (1,3-8,10-15)	(16.2014)	
27 *	4229 121 2701	1	Caperuza (1,3-8,10-15)	(16.2014)	
28 *	4140 120 6800	1	Tornillo regulador del ralentí (1,3-8,10-15) □ 29	(16.2014)	,
29 *	4144 121 2700	1	Caperuza (1,3-8,10-15)	(46.2012)	,
30 *	4140 122 6800	1	Tornillo regulador del ralentí (1,3-8,10-15)	(16.2014)	,
31 *	1123 121 7800	1	Tamiz (1,3-8,10-15)	(46.2012)	
32 *	4140 121 0800	1	Tapa de cierre (1,3-8,10-15)	(16.2014)	
33 *	4226 121 2700	1	Caperuza (1,3-8,10-15)	(16.2014)	
34 *	4140 122 6200	1	Tornillo de tope del ralenti (1,3-8,10-15)	(16.2014)	
35 *	1125 122 4200	1	Pieza de apriete (1,3-8,10-15)	(16.2014)	
36 *	4228 121 5602	1	Surtidor fijo 0.39 (1,3-8,10-15)	(16.2014)	
37 *	1123 120 9700	1	Juego embolo (1,3-8,10-15)	(16.2014)	
38 *	1120 121 7801	1	Tamiz (1,3-8,10-15)	(16.2014)	
	* 4228 007 1051	1	Juego de piezas del carburador (1,3-8,10-15) □ 13,14,22,23	(16.2014)	
39 *	4229 121 4700	1	Membrana reguladora (1,3-8,10-15)	(15.2009)	
40 *	4228 120 2200	1	Brida (1,3-8,10-15)	(15.2009)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
41	*	4140 121 5800	1 Embolo (1,3-8,10-15)		(15.2009)
42	*	1132 122 3600	1 Anillo de junta (1,3-8,10-15)		(15.2009)
43	*	4180 122 3002	1 Resorte (1,3-8,10-15)		(15.2009)
	*	4140 007 1060	1 Juego de piezas del carburador (1,3-8,10-15) □ 13,14,22,39,40		(15.2009)

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET066 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1 *	4140 120 0620	1	Carburador C1Q-S187A (1,8) BR □ 4, 5, 7 - 36		(16.2014)
2 *	4140 120 0617	1	Carburador C1Q-S160 (C) (1) BR □ 4, 6 - 36		(29.2010)
3 *	4140 120 0614	1	Carburador C1Q-S143 (C) (1) BR □ 4, 6 - 22, 25 - 34, 36 - 41		(15.2009)
4 *	4140 120 7101	1	Eje de estrangulación con palanca (1,8)		(16.2014)
5 *	4140 122 3000	1	Resorte (1,8)		(16.2014)
6 *	1123 122 3000	1	Resorte (1,8)		(29.2010)
7 *	4128 121 8900	1	Perno (1,8)		(16.2014)
8 *	4137 121 8600	1	Arandela (1,8)		(16.2014)
9 *	1120 122 9000	1	Arandela de seguridad (1,8)		(16.2014)
10 *	4229 121 3303	1	Válvula de estrangulación (1,8)		(16.2014)
11 *	1125 122 7403	1	Tornillo de cabeza redonda (1,8)		(16.2014)
12 *	1125 122 9001	1	Arandela de seguridad (1,8)		(16.2014)
13 *	1129 121 4800	1	Membrana de la bomba (1,8)		(16.2014)
14 *	1123 129 0905	1	Junta (1,8)		(16.2014)
15 *	1123 121 0800	1	Tapa de cierre (1,8)		(16.2014)
16 *	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1,8)		(16.2014)
17 *	4116 121 5100	1	Aguja de admision (1,8)		(16.2014)
18 *	1120 122 3004	1	Resorte (1,8)		(16.2014)
19 *	1125 121 5000	1	Palanca reguladora de admisión (1,8)		(16.2014)
20 *	1120 121 9200	1	Eje (1,8)		(16.2014)
21 *	1120 122 6600	1	Tornillo con collar (1,8)		(16.2014)
22 *	4229 129 0901	1	Junta (1,8)		(16.2014)
23 *	4314 121 4700	1	Membrana reguladora (1,8)		(16.2014)
24 *	4314 120 2200	1	Brida (1,8)		(16.2014)
25 *	4226 122 7100	4	Tornillo (1,8)		(16.2014)
26 *	4229 122 6701	1	Tornillo regulador principal (1,8)		(16.2014)
27 *	4140 122 6800	1	Tornillo regulador del ralentí (1,8)		(16.2014)
28 *	1123 121 7800	1	Tamiz (1,8)		(16.2014)
29 *	4140 121 0800	1	Tapa de cierre (1,8)		(16.2014)
30 *	4226 121 2700	1	Caperuza (1,8)		(16.2014)
31 *	4140 122 6200	1	Tornillo de tope del ralenti (1,8)		(16.2014)
32 *	1125 122 4200	1	Pieza de apriete (1,8)		(16.2014)
33 *	4229 121 2701	1	Caperuza (1,8)		(16.2014)
34 *	4228 121 5602	1	Surtidor fijo 0.39 (1,8)		(16.2014)
35 *	1123 120 9700	1	Juego embolo (1,8)		(16.2014)
36 *	1120 121 7801	1	Tamiz (1,8)		(16.2014)
*	4228 007 1051	1	Juego de piezas del carburador (1,8) □ 13, 14, 22, 23		(16.2014)
37 *	4229 121 4700	1	Membrana reguladora (1,8)		(15.2009)
38 *	4228 120 2200	1	Brida (1,8)		(15.2009)
39 *	4140 121 5800	1	Embolo (1,8)		(15.2009)
40 *	1132 122 3600	1	Anillo de junta (1,8)		(15.2009)
41 *	4180 122 3002	1	Resorte (1,8)		(15.2009)
*	4140 007 1060	1	Juego de piezas del carburador (1,8) □ 13, 14, 22, 37, 38		(15.2009)

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




232ET074 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

**Carburador C1Q-S216, C1Q-S190B
2-MIX**

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	* 4140 120 0621	1	Carburador C1Q-S216 (2,9) □ 1 - 5, 7 - 26	(16.2014)	
	* 4140 120 0618	1	Carburador C1Q-S190B (C) (2,9) □ 1 - 4, 6 - 26	(39.2011)	
1	* 4116 121 5100	1	Aguja de admision (2,9)	(16.2014)	
2	* 4128 122 3000	1	Resorte (2,9)	(16.2014)	
3	* 1125 121 5000	1	Palanca reguladora de admisión (2,9)	(16.2014)	
4	* 1120 121 9200	1	Eje (2,9)	(16.2014)	
5	* 0000 122 7101	1	Tornillo (2,9)	(16.2014)	
6	* 4241 122 6600	1	Tornillo con collar (2,9)	(39.2011)	
7	* 4241 129 0901	1	Junta (2,9)	(16.2014)	
8	* 4241 121 4700	1	Membrana reguladora (2,9)	(16.2014)	
9	* 4140 120 2204	1	Brida (2,9)	(16.2014)	
10	* 4226 121 2700	1	Caperuza (2,9)	(16.2014)	
11	* 4140 121 0800	1	Tapa de cierre (2,9)	(16.2014)	
12	* 4241 122 7100	4	Tornillo (2,9)	(16.2014)	
13	* 1123 121 7800	1	Tamiz (2,9)	(16.2014)	
14	* 1129 121 4800	1	Membrana de la bomba (2,9)	(16.2014)	
15	* 1123 129 0905	1	Junta (2,9)	(16.2014)	
16	* 4134 121 0802	1	Tapa de cierre (2,9)	(16.2014)	
17	* 4140 122 6200	1	Tornillo de tope del ralenti (2,9)	(16.2014)	
18	* 1125 122 4200	1	Pieza de apriete (2,9)	(16.2014)	
19	* 1120 122 7800	1	Tornillo avellanado de cabeza lenticular (2,9)	(16.2014)	
20	* 4241 122 6702	1	Tornillo regulador principal (2,9)	(16.2014)	
21	* 4229 121 2701	1	Caperuza (2,9)	(16.2014)	
22	* 4140 122 6801	1	Tornillo regulador del ralentí (2,9)	(16.2014)	
23	* 4144 121 2700	1	Caperuza (2,9)	(16.2014)	
24	* 4128 121 8900	1	Perno (2,9)	(16.2014)	
25	* 4137 121 8600	1	Arandela (2,9)	(16.2014)	
26	* 1120 122 9000	1	Arandela de seguridad (2,9)	(16.2014)	
	* 4140 007 1061	1	Juego de piezas del carburador (2,9) □ 7,8,14,15	(16.2014)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




392ET064 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Información técnica	Hasta
	*	4140 120 0606	1 Carburador C1Q-S71 (C) (1,3-8,10-15) □ 1 - 34	(25.2004)	
1	*	4137 120 7100	1 Eje de estrangulación con palanca (1,3-8,10-15)	(25.2004)	
2	*	1123 122 3000	1 Resorte (1,3-8,10-15)	(25.2004)	
3	*	4137 121 8900	1 Perno (1,3-8,10-15)	(25.2004)	
4	*	4137 121 8600	1 Arandela (1,3-8,10-15)	(25.2004)	
5	*	1120 122 9000	1 Arandela de seguridad (1,3-8,10-15)	(25.2004)	
6	*	4140 121 3302	1 Válvula de estrangulación (1,3-8,10-15)	(25.2004)	
7	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3-8,10-15)	(25.2004)	
8	*	1125 122 9001	1 Arandela de seguridad (1,3-8,10-15)	(25.2004)	
9	*	1129 121 4800	1 Membrana de la bomba (1,3-8,10-15)	(25.2004)	
10	*	1123 129 0905	1 Junta (1,3-8,10-15)	(25.2004)	
11	*	1123 121 0800	1 Tapa de cierre (1,3-8,10-15)	(25.2004)	
12	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3-8,10-15)	(25.2004)	
13	*	4116 121 5100	1 Aguja de admisión (1,3-8,10-15)	(25.2004)	
14	*	1120 122 3004	1 Resorte (1,3-8,10-15)	(25.2004)	
15	*	1125 121 5000	1 Palanca reguladora de admisión (1,3-8,10-15)	(25.2004)	
16	*	1120 121 9200	1 Eje (1,3-8,10-15)	(25.2004)	
17	*	1120 122 6600	1 Tornillo con collar (1,3-8,10-15)	(25.2004)	
18	*	4229 129 0901	1 Junta (1,3-8,10-15)	(25.2004)	
19	*	4229 121 4700	1 Membrana reguladora (1,3-8,10-15)	(25.2004)	
20	*	4228 120 2200	1 Brida (1,3-8,10-15)	(25.2004)	
21	*	4226 122 7100	4 Tornillo (1,3-8,10-15)	(25.2004)	
22	*	4229 122 6701	1 Tornillo regulador principal (1,3-8,10-15)	(25.2004)	
23	*	4229 122 6800	1 Tornillo regulador del ralentí (1,3-8,10-15)	(25.2004)	
24	*	1123 121 7800	1 Tamiz (1,3-8,10-15)	(25.2004)	
25	*	4140 121 0800	1 Tapa de cierre (1,3-8,10-15)	(25.2004)	
26	*	4226 121 2700	1 Caperuza (1,3-8,10-15)	(25.2004)	
27	*	4229 122 6200	1 Tornillo de tope del ralentí (1,3-8,10-15)	(25.2004)	
28	*	1125 122 4200	1 Pieza de apriete (1,3-8,10-15)	(25.2004)	
29	*	4229 121 2701	1 Caperuza (1,3-8,10-15)	(25.2004)	
30	*	4228 121 5602	1 Surtidor fijo 0.39 (1,3-8,10-15)	(25.2004)	
31	*	4229 121 5800	1 Embolo (1,3-8,10-15)	(25.2004)	
32	*	4140 122 3600	1 Anillo de junta (1,3-8,10-15)	(25.2004)	
33	*	4229 122 3001	1 Resorte (1,3-8,10-15)	(25.2004)	
34	*	1120 121 7801	1 Tamiz (1,3-8,10-15)	(25.2004)	
	*	4140 007 1060	1 Juego de piezas del carburador (1,3-8,10-15) □ 9, 10, 18 - 20	(25.2004)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




392T046 GM

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Información técnica	Hasta
	*	4140 120 0603	1 Carburador C1Q-S66 (1,3-8,10-15) □ 1 - 34	(36.2002)	
1	*	4137 120 7100	1 Eje de estrangulación con palanca (1,3-8,10-15)	(36.2002)	
2	*	1123 122 3000	1 Resorte (1,3-8,10-15)	(36.2002)	
3	*	4137 121 8900	1 Perno (1,3-8,10-15)	(36.2002)	
4	*	4137 121 8600	1 Arandela (1,3-8,10-15)	(36.2002)	
5	*	1120 122 9000	1 Arandela de seguridad (1,3-8,10-15)	(36.2002)	
6	*	4140 121 3302	1 Válvula de estrangulación (1,3-8,10-15)	(36.2002)	
7	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3-8,10-15)	(36.2002)	
8	*	1125 122 9001	1 Arandela de seguridad (1,3-8,10-15)	(36.2002)	
9	*	1129 121 4800	1 Membrana de la bomba (1,3-8,10-15)	(36.2002)	
10	*	1123 129 0905	1 Junta (1,3-8,10-15)	(36.2002)	
11	*	1123 121 0800	1 Tapa de cierre (1,3-8,10-15)	(36.2002)	
12	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3-8,10-15)	(36.2002)	
13	*	4116 121 5100	1 Aguja de admisión (1,3-8,10-15)	(36.2002)	
14	*	1120 122 3004	1 Resorte (1,3-8,10-15)	(36.2002)	
15	*	1125 121 5000	1 Palanca reguladora de admisión (1,3-8,10-15)	(36.2002)	
16	*	1120 121 9200	1 Eje (1,3-8,10-15)	(36.2002)	
17	*	1120 122 6600	1 Tornillo con collar (1,3-8,10-15)	(36.2002)	
18	*	1129 129 0900	1 Junta (1,3-8,10-15)	(36.2002)	
19	*	4129 121 4700	1 Membrana reguladora (1,3-8,10-15)	(36.2002)	
	*	4140 007 1060	1 Juego de piezas del carburador (1,3-8,10-15) □ 9, 10, 20	(36.2002)	
20	*		1 Brida (D) (1,3-8,10-15)	(36.2002)	
21	*	4226 122 7100	4 Tornillo (1,3-8,10-15)	(36.2002)	
22	*	4229 122 6700	1 Tornillo regulador principal (1,3-8,10-15)	(36.2002)	
23	*	4229 122 6800	1 Tornillo regulador del ralentí (1,3-8,10-15)	(36.2002)	
24	*	1123 121 7800	1 Tamiz (1,3-8,10-15)	(36.2002)	
25	*	4140 121 0800	1 Tapa de cierre (1,3-8,10-15)	(36.2002)	
26	*	4226 121 2700	1 Caperuza (1,3-8,10-15)	(36.2002)	
27	*	4229 122 6200	1 Tornillo de tope del ralenti (1,3-8,10-15)	(36.2002)	
28	*	1125 122 4200	1 Pieza de apriete (1,3-8,10-15)	(36.2002)	
29	*	4229 121 2700	1 Caperuza (1,3-8,10-15)	(36.2002)	
30	*	4229 121 5603	1 Surtidor fijo 0.37 (1,3-8,10-15)	(36.2002)	
31	*	4229 121 5800	1 Embolo (1,3-8,10-15)	(36.2002)	
32	*	4140 122 3600	1 Anillo de junta (1,3-8,10-15)	(36.2002)	
33	*	4229 122 3001	1 Resorte (1,3-8,10-15)	(36.2002)	
34	*	1120 121 7801	1 Tamiz (1,3-8,10-15)	(36.2002)	
	*	1129 007 1062	1 Juego de piezas del carburador (1,3-8,10-15) □ 9, 10, 18, 19	(36.2002)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




232ET029 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Carburador C1Q-S58A

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0610	1 Carburador C1Q-S58A (1,3-8,10-15) □ 1 30	(27.2001)	
1	*	4226 120 7100	1 Eje de estrangulación con palanca (1,3-8,10-15)	(27.2001)	
2	*	1123 122 3000	1 Resorte (1,3-8,10-15)	(27.2001)	
3	*	4228 121 3301	1 Válvula de estrangulación (1,3-8,10-15)	(27.2001)	
4	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3-8,10-15)	(27.2001)	
5	*	1125 122 9001	1 Arandela de seguridad (1,3-8,10-15)	(27.2001)	
6	*	4137 121 8900	1 Perno (1,3-8,10-15)	(27.2001)	
7	*	1120 122 9000	1 Arandela de seguridad (1,3-8,10-15)	(27.2001)	
8	*	1129 121 4800	1 Membrana de la bomba (1,3-8,10-15)	(27.2001)	
9	*	1123 129 0905	1 Junta (1,3-8,10-15)	(27.2001)	
10	*	4128 121 0800	1 Tapa de cierre (1,3-8,10-15)	(27.2001)	
11	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3-8,10-15)	(27.2001)	
12	*	4116 121 5100	1 Aguja de admision (1,3-8,10-15)	(27.2001)	
13	*	1123 122 3001	1 Resorte (1,3-8,10-15)	(27.2001)	
14	*	1125 121 5000	1 Palanca reguladora de admisión (1,3-8,10-15)	(27.2001)	
15	*	1120 121 9200	1 Eje (1,3-8,10-15)	(27.2001)	
16	*	1120 122 6600	1 Tornillo con collar (1,3-8,10-15)	(27.2001)	
17	*	1129 129 0900	1 Junta (1,3-8,10-15)	(27.2001)	
18	*	4129 121 4700	1 Membrana reguladora (1,3-8,10-15)	(27.2001)	
19	*	4140 120 2200	1 Brida (1,3-8,10-15)	(27.2001)	
20	*	4226 122 7100	4 Tornillo (1,3-8,10-15)	(27.2001)	
21	*	4140 122 6300	1 Tornillo regulador del N.º de revol. del ralentí (1,3-8,10-15)	(27.2001)	
22	*	4137 122 5100	1 Válvula de escape (1,3-8,10-15)	(27.2001)	
24	*	1123 121 7800	1 Tamiz (1,3-8,10-15)	(27.2001)	
25	*	4119 121 0700	1 Placa de cierre (1,3-8,10-15)	(27.2001)	
26	*	4140 121 0800	1 Tapa de cierre (1,3-8,10-15)	(27.2001)	
27	*	4226 121 2700	1 Caperuza (1,3-8,10-15)	(27.2001)	
28	*	4129 121 0700	1 Placa de cierre (1,3-8,10-15)	(27.2001)	
29	*	4228 121 5600	1 Surtidor fijo 0.43 (1,3-8,10-15)	(27.2001)	
30	*	4137 121 8600	1 Arandela (1,3-8,10-15)	(27.2001)	
	*	4227 007 1060	1 Juego de piezas del carburador (1,3-8,10-15) □ 8, 9, 17, 18	(27.2001)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




232ET029 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Carburador C1Q-S53A

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0601	1 Carburador C1Q-S53A (1,3-8,10-15) □ 1 30		
1	*	4226 120 7100	1 Eje de estrangulación con palanca (1,3-8,10-15)		
2	*	1123 122 3000	1 Resorte (1,3-8,10-15)		
3	*	4137 121 3300	1 Válvula de estrangulación (1,3-8,10-15)		
4	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3-8,10-15)		
5	*	1125 122 9001	1 Arandela de seguridad (1,3-8,10-15)		
6	*	4137 121 8900	1 Perno (1,3-8,10-15)		
7	*	1120 122 9000	1 Arandela de seguridad (1,3-8,10-15)		
8	*	1129 121 4800	1 Membrana de la bomba (1,3-8,10-15)		
9	*	1123 129 0905	1 Junta (1,3-8,10-15)		
10	*	4128 121 0800	1 Tapa de cierre (1,3-8,10-15)		
11	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3-8,10-15)		
12	*	4116 121 5100	1 Aguja de admision (1,3-8,10-15)		
13	*	1123 122 3001	1 Resorte (1,3-8,10-15)		
14	*	1125 121 5000	1 Palanca reguladora de admisión (1,3-8,10-15)		
15	*	1120 121 9200	1 Eje (1,3-8,10-15)		
16	*	1120 122 6600	1 Tornillo con collar (1,3-8,10-15)		
17	*	4129 129 0902	1 Junta (1,3-8,10-15)		
18	*	4129 121 4700	1 Membrana reguladora (1,3-8,10-15)		
19	*	4140 120 2250	1 Brida (1,3-8,10-15) □ 17 - 20, 26		
20	*	4226 122 7100	4 Tornillo (1,3-8,10-15)		
21	*	4140 122 6300	1 Tornillo regulador del N.º de revol. del ralentí (1,3-8,10-15)		
22	*	4140 122 5100	1 Válvula de escape (1,3-8,10-15)		
24	*	1123 121 7800	1 Tamiz (1,3-8,10-15)		
25	*	4119 121 0700	1 Placa de cierre (1,3-8,10-15)		
26	*	4140 121 0800	1 Tapa de cierre (1,3-8,10-15)		
27	*	4226 121 2700	1 Caperuza (1,3-8,10-15)		
28	*	4129 121 0700	1 Placa de cierre (1,3-8,10-15)		
29	*	4137 121 5600	1 Surtidor fijo 0.41 (1,3-8,10-15)		
30	*	4137 121 8600	1 Arandela (1,3-8,10-15)		
	*	4227 007 1060	1 Juego de piezas del carburador (1,3-8,10-15) □ 8, 9, 17, 18		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




232ET024 GM

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Carburador C1Q-S44A

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0600	1 Carburador C1Q-S44A (1,3-8,10-15) □ 1 30		
1	*	4226 120 7100	1 Eje de estrangulación con palanca (1,3-8,10-15)		
2	*	1123 122 3000	1 Resorte (1,3-8,10-15)		
3	*	4137 121 3300	1 Válvula de estrangulación (1,3-8,10-15)		
4	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3-8,10-15)		
5	*	1125 122 9001	1 Arandela de seguridad (1,3-8,10-15)		
6	*	4137 121 8900	1 Perno (1,3-8,10-15)		
7	*	1120 122 9000	1 Arandela de seguridad (1,3-8,10-15)		
8	*	1129 121 4800	1 Membrana de la bomba (1,3-8,10-15)		
9	*	1123 129 0905	1 Junta (1,3-8,10-15)		
10	*	4128 121 0800	1 Tapa de cierre (1,3-8,10-15)		
11	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3-8,10-15)		
12	*	4116 121 5100	1 Aguja de admision (1,3-8,10-15)		
13	*	1123 122 3001	1 Resorte (1,3-8,10-15)		
14	*	1125 121 5000	1 Palanca reguladora de admisión (1,3-8,10-15)		
15	*	1120 121 9200	1 Eje (1,3-8,10-15)		
16	*	1120 122 6600	1 Tornillo con collar (1,3-8,10-15)		
17	*	4129 129 0902	1 Junta (1,3-8,10-15)		
18	*	4129 121 4700	1 Membrana reguladora (1,3-8,10-15)		
19	*	4226 120 2200	1 Brida (1,3-8,10-15)		
20	*	4226 122 7100	2 Tornillo (1,3-8,10-15)		
21	*	4140 122 6300	1 Tornillo regulador del N.º de revol. del ralentí (1,3-8,10-15)		
22	*	1128 122 7100	2 Tornillo (1,3-8,10-15)		
24	*	1123 121 7800	1 Tamiz (1,3-8,10-15)		
25	*	4119 121 0700	1 Placa de cierre (1,3-8,10-15)		
26	*	4226 121 0800	1 Tapa de cierre (1,3-8,10-15)		
27	*	4226 121 2700	1 Caperuza (1,3-8,10-15)		
28	*	4129 121 0700	1 Placa de cierre (1,3-8,10-15)		
29	*	1132 121 5640	1 Surtidor fijo 0.40 (1,3-8,10-15)		
30	*	4137 121 8600	1 Arandela (1,3-8,10-15)		
	*	4227 007 1060	1 Juego de piezas del carburador (1,3-8,10-15) □ 8, 9, 17, 18		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET086 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 710 7101	1	Vástago Ø 25,4 mm (1-3,7-10) <input type="checkbox"/> 3 - 5		
2	4140 710 7109	1	Vástago Ø 25,4 mm (4-7,11-14) EEUU, AUS <input type="checkbox"/> 3, 4, 6		
3	4137 711 7302	1	Tubo de alojamiento (1-14)		
4	4140 711 2100	1	Tapón (1-14)		
5	0000 967 7253	1	Pictograma de aviso FS (1-3,7-10)		
6	0000 967 7254	1	Pictograma de aviso FS (4-7,11-14) EEUU, AUS		
7	4130 711 3210	1	Arbol de accionamiento (1-14)		
8	0000 711 2500	1	Casquillo (1-14)		
9	0781 120 1110	1	Grasa para engranaje 225 g (B) (1-14)		
10	4180 790 3405	1	Manillar tubular cerrado (8-15) <input type="checkbox"/> 11 - 15		
11	4130 790 8450	1	Estribo (8-15) <input type="checkbox"/> 12, 13		
12	9222 068 0900	2	Tuerca cuadrada M6 (8-15)		
13	9022 341 1370	2	Tornillo cilíndrico IS-D6x30 (8-15)		
14	4123 791 7400	2	Elemento de fijación (8-15)		
15	9291 021 0140	2	Arandela 6,4 (8-15)		
16 *	9022 341 1350	2	Tornillo cilíndrico IS-M6x25 (8-15)		
17	4119 182 2110	1	Soporte (1-7)		
18	4140 007 1006	1	Juego abrazadera de sujeción (1-7) <input type="checkbox"/> 19		
19	9022 341 1270	1	Tornillo cilíndrico IS-M6x14 (1-7)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Vástago FS 55 T

Nº Ref.	Código artículo	Cant.	Descripción	Información técnica	Hasta
1 *	4140 710 7128	1	Vástago Ø 25,4 mm (15) □ 15	(14.2002)	
2 *	4140 711 3203	1	Arbol de accionamiento (15)	(14.2002)	
3 *	4140 740 3501	1	Pieza de arrastre (15) □ 4 - 7	(14.2002)	
4 *	4140 160 5201	1	Casquillo (15)	(14.2002)	
5 *	1118 162 8935	2	Arandela (15)	(14.2002)	
6 *	4140 716 2200	2	Soporte (15)	(14.2002)	
7 *	9455 621 0850	1	Anillo de seguridad 10x1 (15)	(14.2002)	
8 *	4140 160 0700	1	Maniguito de acople (15) □ 9 - 12	(14.2002)	
9 *	9022 341 1350	1	Tornillo cilíndrico IS-M6x25 (15)	(14.2002)	
10 *	4140 790 7501	1	Tornillo de muletilla (15)	(14.2002)	
11 *	9210 319 0900	2	Tuerca hexagonal M6 (15)	(14.2002)	
12 *	9291 021 0140	1	Arandela 6,4 (15)	(14.2002)	
13 *	4140 710 7125	1	Vástago Ø 25,4 mm (15) □ 15, 17	(14.2002)	
14 *	4140 710 7126	1	Vástago Ø 25,4 mm (15) EEUU, AUS, CDN □ 15, 18	(14.2002)	
15 *	4137 711 2101	2	Tapón (15)	(14.2002)	
16 *	4140 791 7207	1	Casquillo (15)	(14.2002)	
17 *	0000 967 7253	1	Pictograma de aviso FS (15)	(14.2002)	
18 *	0000 967 7254	1	Pictograma de aviso FS (15) EEUU, AUS, CDN	(14.2002)	
19 *	4140 710 3225	1	Arbol de accionamiento (15) □ 20	(14.2002)	
20 *	4140 711 2500	1	Casquillo (15)	(14.2002)	
21 *	4125 717 2000	1	Caperuza (15)	(14.2002)	
22 *	0000 711 2500	1	Casquillo (15)	(14.2002)	
23 *	4119 182 2110	1	Soporte (15)	(14.2002)	
24 *	4140 007 1006	1	Juego abrazadera de sujeción (15) □ 25	(14.2002)	
25 *	9022 341 1270	1	Tornillo cilindrico IS-M6x14 (15)	(14.2002)	
26 *	0781 120 1110	1	Grasa para engranaje 225 g (B) (15)	(14.2002)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET088 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Empuñadura doble

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4137 790 1701	1	Manillar tubular (1-7,15) □ 2		
2	4128 791 0300	1	Empuñadura izquierda (1-7,15)		
	4140 790 1307	1	Empuñadura de mando (1-4) □ 3 - 8, 10 - 15, 17, 19		
*	4140 790 1305	1	Empuñadura de mando (1-7,15) □ 3 - 8, 10 - 15, 18, 19		(16.2014)
	4140 790 1304	1	Empuñadura de mando (1-7,15) □ 3 - 8, 10 - 15		
3	4140 790 0301	1	Empuñadura (1-7,15)		
4	4128 182 1700	1	Pasador combinado (1-7,15)		
5	4128 182 4201	1	Resorte de detención (1-7,15)		
6	4128 182 6200	1	Tornillo con collar (1-7,15)		
7	4128 182 4502	1	Resorte con patas (1-7,15)		
8	4128 182 4504	1	Resorte con patas (1-7,15)		
9	*	4128 182 4500	1 Resorte con patas (1-7,15)		(37.2006)
10	4128 182 1000	1	Acelerador (1-7,15)		
11	4128 182 4501	1	Resorte con patas (1-7,15)		
12	4128 182 0800	1	Palanca de bloqueo (1-7,15)		
13	9074 478 3025	3	Tornillo para chapa IS-P4x16 (1-7,15)		
14	9214 320 0700	1	Tuerca de seguridad M 5 (1-7,15)		
15	9022 346 1070	1	Tornillo cilíndrico IS-M5x30 (1-7,15)		
16	*	9291 021 0120	1 Arandela 5,3 (1-7,15)		
17	4140 180 1112	1	Cable Bowden (1-4) □ 19		
18	*	4140 180 1109	1 Cable Bowden (1-7,15) □ 19		(16.2014)
19		1	Tubo flexible 560 mm (D) (1-7,15)		
	4203 711 7201	1	Tubo flexible 960 mm (1-7,15)		
20	4140 440 1903	1	Cable 990 mm (1-7,15)		
21	4137 791 6800	1	Pieza de apriete (1-7,15)		
22	4130 791 0606	1	Cubierta de apriete (1-7,15)		
23	4137 791 0900	1	Cubierta de apriete (1-7,15)		
24	9022 341 1380	4	Tornillo cilíndrico IS-M6x35 (1-7,15)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET023 GM

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Empuñadura doble

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
*	4119 790 1302	1	Empuñadura de mando (1,3-7,15) □ 1 - 16	(27.2001)	
1	*	4119 791 0801	1 Parte exterior de la empuñadura (1,3-7,15)	(27.2001)	
2	*	4126 182 4506	1 Resorte con patas (1,3-7,15)	(27.2001)	
3	*	4126 182 0800	1 Palanca de bloqueo (1,3-7,15)	(27.2001)	
4	*	4126 182 6210	1 Tornillo con collar (1,3-7,15)	(27.2001)	
5	*	4119 791 0811	1 Parte interior de la empuñadura (1,3-7,15)	(27.2001)	
6	*	4126 182 1700	1 Pasador combinado (1,3-7,15)	(27.2001)	
7	*	4126 182 4700	1 Resorte de retención (1,3-7,15)	(27.2001)	
8	*	4126 182 6200	1 Tornillo con collar (1,3-7,15)	(27.2001)	
9	*	4126 442 1600	1 Resorte de contacto (1,3-7,15)	(27.2001)	
10	*	4126 182 6210	1 Tornillo con collar (1,3-7,15)	(27.2001)	
11	*	4126 182 4500	1 Resorte con patas (1,3-7,15)	(27.2001)	
12	*	4126 182 1001	1 Acelerador (1,3-7,15)	(27.2001)	
13	*	4126 442 1610	1 Resorte de contacto (1,3-7,15)	(27.2001)	
14	*	9099 021 1890	3 Tornillo para chapa 2,9x25 (1,3-7,15)	(27.2001)	
15	*	9210 260 0700	1 Tuerca hexagonal M5 (1,3-7,15)	(27.2001)	
16	*	9022 341 1070	1 Tornillo cilíndrico IS-M5x30 (1,3-7,15)	(27.2001)	
17	*	4140 180 1104	1 Cable Bowden (1,3-7,15) □ 18 - 23	(27.2001)	
18	*		1 Cable 990 mm (D) (1,3-7,15)	(27.2001)	
19	*		1 Cable 955 mm (D) (1,3-7,15)	(27.2001)	
20	*	4140 440 1903	1 Cable 990 mm (1,3-7,15)	(27.2001)	
21	*	0751 030 8955	2 Casquillo de enchufe 4,8-1/0,4 (C) (1,3-7,15)	(27.2001)	
22	*	0751 030 8470	2 Boquilla (C) (1,3-7,15)	(27.2001)	
23	*		1 Tubo flexible 560 mm (D) (1,3-7,15)	(27.2001)	
	*	4203 711 7201	1 Tubo flexible 960 mm (A) (1,3-7,15)	(27.2001)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET091 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Caja reductora, Protector

Nº Ref.	Código artículo	Cant.	Descripción	Informacion s técnicas	Hasta s técnicas
1	4144 640 0100	1	Caja reductora (1-4,8-10,12) <input type="checkbox"/> 1 - 8		
2	9503 003 0060	1	Rodamiento ranurado de bolas 629 (1-4,8-10,12)		
3	4144 640 7300	1	Juego de piñones (1-4,8-10,12)		
4	9503 003 6440	1	Rodamiento ranurado de bolas 6201-2RS (1-4,8-10,12)		
5	9456 621 3600	1	Anillo de seguridad 32x1,2 (1-4,8-10,12)		
6	9503 003 9853	1	Rodamiento ranurado de bolas 609-2Z (1-4,8-10,12)		
7	9455 621 0750	1	Anillo de seguridad 9x1 (1-4,8-10,12)		
8	9456 621 2660	1	Anillo de seguridad 24x1,2 (1-4,8-10,12)		
9	9075 478 4712	1	Tornillo cilíndrico IS-D6x28 (1-4,8-10,12)		
10	4137 710 3800	1	Plato de apriete (1-4,8-10,12)		
11	4130 713 1600	1	Disco de apriete (1-4,8-10,12)		
12	4126 713 3100	1	Plato de rodadura (1-4,8-10,12)		
13	4126 642 7600	1	Tuerca de seguridad con collar M10x1 izquierdo (1-4,8-10,12)		
14	4144 710 8116	1	Protector (1-4) <input type="checkbox"/> 18		
15	4144 710 8117	1	Protector (1-4,8-10,12) <input type="checkbox"/> 16 - 18		
16	4133 713 4110	1	Cuchilla (1-4,8-10,12)		
17	9074 478 4405	1	Tornillo para chapa IS-P6x14 (1-4,8-10,12)		
18	9022 319 0981	1	Tornillo IS-M5x17 (1-4,8-10,12)		
19	4119 790 3906	1	Protector para el transporte Ø 260 (B) <input type="checkbox"/> 20		
20	4119 792 4305	1	Estribo de sujeción (B)		
21	0000 790 3901	1	Protector para el transporte (B)		
22	0781 120 1117	1	Grasa para engranaje 80 g (B)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




0208ET013 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Protector J

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4149 710 8100	1	Protector (3,10) J <input type="checkbox"/> 3, 4		
	4149 710 6700	1	Abrazadera de sujeción (3,10) J <input type="checkbox"/> 3, 4		
2	4149 791 0901	1	Cubierta de apriete (3,10) J		
3	4149 716 2500	1	Soporte (3,10) J		
4	9022 341 1350	2	Tornillo cilíndrico IS-M6x25 (3,10) J		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET070 GM

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Caja reductora

Nº Ref.	Código artículo	Cant.	Descripción	Información técnica	Hasta
	*	4140 640 0110	1 Caja reductora □ 1 16	(16.2014)	
1	*	4140 641 0300	1 Carcasa de la caja reductora	(16.2014)	
2	*	9503 003 0060	1 Rodamiento ranurado de bolas 629	(16.2014)	
	*	4140 640 7300	1 Juego de piñones □ 3, 4	(16.2014)	
3	*		1 Piñón de accionamiento (D)	(16.2014)	
4	*		1 Corona del diferencial (D)	(16.2014)	
5	*	4140 642 0601	1 Eje de salida de fuerza	(16.2014)	
6	*	9503 003 6440	1 Rodamiento ranurado de bolas 6201-2RS	(16.2014)	
7	*	9456 621 3600	1 Anillo de seguridad 32x1,2	(16.2014)	
8	*	9503 003 9853	1 Rodamiento ranurado de bolas 609-2Z	(16.2014)	
9	*	9455 621 0750	1 Anillo de seguridad 9x1	(16.2014)	
10	*	9456 621 2660	1 Anillo de seguridad 24x1,2	(16.2014)	
11	*	4119 713 6500	1 Tornillo de cierre	(16.2014)	
12	*	4137 710 3800	1 Plato de apriete □ 13	(16.2014)	
13	*		1 Disco de protección (D)	(16.2014)	
14	*	4130 713 1600	1 Disco de apriete	(16.2014)	
15	*	4126 642 7600	1 Tuerca de seguridad con collar M10x1 izquierdo	(16.2014)	
16	*	9075 478 4712	1 Tornillo cilíndrico IS-D6x28	(16.2014)	
17	*	4126 713 3100	1 Plato de rodadura	(16.2014)	
18	*	0781 120 1117	1 Grasa para engranaje 80 g (B)	(16.2014)	

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Protector

Nº Ref.	Código artículo	Cant.	Descripción	Información técnica	Hasta
	*	4119 007 1027	1 Juego protector □ 1 - 7		(16.2014)
1	*	4119 710 8103	1 Protector □ 2 - 3		(16.2014)
2	*	0000 716 3101	1 Placa de soporte		(16.2014)
3	*	9022 373 1025	4 Tornillo cilíndrico IS-M5x23		(16.2014)
4	*	4119 716 3203	1 Faldón		(16.2014)
5	*	4119 710 6000	1 Cuchilla □ 6, 7		(16.2014)
6	*	4118 713 4105	1 Cuchilla		(16.2014)
7	*	9074 478 4125	2 Tornillo para chapa IS-5x14		(16.2014)
	*	0000 007 1300	1 Juego de juntas toroidales N 4x2-EPDM70 □ 8		(16.2014)
8	*		4 Anillo de junta circular 4x2 (D)		(16.2014)
9	*	0000 716 3100	1 Placa de soporte		(16.2014)
10	*	9074 478 2970	2 Tornillo para chapa IS-P4x10		(16.2014)
11	*	9022 371 1020	4 Tornillo cilíndrico IS-M5x20		(16.2014)
12	*	9022 341 0980	4 Tornillo cilíndrico IS-M5x16		(16.2014)
13	*	4133 007 1007	1 Juego protector □ 2, 3, 15, 16		(16.2014)
14	*	4133 007 1008	1 Juego protector AUS, NZ □ 2, 3, 15, 16		(16.2014)
15	*	4133 713 4110	1 Cuchilla		(16.2014)
16	*	9074 478 4405	1 Tornillo para chapa IS-P6x14		(16.2014)

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T




233ET074 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Herramientas, Accesorios extra

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	0812 370 1000	1	Destornillador T27x120x70		
2	4130 893 7800	1	Passador		
3	4128 890 3400	1	Llave universal (B)		
4	0000 890 2300	1	Destornillador (B)		
5	0000 890 2305	1	Destornillador (B) disponible únicamente en Brasil		
6	0000 891 0810	1	Bolsa para heramientas (B)		
7	0000 884 0307	1	Gafas de protección (B) no para AR		
8	4119 710 9001	1	Cinturón de porte doble (B) <input type="checkbox"/> 9 - 19		
9	4119 710 6306	1	Espaldar con cinturones		
10	0000 930 2242	1	Cinturón 38x780 mm (D)		
11	0000 930 2241	1	Cinturón 38 mm x 5 m (A,B)		
12	4203 792 7200	3	Pasador de apriete		
13	4119 718 6300	1	Pasador		
14	4119 718 6310	2	Pasador		
15	9408 021 4530	12	Remache 4x8x6		
16	9409 021 4420	12	Parte superior 4x8		
17	4119 718 7400	1	Placa de protección		
	4119 710 6401	1	Cierre con cinturones <input type="checkbox"/> 18		
18	4119 710 6400	1	Cierre		
19	4147 710 6900	1	Mosquetón		
20	4130 710 9000	1	Cinturón de porte (B)		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T



232ET077 SC

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T

Número de máquina

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1			Posición del número de máquina		

(1) FS 55, (2) FS 55 2-MIX, (3) FS 55 C-E, (4) FS 55 C-E Z, (5) FS 55 C-E DZ, (6) FS 55-DZ, (7) FS 55-Z, (8) FS 55 R, (9) FS 55 R 2-MIX, (10) FS 55 RC-E, (11) FS 55 RC-E DZ, (12) FS 55 RC-E Z, (13) FS 55 R-DZ, (14) FS 55 R-Z, (15) FS 55 T