


232ET086 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Cárter del cigüeñal, Cilindro

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 021 0300	1	Cárter del cigüeñal (1,3,5-15)		
2	9639 003 1230	2	Retén 12x22x7 (1,3,5-15)		
3	9503 003 0246	2	Rodamiento ranurado de bolas 6201 (1,3,5-15)		
4	4140 036 0300	2	Arandela (1,3,5-15)		
5	4140 030 0401	1	Cigüeñal (1,3,5-15)		(25.2005)
6	* 4140 030 0400	1	Cigüeñal (1,3,5-15)		(27.2001), (25.2005)
7	4140 029 2301	1	Junta del cilindro (1,3)		
8	4140 029 2300	1	Junta del cilindro (5-15)		
9	4140 021 2500	1	Cubeta del cigüeñal (1,3,5-15)		
10	4140 020 1204	1	Cilindro con pistón Ø 34 mm (1,3,5-15) □ 11 - 15		
11	4140 030 2004	1	Pistón Ø 34 mm (1,3,5-15) □ 12 - 14		
12	4144 034 3000	1	Segmento de compresión Ø 34x1,2 mm (1,3,5-15)		
13	9463 650 0807	2	Seguro anular 8x0,7 (1,3,5-15)		
14	4137 034 1500	1	Bulón del pistón 8x5x22 (1,3,5-15)		
15	9075 478 4268	4	Tornillo cilíndrico IS-D5x60 (1,3,5-15)		
16	* 4137 034 3000	2	Segmento de compresión Ø 34x1,5 mm (1,3,5-15)		(50.2013)
17	4140 195 0601	1	Rueda del starter (1,3,5,6,8,9-11,13-15)		
18	* 4117 162 8900	1	Arandela (1,3,5,9-11,14,15)		
19	* 4140 190 2010	1	Pieza de arrastre (6-8,12,13) ErgoStart □ 20, 21		(50.2013)
20	* 0000 998 0612	2	Resorte con patas (6-8,12,13) ErgoStart		(50.2013)
21	* 4133 195 7201	2	Trinquete (6-8,12,13) ErgoStart		(50.2013)
22	0000 400 7000	1	Bujía NGK BPMR7A (1,3,5-15)		
22	1110 400 7005	1	Bujía Bosch WSR 6 F (1,3,5-15)		
23	0783 830 2000	1	Pasta de junta Dirk HT rojo (B) (1,3,5-15)		
	4140 007 1050	1	Juego de juntas (1,3,5-15) □ 2, 7		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z,
(9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET082 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Cárter del cigüeñal, Cilindro
2-MIX

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 021 0300	1	Cárter del cigüeñal (2,4)		
2	9639 003 1230	2	Retén 12x22x7 (2,4)		
3	9503 003 0246	2	Rodamiento ranurado de bolas 6201 (2,4)		
4	4140 036 0301	2	Arandela (2,4)		
5	4140 030 0407	1	Cigüeñal (2,4)	(25.2005)	
6	* 4140 030 0406	1	Cigüeñal (2,4)	(25.2005), (16.2014)	
7	4140 021 2500	1	Cubeta del cigüeñal (2,4)		
8	4140 029 2302	1	Junta del cilindro (2,4)		
9	4140 020 1203	1	Cilindro con pistón Ø 34 mm (2,4) <input type="checkbox"/> 10 - 14		
10	4144 030 2002	1	Pistón Ø 34 mm (2,4) <input type="checkbox"/> 11 - 13		
11	4144 034 3000	1	Segmento de compresión Ø 34x1,2 mm (2,4)		
12	9463 650 0805	1	Seguro anular 8x0,7 (2,4)		
13	4241 034 1500	1	Bulón del pistón 8x5x22 (2,4)		
14	9075 478 4268	4	Tornillo cilíndrico IS-D5x60 (2,4)		
15	4140 195 0601	1	Rueda del starter (2,4)		
16	0000 400 7000	1	Bujía NGK BPMR7A (2,4)		
16	1110 400 7005	1	Bujía Bosch WSR 6 F (2,4)		
17	0783 830 2000	1	Pasta de junta Dirko HT rojo (B) (2,4)		
	4140 007 1600	1	Juego de juntas (2,4) <input type="checkbox"/> 2, 8		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z,
(9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z





232ET067 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Mecanismo de arranque

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 190 4009	1	Mecanismo de arranque (1-5,6-11) □ 3 - 8, 10		
2	4140 190 4013	1	Mecanismo de arranque (14,15) □ 3 - 7, 9 - 11		
3	4140 190 0601	1	Resorte de retracción (1-5,9-11,14,15)		
4	4128 195 0400	1	Tambor del cordón (1-5,9-11,14,15)		
5	0000 958 0923	1	Arandela (1-5,9-11,14,15)		
6	1118 195 3500	1	Resorte (1-5,9-11,14,15)		
7	4116 195 7200	1	Trinquete (1-5,9-11,14,15)		
8	4140 195 3400	1	Empuñadura (1-5,9-11,14,15)		
9	0000 190 3404	1	Empuñadura ElastoStart Ø 3 mm (B) (14,15) □ 10, 11		
10	1120 195 8200	1	Cordón de arranque Ø 3x1060 mm (1-5,9-11,14,15)		
11	0000 195 7000	1	Caperuza (B) (14,15)		
12	* 0000 195 8200	1	Cordón de arranque Ø 3x800 mm (1-5,9-11,14,15)	(27.2001)	
	0000 930 2208	1	Cordón de arranque Ø 3 mm x 30,5 m (A,B) (1-5,9-11,14,15)		
13	4140 967 1531	1	Placa de tipo FS 38 (1-4)		
14	4140 967 1500	1	Placa de tipo FS 45 (5,9-11)		
15	4140 967 1503	1	Placa de tipo FS 46 (14,15)		
16	0000 951 1100	3	Tornillo IS-D5x20 (1-5,9-11,14,15)		
17	4140 084 6801	1	Distanciador (1-5,9-11,14,15)		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233ET/076 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Mecanismo de arranque ErgoStart

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 190 4015	1	Mecanismo de arranque (6,8) □ 1 - 10		
1	4140 190 0405	1	Tapa del stárter (6,8)		
2	4149 190 0600	1	Resorte de retracción (6,8)		
3	4149 195 0400	1	Tambor del cordón (6,8)		
4	4140 195 3400	1	Empuñadura (6-8,12,13)		
5	4137 195 8200	1	Cordón de arranque Ø 2,7x910 mm (6-8,12,13)		
6	4149 195 3500	1	Resorte (6,8)		
7	4140 195 2001	1	Pieza de arrastre (6,8)		
8	4116 195 7200	1	Trinquete (6-8,12,13)		
9	0000 958 0923	1	Arandela (6-8,12,13)		
10	1118 195 3500	1	Resorte (6-8,12,13)		
*	4140 190 4010	1	Mecanismo de arranque (6-8,12,13) □ 4, 5, 8 - 10 - 17	(50.2013)	
11	*	4140 190 0410	1 Tapa del stárter (6-8,12,13)	(50.2013)	
12	*	4140 190 0601	1 Resorte de retracción (6-8,12,13)	(50.2013)	
13	*	4140 195 0410	1 Tambor del cordón (6-8,12,13)	(50.2013)	
14	*	4140 190 0710	1 Carcasa de resorte (6-8,12,13)	(50.2013)	
15	*	4140 195 2010	1 Pieza de arrastre (6-8,12,13)	(50.2013)	
16	*	9307 021 0120	1 Disco 5,3 (6-8,12,13)	(50.2013)	
17	*	9022 399 0950	1 Tornillo cilíndrico IS-M5x10 (6-8,12,13)	(50.2013)	
18	4140 967 1515	1	Placa de tipo FS 45 C (6-8)		
19	4140 967 1516	1	Placa de tipo FS 46 C (12,13)		
20	0000 951 1100	3	Tornillo IS-D5x20 (6-8,12,13)		
21	4140 084 6801	1	Distanciador (6-8,12,13)		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET083 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Silenciador

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 140 0617	1	Silenciador (1,2,5,6,10)		
2	4140 140 0618	1	Silenciador (3,4,8,11,13,15) EEUU, AUS, CDN <input type="checkbox"/> 3		
3	4140 140 6904	1	Empalme con rejilla (3,4,8,11,13,15) EEUU, AUS, CDN		
4	*	1	Silenciador (4,5,9)		(23.2003)
5	*	1	Silenciador (8,11,13,15) EEUU, AUS, CDN <input type="checkbox"/> 6		(23.2003)
6	*	1	Empalme con rejilla (8,11,13,15) EEUU, AUS, CDN		(23.2003)
7	4140 149 0602	1	Junta de silenciador (1-6,8,10,11,13,15)		
8	9075 478 4268	2	Tornillo cilíndrico IS-D5x60 (1-6,8,10,11,13,15)		
9	0783 830 2000	1	Pasta de junta Dirk HT rojo (B) (1-6,8,10,11,13,15)		
	4140 007 1050	1	Juego de juntas (1,3,5,6,8,10,11,13,15) <input type="checkbox"/> 7		
	4140 007 1600	1	Juego de juntas (2,4) <input type="checkbox"/> 7		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233ET039 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Silenciador Cat.

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	*	4140 140 0653	1 Silenciador (7,9,12,14) USDA Cert. I.D. 4140/08 □ 2 - 11		
2	*	4140 141 9002	1 Rejilla (7,9,12,14)		
3	*	9099 021 0805	2 Tornillo para chapa 4,2x6,5 (7,9,12,14)		
4	*	9022 421 0930	2 Tornillo cilíndrico IS-M5x8 (7,9,12,14)		
5	*	9075 478 4159	2 Tornillo cilíndrico IS-D5x24 (7,9,12,14)		
6	*	4140 149 0603	1 Junta de silenciador (7,9,12,14)		
7	*	4140 146 9000	1 Estera aislante (7,9,12,14)		
8	*	4140 140 7401	1 Chapa deflectora (7,9,12,14)		
9	*	4140 149 0604	1 Junta de silenciador (7,9,12,14)		
10	*	4140 145 1200	1 Brida (7,9,12,14)		
11	*	4140 149 0602	1 Junta de silenciador (7,9,12,14)		
12	*	4140 140 0651	1 Silenciador (7,9,12,14) USDA Cert. I.D. 4140/03 □ 5 - 7, 10, 11, 13 - 15	(21.2003)	
13	*	1130 141 9001	1 Rejilla (7,9,12,14)	(21.2003)	
14	*		1 Chapa de protección (D) (7,9,12,14)	(21.2003)	
15	*	9099 021 0805	3 Tornillo para chapa 4,2x6,5 (7,9,12,14)	(21.2003)	
16	*	4140 149 0601	1 Junta de silenciador (7,9,12,14)		
17	*	9075 478 4155	2 Tornillo cilíndrico IS-D5x24 (7,9,12,14)		
		4140 007 1050	1 Juego de juntas (7,9,12,14) □ 11		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET084 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Sistema de encendido, Embrague

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 400 1200	1	Volante		(25.2005)
2	4140 162 8900	1	Arandela		
3	4140 162 9101	1	Casquillo distanciador		
4	4140 160 2005	1	Embrague		
			□ 2, 5, 6		
5	4140 162 7901	2	Resorte de tracción		
6		1	Resorte de disco 31,7x20,4x0,4 (D)		
7	4140 160 2903	1	Tambor del embrague (1,3,5-15)		
8	4144 160 2900	1	Tambor del embrague (2,4)		
9	* 4140 160 2903	1	Tambor del embrague (2,4)		(16.2014)
10	4140 400 1308	1	Módulo de ignición (1,3,5,6,8,10,11,13,15)		
11	4140 400 1309	1	Módulo de ignición (2,4)		
12	4140 400 1305	1	Módulo de ignición (7,9,12,14)		
13	* 4140 400 1300	1	Módulo de ignición (1,3,5-15)		(27.2001)
14	4140 431 2100	1	Lengueta de enchufe		
15	9075 478 3023	2	Tornillo cilíndrico IS-D4x22		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233ET078 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Carcasa del motor

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 020 3000	1	Carcasa del motor		
2	4140 080 1602	1	Cubierta □ 3		
3	*	4140 084 8300	1 Lámina deflectora (7,9,12,14) Cat.		
4	*	0000 967 4067	1 Indicación de advertencia Criba parachispas (4,11,15) EEUU		
5	9075 478 4159	4	Tornillo cilíndrico IS-D5x24		
6	4140 180 1113	1	Cable Bowden		
7	*	4140 180 1105	1 Cable Bowden	(16.2014)	
8	*	4140 180 1100	1 Cable Bowden	(27.2001)	
9	4140 440 1900	2	Cable		
10	4229 430 0203	1	Interruptor de Stop		
11	4140 180 1500	1	Acelerador		
12	4140 182 4500	1	Resorte con patas		
13	4140 791 5400	1	Soporte		
14	4140 182 0800	1	Palanca de bloqueo		
15	4140 182 4505	1	Resorte con patas		
16	9075 478 4155	6	Tornillo cilíndrico IS-D5x24 (1-6,8,11)		
17	*	9075 478 4155	7 Tornillo cilíndrico IS-D5x24	(50.2013)	
18	9075 478 4115	1	Tornillo cilíndrico IS-D5x16		
19	*	4140 182 3300	1 Tubo flexible de aislamiento (7,9,12,14) Cat.		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET046 GM

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Carcasa del motor FS 46

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	*	4140 020 3005	1 Carcasa del motor (15)		
2	*	4140 084 0905	1 Cubierta (15)		
3	*	9075 478 4159	4 Tornillo cilíndrico IS-D5x24 (15)		
4	*	4130 791 2005	1 Funda del manillar (15)		
5	*	4140 007 1006	1 Juego abrazadera de sujeción (15) □ 6		
6	*	9022 341 1270	1 Tornillo cilíndrico IS-M6x14 (15)		
7	*	4130 791 7600	1 Soporte de empuñadura (15)		
8	*	4140 180 1102	1 Cable Bowden (15)		
9	*	4130 182 1315	1 Carcasa parte izquierda (15)		
10	*	4130 182 1000	1 Acelerador (15)		
11	*	4130 182 4500	1 Resorte con patas (15)		
12	*	4130 182 0805	1 Palanca de bloqueo (15)		
13	*	4130 182 0800	1 Palanca de bloqueo (15)		
14	*	0000 997 0715	1 Resorte de presión (15)		
15	*	4130 430 0200	1 Interruptor de Stop (15)		
16	*	4130 432 2010	1 Pasador (15)		
17	*	4130 182 1310	1 Carcasa parte derecha (15)		
18	*	9099 021 2810	4 Tornillo para chapa 3,9x19 (15)		
19	*	4140 021 8900	1 Soporte (15)		
20	*	4140 440 1902	2 Cable (15)		
21	*	9075 478 4155	7 Tornillo cilíndrico IS-D5x24 (15)		
22	*	9075 478 4095	1 Tornillo cilíndrico IS-D5x12 (15)		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET085 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 124 2800	1	Filtro (1,3,5-15)		
2	4140 140 2851	1	Carcasa del filtro (1,3,5-15) □ 1, 3, 4, 6 - 8		
3	4140 141 3700	1	Palanca (1,3,5-15)		
4	4140 141 3801	1	Válvula del choke (1,3,5-15)		
5	*	1	Válvula del choke (1,3,5-15)	(27.2001)	
6	9417 003 7512	1	Tuerca elástica 4,0x9,6x1,8 (1,3,5-15)		
7	9216 261 0700	2	Tuerca hexagonal M5 (1,3,5-15)		
8	4140 141 0502	1	Tapa del filtro (1,3,5-15)		
9	*	1	Tapa del filtro (1,3,5-15)	(27.2001)	
10	4140 129 0900	1	Junta (1,3,5-15)		
11	4140 120 0622	1	Carburador C1Q-S265B (1,3,5,6,8,11)		
12	4140 120 0625	1	Carburador C1Q-S291A (3) EEUU, CDN		
13	4140 120 0624	1	Carburador C1Q-S290A (1) BR		
14	*	1	Carburador C1Q-S186B (1,3,5-15)	(46.2012), (16.2014)	
15	*	1	Carburador C1Q-S187A (1) BR	(16.2014)	
16	*	1	Carburador C1Q-S71 (1,3,5-15)	(25.2004)	
17	*	1	Carburador C1Q-S66 (1,3,5-15)	(36.2002)	
18	*	1	Carburador C1Q-S58A (1,3,5-15)	(27.2001)	
19	*	1	Carburador C1Q-S44A (1,3,5-15)		
20	*	1	Carburador C1Q-S53A (1,3,5-15)		
21	4114 149 1205	1	Junta (1,3,5-15)		
22	4140 121 1605	1	Brida intermedia (1,3,5-15)		
23	4140 182 7601	1	Pieza tensora (1,3,5-15)		
24	*	1	Pieza tensora (1,3,5-15)	(27.2001)	
25	9022 313 0680	1	Tornillo cilíndrico IS-M4x16 (1,3,5-15)		
26	*	1	Perno (1,3,5-15)	(27.2001)	
27	*	1	Tuerca elástica 4,0x9,6x1,8 (1,3,5-15)	(27.2001)	
28	9075 478 4159	2	Tornillo cilíndrico IS-D5x24 (1,3,5-15)		
29	9007 319 1135	2	Tornillo hexagonal M5x65 (1,3,5-15)		
30	4140 129 0906	1	Junta (1,3,5-15)		
	4140 007 1050	1	Juego de juntas (1,3,5-15) □ 10, 21, 30		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z,
(9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233ET082 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Filtro de aire, Brida intermedia
2-MIX

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 124 2800	1	Filtro (2,4)		
2	4140 140 2851	1	Carcasa del filtro (2,4) □ 1, 3 - 7		
3	4140 141 3700	1	Palanca (2,4)		
4	4140 141 3801	1	Válvula del choke (2,4)		
5	9417 003 7512	1	Tuerca elástica 4,0x9,6x1,8 (2,4)		
6	9216 261 0700	2	Tuerca hexagonal M5 (2,4)		
7	4140 141 0502	1	Tapa del filtro (2,4)		
8	4128 129 0900	1	Junta (2,4)		
9	4140 120 0623	1	Carburador C1Q-S282 (2,4)		
10	* 4140 120 0621	1	Carburador C1Q-S216 (2,4)		
11	4114 149 1205	1	Junta (2,4)		
12	4140 129 0904	1	Junta (2,4)		
13	4140 120 2300	1	Brida intermedia (2,4)		
14	4140 182 7601	1	Pieza tensora (2,4)		
15	9022 313 0680	1	Tornillo cilíndrico IS-M4x16 (2,4)		
16	9075 478 4159	4	Tornillo cilíndrico IS-D5x24 (2,4)		
	4140 007 1600	1	Juego de juntas (2,4) □ 8, 11, 12		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z,
(9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET070 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Depósito de combustible

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4232 350 0411	1	Depósito de combustible □ 2 - 10		
2	1125 084 8900	1	Boquilla		
3	4140 358 7702	1	Tubo flexible		
4	0000 350 3502	1	Cabezal de aspiración		
5	0000 351 3201	1	Casquillo		
6	4140 353 2402	1	Soporte		
7	9074 478 4135	1	Tornillo para chapa IS-P5x20		
8	4128 350 0505	1	Cierre del depósito □ 9, 10		
9	0000 350 0900	1	Cordón		
10	0000 353 0800	1	Seguro imperdible		
11	4140 352 8100	3	Pieza intercalada		
12	* 4140 353 2400	1	Soporte	(27.2001)	
13	* 9075 478 4159	1	Tornillo cilíndrico IS-D5x24	(27.2001)	
14	0000 967 7239	1	Pictograma de aviso Cierre del depósito EEUU		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233E 081 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0622	1	Carburador C1Q-S265B (1,3,5,6,8,11) □ 1 - 28		
1	4228 121 5602	1	Surtidor fijo 0.39 (1,3,5,6,8,11)		
2	1120 122 3004	1	Resorte (1,3,5,6,8,11)		
3	4116 121 5100	1	Aguja de admision (1,3,5,6,8,11)		
4	1125 121 5000	1	Palanca reguladora de admisión (1,3,5,6,8,11)		
5	1120 121 9200	1	Eje (1,3,5,6,8,11)		
6	1120 122 6600	1	Tornillo con collar (1,3,5,6,8,11)		
7	4229 129 0901	1	Junta (1,3,5,6,8,11)		
8	4314 121 4700	1	Membrana reguladora (1,3,5,6,8,11)		
9	4314 120 2200	1	Brida (1,3,5,6,8,11)		
10	4226 121 2700	1	Caperuza (1,3,5,6,8,11)		
11	4140 121 0800	1	Tapa de cierre (1,3,5,6,8,11)		
12	4226 122 7100	4	Tornillo (1,3,5,6,8,11)		
13	1123 121 7800	1	Tamiz (1,3,5,6,8,11)		
14	1129 121 4800	1	Membrana de la bomba (1,3,5,6,8,11)		
15	1123 129 0905	1	Junta (1,3,5,6,8,11)		
16	1123 121 0800	1	Tapa de cierre (1,3,5,6,8,11)		
17	1125 122 4200	1	Pieza de apriete (1,3,5,6,8,11)		
18	4140 122 6200	1	Tornillo de tope del ralenti (1,3,5,6,8,11)		
19	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1,3,5,6,8,11)		
20	1120 121 7801	1	Tamiz (1,3,5,6,8,11)		
21	1123 120 9700	1	Juego embolo (1,3,5,6,8,11)		
22	4229 121 3303	1	Válvula de estrangulación (1,3,5,6,8,11)		
23	1125 122 7403	1	Tornillo de cabeza redonda (1,3,5,6,8,11)		
24	4229 122 6701	1	Tornillo regulador principal (1,3,5,6,8,11)		
25	4144 122 6801	1	Tornillo regulador del ralentí (1,3,5,6,8,11)		
26	4140 122 3000	1	Resorte (1,3,5,6,8,11)		
27	4140 120 7104	1	Eje de estrangulación con palanca (1,3,5,6,8,11)		
28	1125 122 9001	1	Arandela de seguridad (1,3,5,6,8,11)		
	4228 007 1051	1	Juego de piezas del carburador (1,3,5,6,8,11) □ 7, 8, 14, 15		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233E/085 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0625	1	Carburador C1Q-S291A (3) EEUU, CDN □ 1 - 30		
1	4228 121 5602	1	Surtidor fijo 0.39 (3)		
2	1120 122 3004	1	Resorte (3)		
3	4116 121 5100	1	Aguja de admision (3)		
4	1125 121 5000	1	Palanca reguladora de admisión (3)		
5	1120 121 9200	1	Eje (3)		
6	1120 122 6600	1	Tornillo con collar (3)		
7	4229 129 0901	1	Junta (3)		
8	4314 121 4700	1	Membrana reguladora (3)		
9	4314 120 2200	1	Brida (3)		
10	4226 121 2700	1	Caperuza (3)		
11	4140 121 0800	1	Tapa de cierre (3)		
12	4226 122 7100	4	Tornillo (3)		
13	1123 121 7800	1	Tamiz (3)		
14	1129 121 4800	1	Membrana de la bomba (3)		
15	1123 129 0905	1	Junta (3)		
16	1123 121 0800	1	Tapa de cierre (3)		
17	1125 122 4200	1	Pieza de apriete (3)		
18	4140 122 6200	1	Tornillo de tope del ralenti (3)		
19	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (3)		
20	1120 121 7801	1	Tamiz (3)		
21	1123 120 9700	1	Juego embolo (3)		
22	4229 121 3303	1	Válvula de estrangulación (3)		
23	1125 122 7403	1	Tornillo de cabeza redonda (3)		
24	4229 122 6701	1	Tornillo regulador principal (3)		
25	4229 121 2701	1	Caperuza (3)		
26	4140 120 6800	1	Tornillo regulador del ralentí (3) □ 27		
27	4144 121 2700	1	Caperuza (3)		
28	4140 122 3000	1	Resorte (3)		
29	4140 120 7104	1	Eje de estrangulación con palanca (3)		
30	1125 122 9001	1	Arandela de seguridad (3)		
	4228 007 1051	1	Juego de piezas del carburador (3) □ 7, 8, 14, 15		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233ET 084 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0624	1	Carburador C1Q-S290A (1) BR □ 1 - 29		
1	4228 121 5602	1	Surtidor fijo 0.39 (1)		
2	1120 122 3004	1	Resorte (1)		
3	4116 121 5100	1	Aguja de admision (1)		
4	1125 121 5000	1	Palanca reguladora de admisión (1)		
5	1120 121 9200	1	Eje (1)		
6	1120 122 6600	1	Tornillo con collar (1)		
7	4229 129 0901	1	Junta (1)		
8	4314 121 4700	1	Membrana reguladora (1)		
9	4314 120 2200	1	Brida (1)		
10	4226 121 2700	1	Caperuza (1)		
11	4140 121 0800	1	Tapa de cierre (1)		
12	4226 122 7100	4	Tornillo (1)		
13	1123 121 7800	1	Tamiz (1)		
14	1129 121 4800	1	Membrana de la bomba (1)		
15	1123 129 0905	1	Junta (1)		
16	1123 121 0800	1	Tapa de cierre (1)		
17	1125 122 4200	1	Pieza de apriete (1)		
18	4140 122 6200	1	Tornillo de tope del ralenti (1)		
19	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1)		
20	1120 121 7801	1	Tamiz (1)		
21	1123 120 9700	1	Juego embolo (1)		
22	4229 121 3303	1	Válvula de estrangulación (1)		
23	1125 122 7403	1	Tornillo de cabeza redonda (1)		
24	4229 122 6701	1	Tornillo regulador principal (1)		
25	4229 121 2701	1	Caperuza (1)		
26	4140 122 6800	1	Tornillo regulador del ralentí (1)		
27	4140 122 3000	1	Resorte (1)		
28	4140 120 7104	1	Eje de estrangulación con palanca (1)		
29	1125 122 9001	1	Arandela de seguridad (1)		
	4228 007 1051	1	Juego de piezas del carburador (1) □ 7, 8, 14, 15		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




233ET083 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Carburador C1Q-S282 2-MIX

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	4140 120 0623	1	Carburador C1Q-S282 (2,4) □ 1 - 22		
1	4116 121 5100	1	Aguja de admision (2,4)		
2	4128 122 3000	1	Resorte (2,4)		
3	1125 121 5000	1	Palanca reguladora de admisión (2,4)		
4	1120 121 9200	1	Eje (2,4)		
5	0000 122 7101	1	Tornillo (2,4)		
6	4241 129 0901	1	Junta (2,4)		
7	4241 121 4700	1	Membrana reguladora (2,4)		
8	4140 120 2204	1	Brida (2,4)		
9	4226 121 2700	1	Caperuza (2,4)		
10	4140 121 0800	1	Tapa de cierre (2,4)		
11	4241 122 7100	4	Tornillo (2,4)		
12	1123 121 7800	1	Tamiz (2,4)		
13	1129 121 4800	1	Membrana de la bomba (2,4)		
14	1123 129 0905	1	Junta (2,4)		
15	4134 121 0802	1	Tapa de cierre (2,4)		
16	4140 122 6200	1	Tornillo de tope del ralenti (2,4)		
17	1125 122 4200	1	Pieza de apriete (2,4)		
18	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (2,4)		
19	4241 122 6702	1	Tornillo regulador principal (2,4)		
20	4229 121 2701	1	Caperuza (2,4)		
21	4140 122 6801	1	Tornillo regulador del ralentí (2,4)		
22	4144 121 2700	1	Caperuza (2,4)		
	4140 007 1061	1	Juego de piezas del carburador (2,4) □ 6, 7, 13, 14		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z



233E|073 AM

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z


Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 120 0619	1	Carburador C1Q-S186B (1,3,5-15) □ 4,5,7-29,31-38	(16.2014), (46.2012)	
2	* 4140 120 0616	1	Carburador C1Q-S153 (C) (1,3,5-15) □ 4,6-27,30-38	(29.2010)	
3	* 4140 120 0612	1	Carburador C1Q-S97A (C) (1,3,5-15) □ 4,6,22,25-27,30-36,38-43	(15.2009)	
4	4140 120 7101	1	Eje de estrangulación con palanca (1,3,5-15)	(16.2014)	
5	4140 122 3000	1	Resorte (1,3,5-15)	(16.2014)	
6	* 1123 122 3000	1	Resorte (1,3,5-15)	(16.2014)	
7	4128 121 8900	1	Perno (1,3,5-15)	(16.2014)	
8	4137 121 8600	1	Arandela (1,3,5-15)	(16.2014)	
9	1120 122 9000	1	Arandela de seguridad (1,3,5-15)	(16.2014)	
10	4229 121 3303	1	Válvula de estrangulación (1,3,5-15)	(16.2014)	
11	1125 122 7403	1	Tornillo de cabeza redonda (1,3,5-15)	(16.2014)	
12	1125 122 9001	1	Arandela de seguridad (1,3,5-15)	(16.2014)	
13	1129 121 4800	1	Membrana de la bomba (1,3,5-15)	(16.2014)	
14	1123 129 0905	1	Junta (1,3,5-15)	(16.2014)	
15	1123 121 0800	1	Tapa de cierre (1,3,5-15)	(16.2014)	
16	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1,3,5-15)	(16.2014)	
17	4116 121 5100	1	Aguja de admision (1,3,5-15)	(16.2014)	
18	1120 122 3004	1	Resorte (1,3,5-15)	(16.2014)	
19	1125 121 5000	1	Palanca reguladora de admisión (1,3,5-15)	(16.2014)	
20	1120 121 9200	1	Eje (1,3,5-15)	(16.2014)	
21	1120 122 6600	1	Tornillo con collar (1,3,5-15)	(16.2014)	
22	4229 129 0901	1	Junta (1,3,5-15)	(16.2014)	
23	4314 121 4700	1	Membrana reguladora (1,3,5-15)	(16.2014)	
24	4314 120 2200	1	Brida (1,3,5-15)	(16.2014)	
25	4226 122 7100	4	Tornillo (1,3,5-15)	(16.2014)	
26	4229 122 6701	1	Tornillo regulador principal (1,3,5-15)	(16.2014)	
27	4229 121 2701	1	Caperuza (1,3,5-15)	(16.2014)	
28	4140 120 6800	1	Tornillo regulador del ralentí (1,3,5-15) □ 29	(16.2014), (46.2012)	
29	4144 121 2700	1	Caperuza (1,3,5-15)	(16.2014), (46.2012)	
30	* 4140 122 6800	1	Tornillo regulador del ralentí (1,3,5-15)	(16.2014), (46.2012)	
31	1123 121 7800	1	Tamiz (1,3,5-15)	(16.2014)	
32	4140 121 0800	1	Tapa de cierre (1,3,5-15)	(16.2014)	
33	4226 121 2700	1	Caperuza (1,3,5-15)	(16.2014)	
34	4140 122 6200	1	Tornillo de tope del ralenti (1,3,5-15)	(16.2014)	
35	1125 122 4200	1	Pieza de apriete (1,3,5-15)	(16.2014)	
36	4228 121 5602	1	Surtidor fijo 0.39 (1,3,5-15)	(16.2014)	
37	1123 120 9700	1	Juego embolo (1,3,5-15)	(16.2014)	
38	1120 121 7801	1	Tamiz (1,3,5-15)	(16.2014)	
	4228 007 1051	1	Juego de piezas del carburador (1,3,5-15) □ 13,14,22,23	(16.2014)	
39	* 4229 121 4700	1	Membrana reguladora (1,3,5-15)	(15.2009)	
40	* 4228 120 2200	1	Brida (1,3,5-15)	(15.2009)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z,
 (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Carburador C1Q-S186B, C1Q-S153, C1Q-S97A

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
41	*	4140 121 5800	1 Embolo (1,3,5-15)	(15.2009)	
42	*	1132 122 3600	1 Anillo de junta (1,3,5-15)	(15.2009)	
43	*	4180 122 3002	1 Resorte (1,3,5-15)	(15.2009)	
	*	4140 007 1060	1 Juego de piezas del carburador (1,3,5-15) □ 13,14,22,39,40	(15.2009)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z



233ET065 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z


Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1 *	4140 120 0620	1	Carburador C1Q-S187A (1) BR □ 4, 5, 7 - 36	(16.2014)	
2 *	4140 120 0617	1	Carburador C1Q-S160 (C) (1) BR □ 4, 6 - 36	(29.2010)	
3 *	4140 120 0614	1	Carburador C1Q-S143 (C) (1) BR □ 4, 6 - 22, 25 - 34, 36 - 41	(15.2009)	
4 *	4140 120 7101	1	Eje de estrangulación con palanca (1)	(16.2014)	
5 *	4140 122 3000	1	Resorte (1)	(16.2014)	
6 *	1123 122 3000	1	Resorte (1)	(29.2010)	
7 *	4128 121 8900	1	Perno (1)	(16.2014)	
8 *	4137 121 8600	1	Arandela (1)	(16.2014)	
9 *	1120 122 9000	1	Arandela de seguridad (1)	(16.2014)	
10 *	4229 121 3303	1	Válvula de estrangulación (1)	(16.2014)	
11 *	1125 122 7403	1	Tornillo de cabeza redonda (1)	(16.2014)	
12 *	1125 122 9001	1	Arandela de seguridad (1)	(16.2014)	
13 *	1129 121 4800	1	Membrana de la bomba (1)	(16.2014)	
14 *	1123 129 0905	1	Junta (1)	(16.2014)	
15 *	1123 121 0800	1	Tapa de cierre (1)	(16.2014)	
16 *	1120 122 7800	1	Tornillo avellanado de cabeza lenticular (1)	(16.2014)	
17 *	4116 121 5100	1	Aguja de admision (1)	(16.2014)	
18 *	1120 122 3004	1	Resorte (1)	(16.2014)	
19 *	1125 121 5000	1	Palanca reguladora de admisión (1)	(16.2014)	
20 *	1120 121 9200	1	Eje (1)	(16.2014)	
21 *	1120 122 6600	1	Tornillo con collar (1)	(16.2014)	
22 *	4229 129 0901	1	Junta (1)	(16.2014)	
23 *	4314 121 4700	1	Membrana reguladora (1)	(16.2014)	
24 *	4314 120 2200	1	Brida (1)	(16.2014)	
25 *	4226 122 7100	4	Tornillo (1)	(16.2014)	
26 *	4229 122 6701	1	Tornillo regulador principal (1)	(16.2014)	
27 *	4140 122 6800	1	Tornillo regulador del ralentí (1)	(16.2014)	
28 *	1123 121 7800	1	Tamiz (1)	(16.2014)	
29 *	4140 121 0800	1	Tapa de cierre (1)	(16.2014)	
30 *	4226 121 2700	1	Caperuza (1)	(16.2014)	
31 *	4140 122 6200	1	Tornillo de tope del ralentí (1)	(16.2014)	
32 *	1125 122 4200	1	Pieza de apriete (1)	(16.2014)	
33 *	4229 121 2701	1	Caperuza (1)	(16.2014)	
34 *	4228 121 5602	1	Surtidor fijo 0.39 (1)	(16.2014)	
35 *	1123 120 9700	1	Juego embolo (1)	(16.2014)	
36 *	1120 121 7801	1	Tamiz (1)	(16.2014)	
*	4228 007 1051	1	Juego de piezas del carburador (1) □ 13, 14, 22, 23	(16.2014)	
37 *	4229 121 4700	1	Membrana reguladora (1)	(15.2009)	
38 *	4228 120 2200	1	Brida (1)	(15.2009)	
39 *	4140 121 5800	1	Embolo (1)	(15.2009)	
40 *	1132 122 3600	1	Anillo de junta (1)	(15.2009)	
41 *	4180 122 3002	1	Resorte (1)	(15.2009)	
*	4140 007 1060	1	Juego de piezas del carburador (1)	(15.2009)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Carburador C1Q-S216, C1Q-S190B
2-MIX

Nº Ref.	Código artículo	Cant. Descripción	Informacione s técnicas	Hasta
		□ 13, 14, 22, 37, 38		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET074 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	* 4140 120 0621	1	Carburador C1Q-S216 (2,4) □ 1 - 5, 7 - 26	(16.2014)	
	* 4140 120 0618	1	Carburador C1Q-S190B (C) (2) □ 1 - 4, 6 - 26	(39.2011)	
1	* 4116 121 5100	1	Aguja de admision (2,4)	(16.2014)	
2	* 4128 122 3000	1	Resorte (2,4)	(16.2014)	
3	* 1125 121 5000	1	Palanca reguladora de admisión (2,4)	(16.2014)	
4	* 1120 121 9200	1	Eje (2,4)	(16.2014)	
5	* 0000 122 7101	1	Tornillo (2,4)	(16.2014)	
6	* 4241 122 6600	1	Tornillo con collar (2)	(39.2011)	
7	* 4241 129 0901	1	Junta (2,4)	(16.2014)	
8	* 4241 121 4700	1	Membrana reguladora (2,4)	(16.2014)	
9	* 4140 120 2204	1	Brida (2,4)	(16.2014)	
10	* 4226 121 2700	1	Caperuza (2,4)	(16.2014)	
11	* 4140 121 0800	1	Tapa de cierre (2,4)	(16.2014)	
12	* 4241 122 7100	4	Tornillo (2,4)	(16.2014)	
13	* 1123 121 7800	1	Tamiz (2,4)	(16.2014)	
14	* 1129 121 4800	1	Membrana de la bomba (2,4)	(16.2014)	
15	* 1123 129 0905	1	Junta (2,4)	(16.2014)	
16	* 4134 121 0802	1	Tapa de cierre (2,4)	(16.2014)	
17	* 4140 122 6200	1	Tornillo de tope del ralenti (2,4)	(16.2014)	
18	* 1125 122 4200	1	Pieza de apriete (2,4)	(16.2014)	
19	* 1120 122 7800	1	Tornillo avellanado de cabeza lenticular (2,4)	(16.2014)	
20	* 4241 122 6702	1	Tornillo regulador principal (2,4)	(16.2014)	
21	* 4229 121 2701	1	Caperuza (2,4)	(16.2014)	
22	* 4140 122 6801	1	Tornillo regulador del ralentí (2,4)	(16.2014)	
23	* 4144 121 2700	1	Caperuza (2,4)	(16.2014)	
24	* 4128 121 8900	1	Perno (2,4)	(16.2014)	
25	* 4137 121 8600	1	Arandela (2,4)	(16.2014)	
26	* 1120 122 9000	1	Arandela de seguridad (2,4)	(16.2014)	
	* 4140 007 1061	1	Juego de piezas del carburador (2,4) □ 7,8,14,15	(16.2014)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




392ET064 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0606	1 Carburador C1Q-S71 (C) (1,3,5-15) □ 1 - 34	(25.2004)	
1	*	4137 120 7100	1 Eje de estrangulación con palanca (1,3,5-15)	(25.2004)	
2	*	1123 122 3000	1 Resorte (1,3,5-15)	(25.2004)	
3	*	4137 121 8900	1 Perno (1,3,5-15)	(25.2004)	
4	*	4137 121 8600	1 Arandela (1,3,5-15)	(25.2004)	
5	*	1120 122 9000	1 Arandela de seguridad (1,3,5-15)	(25.2004)	
6	*	4140 121 3302	1 Válvula de estrangulación (1,3,5-15)	(25.2004)	
7	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3,5-15)	(25.2004)	
8	*	1125 122 9001	1 Arandela de seguridad (1,3,5-15)	(25.2004)	
9	*	1129 121 4800	1 Membrana de la bomba (1,3,5-15)	(25.2004)	
10	*	1123 129 0905	1 Junta (1,3,5-15)	(25.2004)	
11	*	1123 121 0800	1 Tapa de cierre (1,3,5-15)	(25.2004)	
12	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3,5-15)	(25.2004)	
13	*	4116 121 5100	1 Aguja de admision (1,3,5-15)	(25.2004)	
14	*	1120 122 3004	1 Resorte (1,3,5-15)	(25.2004)	
15	*	1125 121 5000	1 Palanca reguladora de admisión (1,3,5-15)	(25.2004)	
16	*	1120 121 9200	1 Eje (1,3,5-15)	(25.2004)	
17	*	1120 122 6600	1 Tornillo con collar (1,3,5-15)	(25.2004)	
18	*	4229 129 0901	1 Junta (1,3,5-15)	(25.2004)	
19	*	4229 121 4700	1 Membrana reguladora (1,3,5-15)	(25.2004)	
20	*	4228 120 2200	1 Brida (1,3,5-15)	(25.2004)	
21	*	4226 122 7100	4 Tornillo (1,3,5-15)	(25.2004)	
22	*	4229 122 6701	1 Tornillo regulador principal (1,3,5-15)	(25.2004)	
23	*	4229 122 6800	1 Tornillo regulador del ralentí (1,3,5-15)	(25.2004)	
24	*	1123 121 7800	1 Tamiz (1,3,5-15)	(25.2004)	
25	*	4140 121 0800	1 Tapa de cierre (1,3,5-15)	(25.2004)	
26	*	4226 121 2700	1 Caperuza (1,3,5-15)	(25.2004)	
27	*	4229 122 6200	1 Tornillo de tope del ralenti (1,3,5-15)	(25.2004)	
28	*	1125 122 4200	1 Pieza de apriete (1,3,5-15)	(25.2004)	
29	*	4229 121 2701	1 Caperuza (1,3,5-15)	(25.2004)	
30	*	4228 121 5602	1 Surtidor fijo 0.39 (1,3,5-15)	(25.2004)	
31	*	4229 121 5800	1 Embolo (1,3,5-15)	(25.2004)	
32	*	4140 122 3600	1 Anillo de junta (1,3,5-15)	(25.2004)	
33	*	4229 122 3001	1 Resorte (1,3,5-15)	(25.2004)	
34	*	1120 121 7801	1 Tamiz (1,3,5-15)	(25.2004)	
	*	4140 007 1060	1 Juego de piezas del carburador (1,3,5-15) □ 9, 10, 18 - 20	(25.2004)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




392ET046 GM

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0603	1 Carburador C1Q-S66 (1,3,5-15) □ 1 - 34	(36.2002)	
1	*	4137 120 7100	1 Eje de estrangulación con palanca (1,3,5-15)	(36.2002)	
2	*	1123 122 3000	1 Resorte (1,3,5-15)	(36.2002)	
3	*	4137 121 8900	1 Perno (1,3,5-15)	(36.2002)	
4	*	4137 121 8600	1 Arandela (1,3,5-15)	(36.2002)	
5	*	1120 122 9000	1 Arandela de seguridad (1,3,5-15)	(36.2002)	
6	*	4140 121 3302	1 Válvula de estrangulación (1,3,5-15)	(36.2002)	
7	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3,5-15)	(36.2002)	
8	*	1125 122 9001	1 Arandela de seguridad (1,3,5-15)	(36.2002)	
9	*	1129 121 4800	1 Membrana de la bomba (1,3,5-15)	(36.2002)	
10	*	1123 129 0905	1 Junta (1,3,5-15)	(36.2002)	
11	*	1123 121 0800	1 Tapa de cierre (1,3,5-15)	(36.2002)	
12	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3,5-15)	(36.2002)	
13	*	4116 121 5100	1 Aguja de admision (1,3,5-15)	(36.2002)	
14	*	1120 122 3004	1 Resorte (1,3,5-15)	(36.2002)	
15	*	1125 121 5000	1 Palanca reguladora de admisión (1,3,5-15)	(36.2002)	
16	*	1120 121 9200	1 Eje (1,3,5-15)	(36.2002)	
17	*	1120 122 6600	1 Tornillo con collar (1,3,5-15)	(36.2002)	
18	*	1129 129 0900	1 Junta (1,3,5-15)	(36.2002)	
19	*	4129 121 4700	1 Membrana reguladora (1,3,5-15)	(36.2002)	
	*	4140 007 1060	1 Juego de piezas del carburador (1,3,5-15) □ 9, 10, 20	(36.2002)	
20	*		1 Brida (D) (1,3,5-15)	(36.2002)	
21	*	4226 122 7100	4 Tornillo (1,3,5-15)	(36.2002)	
22	*	4229 122 6700	1 Tornillo regulador principal (1,3,5-15)	(36.2002)	
23	*	4229 122 6800	1 Tornillo regulador del ralentí (1,3,5-15)	(36.2002)	
24	*	1123 121 7800	1 Tamiz (1,3,5-15)	(36.2002)	
25	*	4140 121 0800	1 Tapa de cierre (1,3,5-15)	(36.2002)	
26	*	4226 121 2700	1 Caperuza (1,3,5-15)	(36.2002)	
27	*	4229 122 6200	1 Tornillo de tope del ralenti (1,3,5-15)	(36.2002)	
28	*	1125 122 4200	1 Pieza de apriete (1,3,5-15)	(36.2002)	
29	*	4229 121 2700	1 Caperuza (1,3,5-15)	(36.2002)	
30	*	4229 121 5603	1 Surtidor fijo 0.37 (1,3,5-15)	(36.2002)	
31	*	4229 121 5800	1 Embolo (1,3,5-15)	(36.2002)	
32	*	4140 122 3600	1 Anillo de junta (1,3,5-15)	(36.2002)	
33	*	4229 122 3001	1 Resorte (1,3,5-15)	(36.2002)	
34	*	1120 121 7801	1 Tamiz (1,3,5-15)	(36.2002)	
	*	1129 007 1062	1 Juego de piezas del carburador (1,3,5-15) □ 9, 10, 18, 19	(36.2002)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET029 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Carburador C1Q-S53A

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0610	1 Carburador C1Q-S58A (1,3,5-15) □ 1 30	(27.2001)	
1	*	4226 120 7100	1 Eje de estrangulación con palanca (1,3,5-15)	(27.2001)	
2	*	1123 122 3000	1 Resorte (1,3,5-15)	(27.2001)	
3	*	4228 121 3301	1 Válvula de estrangulación (1,3,5-15)	(27.2001)	
4	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3,5-15)	(27.2001)	
5	*	1125 122 9001	1 Arandela de seguridad (1,3,5-15)	(27.2001)	
6	*	4137 121 8900	1 Perno (1,3,5-15)	(27.2001)	
7	*	1120 122 9000	1 Arandela de seguridad (1,3,5-15)	(27.2001)	
8	*	1129 121 4800	1 Membrana de la bomba (1,3,5-15)	(27.2001)	
9	*	1123 129 0905	1 Junta (1,3,5-15)	(27.2001)	
10	*	4128 121 0800	1 Tapa de cierre (1,3,5-15)	(27.2001)	
11	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3,5-15)	(27.2001)	
12	*	4116 121 5100	1 Aguja de admision (1,3,5-15)	(27.2001)	
13	*	1123 122 3001	1 Resorte (1,3,5-15)	(27.2001)	
14	*	1125 121 5000	1 Palanca reguladora de admisión (1,3,5-15)	(27.2001)	
15	*	1120 121 9200	1 Eje (1,3,5-15)	(27.2001)	
16	*	1120 122 6600	1 Tornillo con collar (1,3,5-15)	(27.2001)	
17	*	1129 129 0900	1 Junta (1,3,5-15)	(27.2001)	
18	*	4129 121 4700	1 Membrana reguladora (1,3,5-15)	(27.2001)	
19	*	4140 120 2200	1 Brida (1,3,5-15)	(27.2001)	
20	*	4226 122 7100	4 Tornillo (1,3,5-15)	(27.2001)	
21	*	4140 122 6300	1 Tornillo regulador del N.º de revol. del ralentí (1,3,5-15)	(27.2001)	
22	*	4137 122 5100	1 Válvula de escape (1,3,5-15)	(27.2001)	
24	*	1123 121 7800	1 Tamiz (1,3,5-15)	(27.2001)	
25	*	4119 121 0700	1 Placa de cierre (1,3,5-15)	(27.2001)	
26	*	4140 121 0800	1 Tapa de cierre (1,3,5-15)	(27.2001)	
27	*	4226 121 2700	1 Caperuza (1,3,5-15)	(27.2001)	
28	*	4129 121 0700	1 Placa de cierre (1,3,5-15)	(27.2001)	
29	*	4228 121 5600	1 Surtidor fijo 0.43 (1,3,5-15)	(27.2001)	
30	*	4137 121 8600	1 Arandela (1,3,5-15)	(27.2001)	
	*	4227 007 1060	1 Juego de piezas del carburador (1,3,5-15) □ 8, 9, 17, 18	(27.2001)	

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET029 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0601	1 Carburador C1Q-S53A (1,3,5-15) □ 1 30		
1	*	4226 120 7100	1 Eje de estrangulación con palanca (1,3,5-15)		
2	*	1123 122 3000	1 Resorte (1,3,5-15)		
3	*	4137 121 3300	1 Válvula de estrangulación (1,3,5-15)		
4	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3,5-15)		
5	*	1125 122 9001	1 Arandela de seguridad (1,3,5-15)		
6	*	4137 121 8900	1 Perno (1,3,5-15)		
7	*	1120 122 9000	1 Arandela de seguridad (1,3,5-15)		
8	*	1129 121 4800	1 Membrana de la bomba (1,3,5-15)		
9	*	1123 129 0905	1 Junta (1,3,5-15)		
10	*	4128 121 0800	1 Tapa de cierre (1,3,5-15)		
11	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3,5-15)		
12	*	4116 121 5100	1 Aguja de admision (1,3,5-15)		
13	*	1123 122 3001	1 Resorte (1,3,5-15)		
14	*	1125 121 5000	1 Palanca reguladora de admisión (1,3,5-15)		
15	*	1120 121 9200	1 Eje (1,3,5-15)		
16	*	1120 122 6600	1 Tornillo con collar (1,3,5-15)		
17	*	4129 129 0902	1 Junta (1,3,5-15)		
18	*	4129 121 4700	1 Membrana reguladora (1,3,5-15)		
19	*	4140 120 2250	1 Brida (1,3,5-15) □ 17 - 20, 26		
20	*	4226 122 7100	4 Tornillo (1,3,5-15)		
21	*	4140 122 6300	1 Tornillo regulador del N.º de revol. del ralentí (1,3,5-15)		
22	*	4140 122 5100	1 Válvula de escape (1,3,5-15)		
24	*	1123 121 7800	1 Tamiz (1,3,5-15)		
25	*	4119 121 0700	1 Placa de cierre (1,3,5-15)		
26	*	4140 121 0800	1 Tapa de cierre (1,3,5-15)		
27	*	4226 121 2700	1 Caperuza (1,3,5-15)		
28	*	4129 121 0700	1 Placa de cierre (1,3,5-15)		
29	*	4137 121 5600	1 Surtidor fijo 0.41 (1,3,5-15)		
30	*	4137 121 8600	1 Arandela (1,3,5-15)		
	*	4227 007 1060	1 Juego de piezas del carburador (1,3,5-15) □ 8, 9, 17, 18		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET024 GM

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
	*	4140 120 0600	1 Carburador C1Q-S44A (1,3,5-15) □ 1 30		
1	*	4226 120 7100	1 Eje de estrangulación con palanca (1,3,5-15)		
2	*	1123 122 3000	1 Resorte (1,3,5-15)		
3	*	4137 121 3300	1 Válvula de estrangulación (1,3,5-15)		
4	*	1125 122 7403	1 Tornillo de cabeza redonda (1,3,5-15)		
5	*	1125 122 9001	1 Arandela de seguridad (1,3,5-15)		
6	*	4137 121 8900	1 Perno (1,3,5-15)		
7	*	1120 122 9000	1 Arandela de seguridad (1,3,5-15)		
8	*	1129 121 4800	1 Membrana de la bomba (1,3,5-15)		
9	*	1123 129 0905	1 Junta (1,3,5-15)		
10	*	4128 121 0800	1 Tapa de cierre (1,3,5-15)		
11	*	1120 122 7800	1 Tornillo avellanado de cabeza lenticular (1,3,5-15)		
12	*	4116 121 5100	1 Aguja de admision (1,3,5-15)		
13	*	1123 122 3001	1 Resorte (1,3,5-15)		
14	*	1125 121 5000	1 Palanca reguladora de admisión (1,3,5-15)		
15	*	1120 121 9200	1 Eje (1,3,5-15)		
16	*	1120 122 6600	1 Tornillo con collar (1,3,5-15)		
17	*	4129 129 0902	1 Junta (1,3,5-15)		
18	*	4129 121 4700	1 Membrana reguladora (1,3,5-15)		
19	*	4226 120 2200	1 Brida (1,3,5-15)		
20	*	4226 122 7100	2 Tornillo (1,3,5-15)		
21	*	4140 122 6300	1 Tornillo regulador del N.º de revol. del ralentí (1,3,5-15)		
22	*	1128 122 7100	2 Tornillo (1,3,5-15)		
24	*	1123 121 7800	1 Tamiz (1,3,5-15)		
25	*	4119 121 0700	1 Placa de cierre (1,3,5-15)		
26	*	4226 121 0800	1 Tapa de cierre (1,3,5-15)		
27	*	4226 121 2700	1 Caperuza (1,3,5-15)		
28	*	4129 121 0700	1 Placa de cierre (1,3,5-15)		
29	*	1132 121 5640	1 Surtidor fijo 0.40 (1,3,5-15)		
30	*	4137 121 8600	1 Arandela (1,3,5-15)		
	*	4227 007 1060	1 Juego de piezas del carburador (1,3,5-15) □ 8, 9, 17, 18		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET080 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 710 1700	1	Vástago Ø 25,4x1180 mm (1,2) □ 4,5,7,23,24		
2	4140 710 1702	1	Vástago Ø 25,4x1180 mm (3,4) EEUU □ 4,6,7,23,24		
3	4140 710 1700	1	Vástago Ø 25,4x1180 mm (3,4) CDN, AUS, NZ □ 4,5,7,23,24		
4	4144 640 5900	1	Salida de fuerza (1-4) no para los EEUU		
5	0000 967 7275	1	Pictograma de aviso FS (1-3)		
6	0000 967 7274	1	Pictograma de aviso FS (4) EEUU		
7	4130 711 3200	1	Arbol de accionamiento (1-4)		
8	4144 790 1201	1	Empuñadura cerrada (1-4) □ 9, 10		
9	4144 791 9401	1	Abrazadera de sujeción (1-4)		
10	4144 710 9300	1	Tornillo con orejas (1-4)		
11	* 0000 711 2500	1	Casquillo (1-4)		(16.2014)
12	* 4130 790 1300	1	Manillar tubular cerrado (1-4) □ 13 - 17		(16.2014)
13	* 4130 791 2000	1	Funda del manillar (1-4)		(16.2014)
14	* 9075 478 4115	1	Tornillo cilíndrico IS-D5x16 (1-4)		(16.2014)
15	* 4130 791 6805	1	Pieza de apriete (1-4)		(16.2014)
16	* 9041 116 1430	1	Tornillo cilíndrico M6x50 (1-4)		(16.2014)
17	* 9222 068 0900	1	Tuerca cuadrada M6 (1-4)		(16.2014)
18	4140 710 8101	1	Protector (1-4) □ 18, 19		
19	9041 216 1370	1	Tornillo cilíndrico M6x30 (1-4)		
20	9212 260 0900	1	Tuerca hexagonal M6 (1-4)		
21	4130 713 4100	1	Cuchilla (1-4)		
22	9074 478 4405	1	Tornillo para chapa IS-P6x14 (1-4)		
23	4140 716 6200	1	Abrazadera de sujeción (1-4)		
24	9022 313 0930	1	Tornillo cilíndrico IS-M5x8 (1-4)		
25	0781 120 1110	1	Grasa para engranaje 225 g (B) (1-4)		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET081 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Herramientas, Accesorios extra

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	4140 710 1700	1	Vástago Ø 25,4x1180 mm (5,6,11) □ 5, 6, 9, 11, 12		
2	4140 710 1702	1	Vástago Ø 25,4x1180 mm (7-9,14) EEUU, AUS □ 5, 6, 10 - 12		
3	*	1	Vástago Ø 25,4x1385 mm (10) □ 5, 8, 9, 11, 12		
4	4140 710 1706	1	Vástago Ø 25,4x1385 mm (12-15) EEUU, AUS □ 5, 7, 10 - 12		
5	4144 640 5900	1	Salida de fuerza (5-15) no para los EEUU		
6	4130 711 3200	1	Arbol de accionamiento (5-9,11) 1233 mm		
7	4130 711 3210	1	Arbol de accionamiento (12-15) 1439 mm		
8	*	1	Arbol de accionamiento (10)		
9	0000 967 7275	1	Pictograma de aviso FS (5,6,10,11)		
10	0000 967 7274	1	Pictograma de aviso FS (7-9,11-15) EEUU, AUS		
11	4140 716 6200	1	Abrazadera de sujeción (5-15)		
12	9022 313 0930	1	Tornillo cilíndrico IS-M5x8 (5-15)		
13	4140 710 8100	1	Protector (5-15) □ 16, 17		
14	9041 216 1370	1	Tornillo cilíndrico M6x30 (5-15)		
15	9212 260 0900	1	Tuerca hexagonal M6 (5-15)		
16	4130 713 4100	1	Cuchilla (5-15)		
17	9074 478 4405	1	Tornillo para chapa IS-P6x14 (5-15)		
18	4144 790 1201	1	Empuñadura cerrada (5,6,8,11) □ 19, 20		
19	4144 791 9401	1	Abrazadera de sujeción (5,6,8,11)		
20	4144 710 9300	1	Tornillo con orejas (5,6,8,11)		
21	*	1	Distanciador (5-15)	(16.2014)	
22	*	1	Empuñadura cerrada (5-15)	(16.2014)	
23	*	1	Tornillo hexagonal M6x45 (5-15)	(16.2014)	
24	*	1	Arandela 6,4 (5-15)	(16.2014)	
25	*	1	Tuerca de mariposa M6 (5,6,10)	(16.2014)	
26	*	1	Tuerca de mariposa (7-9,11-15) EEUU	(16.2014)	
27	*	1	Pieza postiza de frotación (5-15)	(16.2014)	
28	0781 120 1110	1	Grasa para engranaje 225 g (B) (5-15)		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z




232ET047 GM

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z,
(9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Número de máquina

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1	0000 884 0307	1	Gafas de protección no para AR		
2	4130 710 9000	1	Cinturón de porte (B)		
3	4128 890 3400	1	Llave universal (B)		
4	0000 890 2300	1	Destornillador (B)		
4	0000 890 2305	1	Destornillador (B) disponible únicamente en Brasil		
5	0000 891 0810	1	Bolsa para heramientas (B)		
6	0783 830 2000	1	Pasta de junta Dirko HT rojo (B)		
7	4130 893 7800	1	Passador (B)		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z



232ET077 SC

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z

Número de máquina

Nº Ref.	Código artículo	Cant.	Descripción	Informacione s técnicas	Hasta
1			Posición del número de máquina		

(1) FS 38, (2) FS 38 2-MIX, (3) FS 38-Z, (4) FS 38-Z 2-MIX, (5) FS 45, (6) FS 45 C-E, (7) FS 45 C-E DZ, (8) FS 45 C-E Z, (9) FS 45-DZ, (10) FS 45 L, (11) FS 45-Z, (12) FS 46 C-E DZ, (13) FS 46 C-E Z, (14) FS 46-DZ, (15) FS 46-Z
