

# Sarcasm detection using machine learning algorithms in Twitter: A systematic review

International Journal of  
Market Research  
2020, Vol. 62(5) 578–598

© The Author(s) 2020

Article reuse guidelines:

sagepub.com/journals-permissions

DOI: 10.1177/1470785320921779

journals.sagepub.com/home/mre



**Samer Muthana Sarsam** 

School of Communication, Universiti Sains Malaysia, Penang, Malaysia

**Hosam Al-Samarraie**

School of Media and Performing Arts, Coventry University, Coventry, UK

**Ahmed Ibrahim Alzahrani**

Department of Computer Science, King Saud University, Riyadh, Saudi Arabia

**Bianca Wright**

School of Media and Performing Arts, Coventry University, Coventry, UK

## Abstract

Recognizing both literal and figurative meanings is crucial to understanding users' opinions on various topics or events in social media. Detecting the sarcastic posts on social media has received much attention recently, particularly because sarcastic comments in the form of tweets often include positive words that represent negative or undesirable characteristics. The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) statement was used to understand the application of different machine learning algorithms for sarcasm detection in Twitter. Extensive database searching led to the inclusion of 31 studies classified into two groups: Adapted Machine Learning Algorithms (AMLA) and Customized Machine Learning Algorithms (CMLA). The review results revealed that Support Vector Machine (SVM) was the best and the most commonly used AMLA for sarcasm detection in Twitter. In addition, combining Convolutional Neural Network (CNN) and SVM was found to offer a high prediction accuracy. Moreover, our result showed that using lexical, pragmatic, frequency, and part-of-speech tagging can contribute to the performance of SVM, whereas both lexical and personal features can enhance the performance of CNN-SVM. This work also addressed the main challenges faced by prior scholars when predicting sarcastic tweets. Such knowledge can be useful for future researchers or machine learning developers to consider the major issues of classifying sarcastic posts in social media.

## Corresponding author:

Samer Muthana Sarsam, School of Communication, Universiti Sains Malaysia, Penang 11800, Malaysia.

Email: samersarsam@usm.my

**Keywords**

machine learning algorithms, sarcasm detection, trolling, twitter

**Introduction**

Microblogging platforms are the main mediums for a person to express his or her views, thoughts, and opinions on various topics and events. Sarcasm is a sophisticated form of irony that is commonly found in social networks and microblogging websites, as these platforms often encourage trolling and/or criticism of others. There is a slight difference between irony and sarcasm (Reyes et al., 2012). Sarcasm, as a term, is commonly used to describe an expression of verbal irony (Colston, 2000). It is combined with certain types of irony such as jocularity, hyperbole, rhetorical questions, and understatement (Gibbs, 2000). Kumon-Nakamura et al. (2007) referred to sarcastic irony as an opposite term to the nonsarcastic one. Gibbs and Colston (2007) suggested that irony is often compared with satire and parody. Thus, to characterize sarcasm on Twitter, Parmar et al. (2018) suggested the following: (a) conflict between negative situation and positive sentiment, (b) conflict between positive situation and negative sentiment, (c) Tweet starts with an interjection word, (d) likes and dislikes contradiction, (e) tweet conflicting ubiquitous facts, (f) tweet contains positive sentiment with antonym pair, and (g) tweet conflicting facts that are time sensitive. With a large volume of content being produced on social media and the need to analyze it closely, text classification methods have been introduced to deal with this sophisticated emergent.

In text classification, sarcasm detection is an essential tool that has many implications for several areas, including security, health, and sales (Jain & Hsu, 2015). With the help of sarcasm detection techniques, companies can analyze customers' feelings about their products. This provides crucial help for those companies to boost their product quality (Saha et al., 2017). In sentiment analysis, the sarcasm classification is an essential subtask (Cambria et al., 2015), especially in classifying tweets, for conveying implicit information within the message that a person expresses or shares with others. In addition, the structure of the tweet may also be used to predict sarcasm (e.g., transforming the polarity of a positive/a negative statement into its opposite form). On Twitter, there are several issues that make sarcasm detection a difficult task. Parmar et al. (2018) listed some of the existing challenges in classifying sarcastic tweets. These challenges are (a) the nature of the collected tweets (e.g., Twitter limits 280 characters for posting tweets which may lead to more ambiguity); (b) the collected tweets contain several uncommon words, slang, abbreviations that are of a more informal nature; and (c) there is no predefined structure for sarcasm recognition in Twitter. Consequently, previous studies have applied machine learning techniques to predict sarcasm in tweets (Jain & Hsu, 2015). For instance, Altrabsheh et al. (2015) examined several machine learning techniques, features, and preprocessing levels to recognize sarcasm from students' feedback collected via Twitter. To detect the sarcasm, Altrabsheh et al. (2015) compared several classifiers that were recommended by Tian et al. (2014). The result showed that Complement Naive Bayes (CNB) had the highest recall function. Ren et al. (2018) proposed two different context-augmented neural models to be used for sarcasm detection. Prasad et al. (2017) compared numerous classification algorithms in which they found that Gradient Boost had the best performance with prediction accuracy. Tungthamthiti et al. (2016) proposed a novel approach for recognizing sarcasm in tweets through combining two classification algorithms (Support Vector Machine [SVM] with N-gram features and SVM). Based on these, it can be said that the performance of classifiers is important for accurate predictions when processing expressions in the textual data (Sarsam et al., 2019). In addition, the type of classifiers seems to play a key role in sarcasm

detection. However, in Twitter, limited studies have addressed the efficiency of sarcasm detection algorithms with regard to the utilized features. Therefore, this study reviewed the major sarcasm classifiers, their classification performance, and the features contributed to such performance. This study also explored the challenges faced by prior scholars when attempting to detect sarcastic tweets. Outcomes from this review offer practical implications and recommendations for future scholars about the types of machine learning algorithms and the main features used in the detection of the sarcastic tweets.

## **Sarcasm detection advantages and implications**

Sarcasm is largely used in social networks and microblogging websites, where people mock or criticize in a way that makes it difficult even for humans to tell whether what is said is what is meant. The figurative nature of sarcasm makes it an often-quoted challenge for sentiment analysis (Liu, 2010). It has an implied negative sentiment, but a positive surface sentiment. The challenges of sarcasm and the benefit of sarcasm detection to sentiment analysis have led to an interest in automatic sarcasm detection as a research problem. Automatic sarcasm detection refers to computational approaches that predict whether a given text is sarcastic (Joshi et al., 2017). This motivated several scholars to apply sarcasm detection in several important domains. For instance, sarcasm detection can be applied in a culture-related field. A study by Joshi et al. (2016) explored the aspects that are influencing the prediction quality of sarcastic statements. The researcher believes that such an approach would contribute positively to judging the quality of new data sets. Another work by Kannangara (2018) applied sarcasm detection in classifying people's opinions in politics. In this context, the researchers proposed three models for sociopolitical opinion polarity classification of microblog posts. Also, the researchers proposed a novel sarcasm detection model that uses ideology and fine-grained opinion as features with other linguistic features to classify sarcastic opinions. Besides the political implementation of sarcasm detection, it has a strong implementation in the industry by taking advantage of social media platform. These platforms get evolved into large ecosystems that allow users to present their opinions freely. Therefore, companies leverage this ecosystem to access major public opinion about aspects related to products, services, and to provide real-time customer assistance (Sarsam, 2019). Moreover, these companies have a strong social media presence with an active team for marketing and customer assistance purposes (Rajadesingan et al., 2015). This produces a huge volume of information that is available on social media websites which allows such companies to rely on tools like HootSuite to perform several complicated tasks, including content management, sentiment analysis, and extraction of relevant messages for the company's customer service representatives to respond to. Unfortunately, these tools lack the sophistication to decode nuanced forms of language such as sarcasm that carry indirect messages (Rajadesingan et al., 2015). Hence, with the detection of sarcastic statements, people's emotion can be clearly recognized.

## **Method**

This review was planned, conducted, and reported in adherence to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) statement (Moher et al., 2009). It provides a detailed guideline of the preferred reporting style for systematic reviews and meta-analyses. This review was guided by the following questions: "What are the key data mining algorithms used for sarcasm detection in Twitter?" and "What are the key sarcastic features used to detect sarcastic tweets?"

**Table 1.** Article coding scheme and evaluation.

Code	Classification	Description
S	Study purpose	Studies focusing on sarcasm detection
P	Platform	Twitter platform
C	Class labeling	The labeling mechanism of the target features (i.e., class) such as polarity
M	Machine learning algorithm	The type of machine learning algorithm used (supervised or unsupervised or semi-supervised)
E	Evaluation metrics	The utilized metrics to evaluate the performance of the classifier
L	Language	The language of the study and the data were in English

### Search strategy (identification of studies)

Electronic databases (EMBASE, PubMed, PsycINFO, Web of Science, Scopus, Cochrane Central Register of Controlled Trials [CENTRAL], and Google Scholar) were used to search and retrieve published studies on the role of machine learning algorithms in sarcasm detection. The retrieval process was handled independently by the researchers in which title and abstract screening were conducted in the initial search. Disagreements on the eligibility of the included studies were resolved through discussion between the researchers. However, in the event a resolution was not possible, a third review was consulted. Multiple studies adapted different machine learning algorithms or techniques were grouped under the Adapted Machine Learning Algorithms (AMLA) category. Other studies that developed or semi-adapted AMLA were grouped under the Customized Machine Learning Algorithms (CMLA).


### Data collection and extraction

The searched terms used in this study were [sarcasm detection in social media] or [sarcasm detection in Twitter] or [sarcasm detection]). No beginning date cutoff was used, and the last date of search was performed in November 2018. This search was supported with the entire reference lists from several published work about sarcasm detection in Twitter during the period of 2010 and 2018. The following data were extracted from each study: (a) labeling approach, (b) machine learning algorithm, (c) evaluation metric, and (d) challenges.

### Inclusion criteria

The abstract of each retrieved article was sorted by study type AMLA or CMLA. Our review and coding of the abstracts led to the identification of 576 potential articles. Two readers reviewed and coded each of the 576 articles using the coding scheme. The intercoder reliability for each article was checked based on the coding scheme and evaluation presented in Table 1. Chance-adjusted interrater agreement for study inclusion, determined using the intraclass correlation coefficient (ICC; Shrout & Fleiss, 1979), was 0.81.

Figure 1 shows the selection process of previous studies based on the PRISMA guidelines. Our search of the literature resulted in 3,282 potentially relevant articles. Additional 27 studies were identified from other sources. Duplicates were removed, and abstracts from the remaining 1,641 publications were screened. Initially, non-English articles, articles with limited focus on sarcasm detection, and review articles were excluded ( $N=1,020$ ). The remaining 621 articles were selected



**Figure 1.** Studies selection process.

for further screening based on the inclusion scheme identified above. After removing potential duplicates and assessing each article based on the inclusion criteria above, 31 articles were used to answer the research questions of this review.

**Results**

Our results of the 31 studies on sarcasm detection algorithms are summarized in Table 2. This result showed that the percentage of utilizing the algorithms varied between two groups (AMLA and CMLA). In the AMLA group, SVM was found to be the most frequent algorithm (22.58%), followed by Logistic Regression Method (19.35%), Naïve Bays (9.67%), and Random Forest (6.45%; see Figure 2). However, algorithms in the CMLA group were found to be less frequently used (3.22%) for detecting the sarcastic tweets. Hence, the AMLA group consisted of the algorithm that was most frequently used in sarcasm detection tasks, whereas the CMLA contains the algorithms that are less frequently used in such tasks.

**AMLA**

The major machine learning algorithms, such as SVM, Logistic Regression, Naïve Bays, and Random Forest, were utilized frequently for predicting sarcasm on the Twitter platform (see Figure 3). The following subsection describes each algorithm.

**Table 2.** Utilization frequency of machine learning algorithms.


No.	Author(s)	Labeling approach	Algorithm	Category
1.	Davidov et al. (2010)	Labeling based on discrete range of 1 to 5 where 5 indicates a clearly sarcastic sentence and 1 indicates a clear absence of sarcasm.	Semi-supervised sarcasm identification algorithm (SASI)	CMLA
2.	González-Ibáñez et al. (2011)	Sarcastic (S), positive (P) and negative (N)	SVM	AMLA
3.	Riloff et al. (2013)	Polarity: positive and negative tweets	Bootstrapping	CMLA
4.	Kovaz et al. (2013)	Sarcastic and nonsarcastic	Logistic regression	AMLA
5.	Ptáček et al. (2014)	Sarcastic and nonsarcastic	Maximum Entropy (MaxEnt)	CMLA
6.	Tunghamthiti et al. (2014)	Sarcastic and nonsarcastic (when a tweet contains contradiction of sentiment polarity without coherence between them, it could be regarded as nonsarcastic tweet)	SVM	AMLA
7.	Rajadesingan et al. (2015)	Polarity: positive and negative tweets (in particular sarcastic or nonsarcastic)	Sarcasm Classification Using a Behavioral modeling Approach (SCUBA)	CMLA
8.	Bouazizi and Ohtsuki (2015)	Polarity: positive and negative tweets	SVM	AMLA
9.	Joshi et al. (2015)	Sarcastic or nonsarcastic	LibSVM with RBF kernel	CMLA
10.	Ghosh et al. (2015)	Positive or negative tweets	SVM	AMLA
11.	Cerezo-Costas and Celix-Salgado (2015)	Polarity: positive, negative, and neutral	Logistic regression	AMLA
12.	Bamman and Smith (2015)	Sarcastic and nonsarcastic	Logistic regression	AMLA
13.	Barbieri et al. (2015)	Polarity: positive, negative, and neutral	SVM	AMLA
14.	Signhaniya et al. (2015)	Sarcastic and nonsarcastic	SVM	AMLA
15.	Jain and Hsu (2015)	Sarcastic and nonsarcastic	Logistic regression	AMLA
16.	Bouazizi and Ohtsuki (2016)	Polarity: positive and negative tweets	Random Forest	AMLA
17.	Amir et al. (2016)	Sarcastic and nonsarcastic	Content and User Embedding Convolutional Neural Network (CUE-CNN)	CMLA
18.	Zhang et al. (2016)	Sarcastic and nonsarcastic	Gated recurrent neural network (GRNN)	CMLA
19.	Poria et al. (2016)	Sarcastic and nonsarcastic	CNN-SVM	CMLA
20.	Abercrombie and Hovy (2016)	Sarcastic and nonsarcastic	Logistic regression	AMLA
21.	Ghosh and Veale (2016)	Sarcastic and nonsarcastic	A combination of CNN; Long short-term memory (LSTM) network; and Deep neural network (DNN)	CMLA
22.	Bali and Singh (2016)	Sarcastic and nonsarcastic	Logistic regression	AMLA

(Continued)

**Table 2.** (Continued)

No.	Author(s)	Labeling approach	Algorithm	Category
23.	Tungthamthiti et al. (2016)	Sarcastic and nonsarcastic	SVM	AMLA
24.	Saha et al. (2017)	Polarity: positive, negative or neutral	Naïve Bayes	AMLA
25.	Prasad et al. (2017)	Sarcastic or nonsarcastic	Gradient Boost	CMLA
26.	Tay et al. (2018)	True and false	Multi-dimensional Intra-Attention Recurrent Network (MIARN)	CMLA
27.	Ren et al. (2018)	Polarity: positive and negative tweets	MODEL-KEY	CMLA
28.	Parmar et al. (2018)	Polarity: positive and negative tweets	Feature-based Composite Approach (FBCA)	CMLA
29.	Das et al. (2018)	Labels are two types 0 and 1 indicating the sentence being not sarcastic and sarcastic, respectively	Naïve Bayes	AMLA
30.	Parde and Nielsen (2018)	Polarity: positive and negative tweets	Naïve Bayes	AMLA
31.	Bouazizi and Ohtsuki (2018)	Polarity: positive, negative or neutral	Random Forest	AMLA


CMLA: Customized Machine Learning Algorithms; SVM: Support Vector Machine; AMLA: Adapted Machine Learning Algorithms; RBF: Radial Basis Functions; CNN-SVM: Convolutional Neural Network–Support Vector Machine.



**Figure 2.** The frequency of AMLA's group algorithms.

**SVM**

SVM is the most commonly used algorithm found in the literature for detecting sarcasm on Twitter, particularly due to its efficiency in facilitating the process of sentiment classification (González-Ibáñez et al., 2011). Several labeling methods were also found to be used in labeling the collected



**Figure 3.** The classification of AMLAs for sarcasm detection.

tweets before passing them to the SVM classifier. For example, the polarity method which is a natural language processing (NLP) application was used to categorize text sentiment, thus making it suitable for sarcasm detection. This includes detecting potential changes in users' emotion based on the characteristics of their tweets. Bouazizi and Ohtsuki (2015) used the polarity method to label each either **positive or negative type**. Barbieri et al. (2015) also adopted the polarity technique and added an additional label "neutral" to the detection process. González-Ibáñez et al. (2011) applied polarity by labeling the tweets as sarcastic, positive, and negative, whereas Ghosh et al. (2015) labeled their data as sarcastic sense and literal sense from a negative and positive perspective. Other previous studies, such as Tunthamthiti et al. (2014), Signhaniya et al. (2015), and Tunthamthiti et al. (2016), labeled tweets either sarcastic or nonsarcastic. This generic approach was found to be useful when detecting the full statement/tweets by considering aspects related to "coherence" (e.g., the relationships across multiple sentences). The general concept behind using this approach is that the sarcastic tweets should contain expressions which clearly indicate the references to some words across the tweets. When a tweet contains contradiction of sentiment polarity without coherence between them, it could be regarded as nonsarcastic tweet. The performance results from using the **SVM algorithm ranged between 50.93% and 91.8%**.

Our review also revealed some key challenges when attempting to detect sarcastic tweets using the SVM classifier. For example, González-Ibáñez et al. (2011) found that distinguishing sarcastic from nonsarcastic tweets to be one of the challenges. Ghosh et al. (2015) stated that identifying the sense of a target word using SVM is a hard task. This is because all the tweets  $L_{\text{sent}}$  sense are collected using sentiment hashtags (small pieces of text which usually contain valuable information to extract the sense of a whole sentence) to which they might be lexically more similar to the sense tweets than the literal tweets (Ghosh et al., 2015).



### Logistic regression

Logistic regression was also used to detect sarcasm on Twitter mainly because it is mathematically related to **linear discriminant analysis** (Cliche, 2014). When data or tweets labeling takes place, a straightforward labeling method such as sarcastic and nonsarcastic can be used to effectively facilitate the detection of sarcasm (Abercrombie & Hovy, 2016; Bali & Singh, 2016; Jain & Hsu, 2015; Kovaz et al., 2013). Cerezo-Costas & Celix-Salgado (2015) adopted a special method to label their tweets; this method called the **"Conditional Random Fields (CRFs)."** The authors utilized CRFs to obtain the scope of polarity modifiers and shifters (e.g., negation and intensification), thus labeling tweets as positive, negative, and neutral. Using this algorithm for sarcasm detection may offer a performance result ranging between 59.11% and 80.27%.

### Naïve Bayes

Many previous studies relied on the application of Naïve Bayes for various detection purposes. In the context of this study, Naïve Bayes was commonly used to classify tweets' polarity (positive and negative; Parde & Nielsen, 2018). Another way of labeling was established by Das et al. (2018) who utilized two types of labels (0 and 1) by indicating whether the tweet is sarcastic or not sarcastic. **Our review of the literature also showed that the performance of the Naïve Bayes algorithm ranged between 59% and 67.81%.** According to Li et al. (2016), Naïve Bayes does not perform well when Term Frequency-Inverse Document Frequency (TF-IDF) is applied. This can be due to the fact that Naive Bayes does not utilize search for predicting the membership probabilities for each class.


### Random forest

The Random Forest classifier is known to reduce bias due to overfitting and class imbalance between tweets. The polarity approach was the most common approach to labeling sarcastic tweets. Bouazizi and Ohtsuki (2016) used this algorithm to label their data either positive or negative. Later work by Bouazizi and Ohtsuki (2018) used the polarity method for labeling tweets into positive, negative, or neutral. The performance reported by previous studies ranged between 45.9% and 83.1%.

### CMLA

A number of scholars have made some extensions to the standard machine learning algorithms in an attempt to provide a customized classification of sarcasm (see Figure 4). For example, Davidov et al. (2010) used a Semi-supervised Algorithm for Sarcasm Identification (SASI) to detect sarcasm on Twitter. The algorithm consisted of two modules: semi-supervised pattern acquisition for identifying sarcastic patterns that serve as features for a classifier, and a classifier that classifies each sentence to a sarcastic class. The process of labeling the data was based on a discrete range of 1 to 5 where 5 indicates a clearly sarcastic sentence and 1 indicates a clear absence of sarcasm. At the classification stage, SASIs demonstrated excellent performance of 94.7%.

Riloff et al. (2013) developed a sarcasm recognizer approach by presenting a novel bootstrapping algorithm. This method automatically processes the list of positive and negative phrases from sarcastic tweets. The proposed algorithm was able to identify just one type of sarcasm that is common in tweets, that is, contrast between a positive sentiment and negative situation. This is because a common form of sarcastic tweets contains a positive sentiment contrasted with a



**Figure 4.** The classification of CMLAs for sarcasm detection.

negative situation. Riloff et al. (2013) also showed that identifying contrasting contexts using the phrases learned through bootstrapping may potentially improve the overall classification performance to 78%.

Maximum Entropy (MaxEnt) was used by Ptáček et al. (2014) to characterize sarcasm in two languages (English and Czech). Sarcastic and nonsarcastic were the main labels used by Ptáček et al. (2014) to perform the sarcasm detection process. The performance result of MaxEnt was 94.7%. This high performance can be attributed to its structure which consists of character n-gram, skip-bigram, and pointedness.

To provide automatic sarcasm detection, Rajadesingan et al. (2015) used lexical and linguistic cues to address the difficulty of the sarcasm classification task on Twitter through leveraging certain behavioral traits that are perceived to be intrinsic to users expressing sarcasm. Using this method, the authors were able to recognize some traits by comparing between tweets posted by the user through Sarcasm Classification Using a Behavioral modeling Approach (SCUBA). The SCUBA considers psychological and behavioral aspects of sarcasm and leveraging users' historical information to know whether tweets are sarcastic or not expressing sarcasm. The evaluation of the detection process exhibited that SCUBA was able to achieve a high-performance result of 92.94%.

Another study by Joshi et al. (2015) presented a computational system that harnesses context incongruity to perform sarcasm detection on Twitter. They used LibSVM with Radial Basis Functions (RBF) kernel to label their tweets as sarcastic and nonsarcastic. The authors reported

that LibSVM achieved high performance (88%). However, they addressed some errors when applying LibSVM; these were subjective polarity, system incongruity expressed outside the text, incongruity due to numbers, data set granularity, and implicit incongruity.

Amir et al. (2016) introduced a deep neural network technique to accomplish an automated sarcasm detection task. They proposed a method to automatically perform a learning process and then exploit user embeddings with lexical signals to recognize sarcasm. The authors labeled the data as sarcastic and nonsarcastic when Content and User Embedding Convolutional Neural Network (CUE-CNN) algorithm was used. The performance result was 87%, particularly due to the efficiency of CUE-CNN in inducing vector lexical representations using a convolutional layer.

Zhang et al. (2016) investigated the use of neural network for tweet sarcasm detection. Sarcastic and nonsarcastic were used as the main labels. Bidirectional Gated Recurrent Neural Network (GRNN) was invoked to detect the sarcasm with a performance result of 90.74%. This can be due to the nature of the utilized approach, which leveraged the distributed embedding inputs and recurrent neural networks to induce semantic features.

Poria et al. (2016) developed several models based on a pretrained convolutional neural network (CNN) to extract sentiment, emotion, and personality features for the purpose of sarcasm detection. The developed algorithm combines CNN and SVM (CNN-SVM). The results showed extremely high performance for CNN-SVM (97.71%).

Ghosh and Veale (2016) proposed a neural network semantic model for sarcasm detection as an attempt to solve grammatical inaccuracy problems. The proposed neural network model of CNN, Long-Short Term Memory (LSTM), and Deep Neural Network (DNN) showed a performance result of 92%.

It is also worth mentioning that sarcastic tweets can mislead data mining activities and result in wrong classification. Prasad et al. (2017) compared several classification algorithms, such as Random Forest, Gradient Boosting, Decision Tree, Adaptive Boost, Logistic Regression, and Gaussian Naïve Bayes, to classify sarcastic tweets. The data set used two labels (sarcastic and nonsarcastic), and the result showed that the best performing classifier was the Gradient boosting classifier (81.82%). It was assumed that such result can be due to the ability of Gradient boosting to optimize the cost function which aids in the classification of the data set by continuously assessing the features and modifies the classifier to avoid wrong classification.

Tay et al. (2018) proposed an attention-based neural model to explicitly model contrast and incongruity. The proposed technique called Multi-dimensional Intra-Attention Recurrent Network (MIARN) was designed based on the intuition of compositional learning through leveraging intra-sentence relationships. The result of the MIARN achieved high performance of 86.47%.

Ren et al. (2018) pointed out that existing detection techniques have two limitations when detecting sarcasm on Twitter: they rely on discrete models and require a large number of manual features. The authors explored the use of neural network models for classifying the sarcastic tweets using Model-Key (local). This technique depends on the convolutional neural network using two self-developed context-augmented neural models for the sarcasm detection task. Three labels (negative, sarcastic, and positive) were applied and the result showed that the proposed context-augmented neural models can successfully decode sarcastic clues from contextual information and provide a relative improvement in the detection performance (63.28%).

Sarcasm sentiment tweets are used for taunting, insulting, or to make fun of someone. This led Parmar et al. (2018) to consider the potential of live tweets, using a hybrid approach, in processing lexical and hyperbole features, as well as improving the overall performance result. The proposed algorithm was called Feature-based Composite Approach (FBCA). Two lexical and hyperbole features of composite and mapreduce were used to reduce the execution time. The classification result of FBCA achieved a high performance (90%) when predicting whether the live tweets were sarcastic or not.

## Common features of sarcasm detection

In text mining, extracting the features of the data is a critical process for the classification algorithm to form the final decision. During the classification process of text messages, certain features from social media posts can be used as an important factor for detecting sarcasm. Therefore, designing a data set with the relevant features would significantly contribute to the overall machine learning performance. Applying different text mining techniques may result in different features. For each classification algorithm, the main features used to detect the sarcastic tweets are summarized in Table 3.

### *Lexical features*

Lexical features are the most common feature type in text mining. The lexical features consist of unique words, phrases, noun phrases, or named entities that are associated with a score to show its degree of polarity. Using these features for emotion-mining purposes may help in determining the degree of emotions in the text (Yadollahi et al., 2017). The lexical features can be categorized into unigrams- and dictionary-based features (González-Ibáñez et al., 2011). According to Ghosh et al. (2015) and González-Ibáñez et al. (2011), dictionary-based features are derived from a dictionary-sampling method that consists of four general classes: (a) linguistic processes (e.g., adverbs and pronouns), (b) psychological processes such as positive and negative emotions, (c) personal concerns such as work and achievement, and (d) spoken categories (e.g., assent and nonfluencies). Moreover, most dictionary-based features are derived from a list of interjections (e.g., ah, oh, and yeah) and punctuation (e.g., ! and ?). Based on these, it can be observed that the lexical features have more discriminative clues that can be linked with user polarity scores. Thus, checking the polarity of words requires using different methods to estimate its degree with a high precision level.

In the sarcasm detection task, several approaches are usually applied to determine the polarity of words. For example, Tungthamthiti et al. (2014) used SentiStrength and SenticNet to precisely determine the polarity of words. SentiStrength is a sentiment lexicon that relies on linguistic information (e.g., name, label, and comment) and rules to estimate the sentiment strength of English text. SenticNet is an additional method for opinion mining, which aims at producing a collection of common-sense concepts with positive and negative sentiment scores. Nevertheless, Signhaniya et al. (2015) found that using the lexical structure from a dependency tree can help improve the performance of the mining algorithm. In sum, the lexical features are essential elements for solving text mining problems. Lexical features can be used to recognize the polarity of a particular statement, thus making it possible to detect sarcastic tweets.

### *Stemmed features*

Stemming is formulated based on the idea that words with the same stem are close in meaning. The stemming process aims at reducing the words in the word list effectively (Rani et al., 2015). Stemmers can be used to consolidate terms which reduce the size of indexing files as well as enhancing the retrieval performance (Nayak et al., 2016). According to Rani et al. (2015), the stemming process involves using an affix removal algorithm which removes prefixes and suffixes of the word in the document. To accomplish this process accurately, different types of algorithms are used. In general, the stemming algorithms are classified into three groups: truncating methods (e.g., porters stemmer), statistical methods (e.g., hidden Markov model stemmer), and mixed methods (e.g., Krovetz stemmer). Stemming allows applying these algorithms in the data preprocessing stage to extract the stemmed features that belong to the task model. For this reason, Signhaniya

**Table 3.** Common feature-related approaches that were applied for sarcasm detecting in Twitter.

Algorithm	Author(s)	Sarcasm Features							POS	Ambiguity	Synonyms	Personality
		Lexical	Stem	Pragmatic	Frequency	TF-IDF						
SVM	González-Ibáñez et al. (2011)	X		X	X			X				
	Tunghamthiti et al. (2014)	X		X								
	Bouazizi and Ohtsuki (2015)	X		X								
	Ghosh et al. (2015)	X		X	X			X				
	Barbieri et al. (2015)	X			X			X	X			
Logistic regression	Signhaniya et al. (2015)	X	X					X			X	
	Tunghamthiti et al. (2016)	X			X			X				
	Kovaz et al. (2013)	X			X			X				
	Jain and Hsu (2015)	X			X			X				
	Abercrombie and Hovy (2016)	X						X				
Naïve Bayes	Bali and Singh (2016)	X		X				X				
	Saha et al. (2017)	X	X					X				
	Das et al. (2018)	X			X			X				
Random Forest	Parde and Nielsen (2018)	X		X	X							
	Bouazizi and Ohtsuki (2018)	X		X				X				
	Bouazizi and Ohtsuki (2016)	X		X	X			X				
	Davidov et al. (2010)	X			X							
SASl	Riloff et al. (2013)	X						X				
Bootstrapping	Práček et al. (2014)	X		X	X			X				
MaxEnt	Rajadesingan et al. (2015)	X						X				
SCUBA	Joshi et al. (2015)	X						X				
LibSVM	Amir et al. (2016)	X		X								
CUE-CNN	Zhang et al. (2016)	X			X			X				
GRNN	Poria et al. (2016)	X				X						
CNN+SVM	Ghosh and Veale (2016)	X		X								X
CNN + LSTM + DNN	Prasad et al. (2017)	X			X							
Gradient Boost	Tay et al. (2018)	X	X					X				
MIARN	Ren et al. (2018)	X				X						
MODEL-KEY	Parmar et al. (2018)	X			X							
FBCA		X						X				

TF-IDF: Term Frequency-Inverse Document Frequency; SVM: Support Vector Machine; SASl: Semi-supervised Algorithm for Sarcasm Identification; MaxEnt: Maximum Entropy; SCUBA: Sarcasm Classification Using a Behavioral modelling Approach; CUE-CNN: Content and User Embedding Convolutional Neural Network; GRNN: Gated Recurrent Neural Network; Convolutional Neural Network-Support Vector Machine; LSTM: Long Short-Term Memory; DNN: Deep Neural Network; MIARN: Multi-dimensional Intra-Attention Recurrent Network; FBCA: Feature-based Composite Approach.

et al. (2015) used the snowball stemmer in the data preprocessing stage to extract the stemmed features relevant to the sarcasm task. Saha et al. (2017) used the stem Porter operator to generate the stemmed words to perform polarity testing for the sarcasm detection task. Consequently, generating stemmed features during the preprocessing task may simplify the sarcasm detecting process. This is because the stemmed features can reduce inflectional data forms and derivationally related forms of a word, thus influencing the performance of the machine learning algorithm.

### *Pragmatic features*

Symbolic and figurative texts are referred to as pragmatic features (e.g., smiles and other emoticons). These features are frequently used in tweets, mainly due to the limitations in the tweet length. The pragmatic features are a powerful indicator for identifying sarcasm in Twitter. Therefore, in sarcasm classification, many researchers have extracted pragmatic features and used them in the classification process. For example, González-Ibáñez et al. (2011) used three pragmatic features: (a) positive emoticons (e.g., smileys), (b) negative emoticons (e.g., frowning faces), and (c) ToUser, which is used to determine whether a tweet is a reply to another tweet or not. Bali and Singh (2016) used pragmatic features with machine learning algorithms to identify the number of emoticons and expressions in the processed text messages. Parde and Nielsen (2018), on the contrary, used pragmatic features by considering the percentages of strongly subjective positive words, strongly subjective negative words, weakly subjective positive words, and weakly subjective negative words in the instance. Based on these, one can observe the importance of extracting pragmatic features from social media posts. Those features are associated with users' feeling toward a particular topic. This led prior studies to extract the pragmatic features from sarcasm-related tweets and link them with the latent emotion embedded in these tweets to build a rich dictionary that consists of users' emotions in association with their opinions.

### *Frequency-related features*

Frequency-related features are commonly used in a document or a corpus. It reflects the importance of a word in a document or a corpus. Extracting the frequency-related features is a critical task; thus, it can be applied in sarcasm classification in different ways. For instance, Barbieri et al. (2015) used two frequency corpora (the American National Corpus and the VU Amsterdam Metaphors Corpus) to extract three main features: rarest word frequency, frequency mean, and frequency gap. Researchers computed these features by considering only nouns, verbs, adjectives, and adverbs. Bouazizi and Ohtsuki (2016) divided words into two classes: the first class contained words of which the content is important, whereas the other class contained words of which the grammatical function is more important. Davidov et al. (2010) applied word frequency-related features to classify words into high-frequency words (HFWs) and content words (CWs). A word whose corpus frequency is more than  $F_H$  was considered to be a HFW, and vice versa. In conclusion, previous works showed the potential of frequency-related features in the classification of documents and the overall prediction process in sarcasms detection task.

### *TF-IDF*

TF-IDF is a numerical statistic that represents the importance of a word (term) to a document within the corpus. In TF-IDF, the frequency of a word in a document needs to be compared with its number of occurrences in other documents (Cong et al., 2016). TF-IDF is typically used to stop filtering words in text summarization and categorization application. It is also used to increase

proportionally to the number of times that a word appears in a document. However, TF-IDF is generally offset by the frequency of the word in the corpus; therefore, such a technique helps to control the fact that some words are more common than others (Christian et al., 2016). Because of this advantage, previous studies that explored sarcasm detection, adopted TF-IDF to extract features linked to sarcasm. Zhang et al. (2016) used TF-IDF values to sort the words in history tweets. To estimate TF and IDF, the authors regarded the set of history tweets for a given data set as one document and used all tweets in the training corpus to generate additional documents. In addition, Ren et al. (2018) used TF-IDF to sort all words in the sarcastic tweets through modeling all the contextual tweets as one document. They selected the most important words that had the highest TF-IDF values as an input feature of the machine learning algorithm. The utilization of TF-IDF features in sarcasm detection provides a way to determine the importance of a word for a document within the corpus. This can potentially facilitate the process of detecting sarcasm messages by helping machine learning algorithms to deal only with important words when detecting sarcastic tweets.

### ***Part-Of-Speech (POS) taggers***

POS taggers were developed to categorize words based on their POS forms. It is commonly used in sentiment analysis due to the following reasons: (a) words such as nouns and pronouns usually do not contain any sentiment. It can filter out such word with the help of a POS tagger: (b) a POS tagger can also be applied to identify words that can be used in different POS. The advantages of POS tagger have motivated researchers to apply it in the analysis of sarcastic tweets. For example, Ghosh et al. (2015) used POS as an approach to model contextual information for co-training algorithms, which helped in creating a solid corpus and accurate predictions. Kovaz et al. (2013) applied the Stanford POS tagger to annotate each statement of the obtained corpora. The authors were interested in analyzing adjectives, adverbs, and interjection statements, particularly immediate co-occurrences of <adverb + adjective> and <adjective + adjective>. Prasad et al. (2017) reported the potential of using POS tagging in classifying words in a tweet and their POS. It is argued that if a person uses a lot of adjectives, there is a possibility that he or she is providing hints about sarcastic tweets. Another study by Barbieri et al. (2015) used POS by including certain features designed to capture the structure of positive and negative tweets. Consequently, due to the strong contribution of POS tagging to the classification problem, researchers have continuously utilized this technique in statement annotation. Before performing the classification procedure, applying POS tagging in complicated tasks such as sarcasm detection is necessary for assessing whether the statement can be labeled as sarcastic or not.

### ***Ambiguity***

According to Barbieri et al. (2015), if a word has many meanings (synset associated), it is more likely to be used in an ambiguous way. In the sarcasm detection task, Barbieri et al. (2015) calculated (for each word) several aspects, including the maximum number of synsets associated with a single word, the mean synset number of all the words, and the synset gap (i.e., the difference between the two previous features). The authors determined the value of these features by including all the words of each tweet and also by considering only nouns, verbs, adjectives, or adverbs. In general, it is very important to extract words with clear meaning at the very early stage (i.e., data preprocessing stage). The extracted words can highly contribute to the performance of the predictive model and this would enhance the processing decision of the algorithm.



## Synonyms

The synonyms-related features refer to the process of extracting the features that share words of the same meaning. This approach seems to be useful in sarcasm detection when expressing a specific opinion in many ways. Therefore, in the sarcasm detection task, Barbieri et al. (2015) reported the process of choosing synonyms by retrieving the list of synonyms for each word, and then computed (across all the words of the tweet) the greatest/lowest number of synonyms with frequency higher than the one present in the tweet. They also determined the greatest/lowest number of synonyms as well as the mean number of synonyms of the words with frequency greater/lower than the one present in the tweet (gap feature). This includes computing the set of synonyms features along with all the words that contain POS features. Based on this, the use of synonyms would increase the performance of the classifier by processing different features that are relevant to the sarcasm detection task. In addition, synonyms can enrich the training set to be used for training the classifier during the detection task.

## Personality


Over the past few decades, the five-factor (Big Five) model has emerged as one of the dominant models of personality that can be used to understand humans' behavior (Dhou, 2018, 2019). The five-factor model has been widely used to explore various personal psychological aspects (Al-Samarraie et al., 2016, 2018). This makes personality an important factor for sarcasm detection-related tasks. Poria et al. (2016) used the five personality traits, such as Openness, Conscientiousness, Extraversion, Agreeableness, and Neuroticism, for the training process. They then utilized a corpus containing 2,400 essays labeled by one of the five personality traits with a fully connected layer of 150 neurons, which was treated as the main feature. It was found that the use of personality in sarcasm detection is effective. The reason behind that can be due to the fact that tweets contain hidden clues that are related to the individual's opinions/emotions.

From Table 3, it can be observed that CNN-SVM offers the highest classification performance when predicting the sarcastic tweets (97.71%). The mentioned features can be used to add emotional and psychological information to the predictive model, thus contributing to its performance. This can be reasoned to the significant role of both lexical and personal features that were utilized by the CNN-SVM classifier. In addition, embedding features that are related to the individual's personality traits in their post would enhance the performance of the machine learning algorithm (Sarsam & Al-Samarraie, 2018a, 2018b).

## Contribution of sarcastic features to machine learning performance

In this work, we also attempted to identify the sarcastic features that are shared by the machine learning algorithms of both AMLA and CMLA groups, because such features have high contribution to the performance of the classifier. This was achieved by creating a data set of all the features that were used when performing the sarcasm detection task (see Table 3). Then, we clustered the data from each study using the "Hierarchical" clustering algorithm to find feature similarities between classifiers. The clustering results yielded eight distinct groups, shown in Figure 5. Each group contains the algorithms that share the same sarcastic features. From Figure 5, it can be observed that both cluster one (CI-1) and cluster four (CI-4) are having only one independent classifier (SVM and CNN-SVM, respectively). Moreover, SVM belongs to AMLA, whereas CNN-SVM belongs to CMLA. The classification performance of the two machine learning algorithms





**Figure 5.** Cluster analysis result of algorithms and features for sarcasm detection.

was the highest in its group. Thus, it can be said that using lexical, pragmatic, frequency, and POS tagging contribute to the performance of SVM (91.8%), whereas both lexical and personal features can contribute to the performance of CNN-SVM (97.71%).

Findings from this review may offer an in-depth understanding and justification for the performance of the algorithms that have the best performance in sarcasm detection. In other words, the utilized features within the SVM and CNN-SVM algorithms contributed to the quality of their predictions. Hence, using such features would enhance the detection of the sarcastic tweets. This observation helps future researchers and machine learning developers to consider the significant role of the sarcastic features when dealing with certain sarcasm classification problems.

### Conclusion

Sarcasm is a sophisticated form of irony that was extensively found on the Twitter platform. Detecting the sarcastic tweets is an essential matter in text classification and thus has many implications. Therefore, this study reviewed various machine learning algorithms that were used to classify the sarcastic statements in Twitter. In this context, the PRISMA statement was used to provide a detailed guideline of the preferred reporting style for systematic reviews of classification methods that were used to perform sarcasm detection on Twitter. Extensive database searching led to the inclusion of 31 studies classified into two groups: AMLA and CMLA. Our results showed that SVM algorithm was the most used algorithm in the AMLA group for detecting the sarcasm in Twitter platform. In addition, CNN and SVM were found to offer a high prediction performance. However, other CMLAs used different text processing and classification features. The variations in the design parameters of CMLAs resulted in different performance results.

From the classification results, both SVM and CNN-SVM were the most efficient machine learning algorithms to predict sarcasm on Twitter. Our results also showed the potential of lexical, pragmatic, frequency, and POS tagging in improving the SVM performance. Also, we found that both lexical and personal features were the main predictors of sarcasm when using CNN-SVM. Based on these, it can be recommended that certain lexical, pragmatic, frequency, POS tagging, and personal features can be used in the recognition of sarcasm on microblogs. This study also recommends the use of two target labels when detecting the sarcastic statements tweets. Such labeling method (e.g., negative/positive or sarcastic/nonsarcastic) could highly contribute to the learning process of the utilized machine learning algorithm and thus boost the classification task. However, current study was limited by the published literature on sarcasm detection within the Twitter platform only. In addition, as sarcasm is one type of irony, we excluded the work that focused on irony detection. Furthermore, data-related issues such as number of utilized words, characteristics of the normalized instances technique, on one hand, and algorithms-related core parameters such as the kernel type, on the other hand, were not discussed in this review. Based on that, future studies could consider the potential effect underlying such aspects on the performance of AMLAs and CMLAs for sarcasm detection in Twitter platform.

## Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: This project was supported by King Saud University, Deanship of Scientific Research, Community College Research Unit.

## ORCID iD

Samer Muthana Sarsam  <https://orcid.org/0000-0002-7404-1150>

## References

- Abercrombie, G., & Hovy, D. (2016). Putting sarcasm detection into context: The effects of class imbalance and manual labelling on supervised machine classification of twitter conversations. In *Proceedings of the ACL 2016 Student Research Workshop* (pp. 107–113). ACL.
- Al-Samarraie, H., Sarsam, S. M., Alzahrani, A. I., & Alalwan, N. (2018). Personality and individual differences: The potential of using preferences for visual stimuli to predict the Big Five traits. *Cognition, Technology & Work*, 20(3), 337–349.
- Al-Samarraie, H., Sarsam, S. M., Alzahrani, A. I., Alalwan, N., & Masood, M. (2016). The role of personality characteristics in informing our preference for visual presentation: An eye movement study. *Journal of Ambient Intelligence and Smart Environments*, 8(6), 709–719.
- Altrabsheh, N., Cocca, M., & Fallahkhair, S. (2015). Detecting Sarcasm from Students' Feedback in Twitter. In: Conole G., Klobučar T., Rensing C., Konert J., Lavoué E. (eds) *Design for Teaching and Learning in a Networked World. Lecture Notes in Computer Science*, vol 9307, (pp. 551–555). Springer, Cham.
- Amir, S., Wallace, B. C., Lyu, H., & Silva, P. C. M. J. (2016). *Modelling context with user embeddings for sarcasm detection in social media*. <https://arxiv.org/abs/1607.00976>
- Bali, T., & Singh, N. (2016, December). Sarcasm detection: Building a contextual hierarchy. In *Proceedings of the workshop on computational modeling of people's opinions, personality, and emotions in social media (PEOPLES)* (pp. 119–127). The COLING 2016 Organizing Committee.
- Bamman, D., & Smith, N. A. (2015, April). Contextualized sarcasm detection on twitter. In *Proceedings of the ninth international AAI conference on web and social media*. AAAI Press. <https://www.aaai.org/ocs/index.php/ICWSM/ICWSM15/paper/view/10538>
- Barbieri, F., Ronzano, F., & Saggion, H. (2015, June). UPF-taln: SemEval 2015 tasks 10 and 11. Sentiment analysis of literal and figurative language in Twitter. In *Proceedings of the 9th International Workshop*

- on *Semantic Evaluation SemEval (SemEval 2015)* (pp. 704–708). ACL Anthology. <https://www.aclweb.org/anthology/S15-2119/>
- Bouazizi, M., & Ohtsuki, T. (2015, August). Opinion mining in Twitter: How to make use of sarcasm to enhance sentiment analysis. In *IEEE/ACM international conference on advances in social networks analysis and mining (ASONAM)* (pp. 1594–1597). Institute of Electrical and Electronics Engineers.
- Bouazizi, M., & Ohtsuki, T. (2018). Multi-class sentiment analysis in Twitter: What if classification is not the answer. *IEEE Access*, 6, 64486–64502.
- Bouazizi, M., & Ohtsuki, T. O. (2016). A pattern-based approach for sarcasm detection on Twitter. *IEEE Access*, 4, 5477–5488.
- Cambria, E., Poria, S., Bisio, F., Bajpai, R., & Chaturvedi, I. (2015). April). The CLSA model: A novel framework for concept-level sentiment analysis. In: Gelbukh A. (eds) *Computational Linguistics and Intelligent Text Processing. CICLing 2015. Lecture Notes in Computer Science*, vol 9042, (pp. 3–22). Springer, Cham.
- Cerezo-Costas, H., & Celix-Salgado, D. (2015). Gradient-analytics: Training polarity shifters with CRFs for message level polarity detection. In *Proceedings of the 9th international workshop on semantic evaluation SemEval 2015* (pp. 539–544). ACL Anthology.
- Christian, H., Agus, M. P., & Suhartono, D. (2016). Single document automatic text summarization using term frequency-inverse document frequency (TF-IDF). *Comtech: Computer, Mathematics and Engineering Applications*, 7(4), 285–294.
- Cliche, M. (2014). The sarcasm detector: Learning sarcasm from tweets! *The Sarcasm Detector*, accessed June. 20, 2019, <http://www.thesarcasmdetector.com>.
- Colston, H. L. (2000). On necessary conditions for verbal irony comprehension. *Pragmatics & Cognition*, 8(2), 277–324.
- Cong, Y., Chan, Y. B., & Ragan, M. A. (2016). A novel alignment-free method for detection of lateral genetic transfer based on TF-IDF. *Scientific Reports*, 6, 30308.
- Das, R., Kadam, S., Kalra, C., Nayak, V., & Govilkar, S. (2018). *Sarcasm detection for English text*. International Journal of Computer Science and Information Technologies, 2, 1–14.
- Davidov, D., Tsur, O., & Rappoport, A. (2010, July). Semi-supervised recognition of sarcastic sentences in Twitter and Amazon. In *Proceedings of the fourteenth conference on computational natural language learning* (pp. 107–116). Association for Computational Linguistics.
- Dhou, K. (2018, July). Towards a better understanding of chess players' personalities: A study using virtual chess players. In: Kurosu M. (eds) *Human-Computer Interaction. Interaction Technologies. HCI 2018. Lecture Notes in Computer Science*, vol 10903, (pp. 435–446). Springer, Cham.
- Dhou, K. (2019, July). An innovative employment of virtual humans to explore the chess personalities of Garry Kasparov and other class-a players. In: Stephanidis C. (eds) *HCI International 2019 – Late Breaking Papers. HCII 2019. Lecture Notes in Computer Science*, vol 11786, (pp. 306–319). Springer, Cham.
- Ghosh, A., & Veale, T. (2016). Fracking sarcasm using neural network. In *Proceedings of the 7th workshop on computational approaches to subjectivity, sentiment and social media analysis* (pp. 161–169). Association for Computational Linguistics.
- Ghosh, D., Guo, W., & Muresan, S. (2015). Sarcastic or not: Word embeddings to predict the literal or sarcastic meaning of words. In *Proceedings of the 2015 conference on empirical methods in natural language processing* (pp. 1003–1012). Association for Computational Linguistics.
- Gibbs, R., & Colston, H. (2007). The future of irony studies. In R. Gibbs & H. Colston (Eds.), *Irony in language and thought: A cognitive science reader* (pp. 581–595). New York: Erlbaum.
- Gibbs, R. W. (2000). Irony in talk among friends. *Metaphor and Symbol*, 15(1–2), 5–27.
- González-Ibáñez, R., Muresan, S., & Wacholder, N. (2011, June). Identifying sarcasm in Twitter: A closer look. In *Proceedings of the 49th annual meeting of the association for computational linguistics: Human language technologies: Short papers* (Vol. 2, pp. 581–586). Association for Computational Linguistics.
- Jain, S., & Hsu, V. (2015). *The lowest form of wit: Identifying sarcasm in social media*. <https://pdfs.semanticscholar.org/841f/1e6e7521d2c890f3d4503fdbab5e70a3db42.pdf>

- Joshi, A., Bhattacharyya, P., Carman, M., Saraswati, J., & Shukla, R. (2016). *How do cultural differences impact the quality of sarcasm annotation? A case study of Indian annotators and American text* [Paper presentation]. Paper presented at the Proceedings of the 10th SIGHUM Workshop on Language Technology for Cultural Heritage, Social Sciences, and Humanities. <https://www.aclweb.org/anthology/W16-2111.pdf>
- Joshi, A., Bhattacharyya, P., & Carman, M. J. (2017). Automatic sarcasm detection: A survey. *ACM Computing Surveys (CSUR)*, 50(5), 73.
- Joshi, A., Sharma, V., & Bhattacharyya, P. (2015). Harnessing context incongruity for sarcasm detection. In *Proceedings of the 53rd annual meeting of the association for computational linguistics and the 7th international joint conference on natural language processing volume 2: Short Papers* (pp. 757–762). Association for Computational Linguistics.
- Kannangara, S. (2018). *Mining twitter for fine-grained political opinion polarity classification, ideology detection and sarcasm detection*. [https://uploads-ssl.webflow.com/5cd23e823ab9b1f01f815a54/5d10e3d7529e1c19e3e06723\\_Mining%20Twitter%20for%20FineGrained%20Political%20Opinion%20Polarity%20Classification%20Ideology%20Detection%20and%20Sarcasm%20Detection.pdf](https://uploads-ssl.webflow.com/5cd23e823ab9b1f01f815a54/5d10e3d7529e1c19e3e06723_Mining%20Twitter%20for%20FineGrained%20Political%20Opinion%20Polarity%20Classification%20Ideology%20Detection%20and%20Sarcasm%20Detection.pdf)
- Kovaz, D., Kreuz, R. J., & Riordan, M. A. (2013). Distinguishing sarcasm from literal language: Evidence from books and blogging. *Discourse Processes*, 50(8), 598–615.
- Kumon-Nakamura, S., Glucksberg, S., & Brown, M. (2007). How about another piece of pie: The allusional pretense theory of discourse irony. *Journal of Experimental Psychology*, 124, 3–21.
- Li, J., Fong, S., Zhuang, Y., & Khoury, R. (2016). Hierarchical classification in text mining for sentiment analysis of online news. *Soft Computing*, 20(9), 3411–3420.
- Liu, B. (2010). Sentiment analysis and subjectivity. *Handbook of Natural Language Processing*, 2(2010), 627–666.
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *Annals of Internal Medicine*, 151(4), 264–269.
- Nayak, A. S., Kanive, A. P., Chandavekar, N., & Balasubramani, R. (2016). Survey on pre-processing techniques for text Mining. *International Journal of Engineering and Computer Science*, 5(6), 16875–16879.
- Parde, N., & Nielsen, R. (2018, June). Detecting sarcasm is extremely easy. In *Proceedings of the workshop on computational semantics beyond events and roles* (pp. 21–26). Association for Computational Linguistics.
- Parmar, K., Limbasiya, N., & Dhamecha, M. (2018, February). Feature based composite approach for sarcasm detection using MapReduce. In *2018 second international conference on computing methodologies and communication (ICCMC)* (pp. 587–591). Institute of Electrical and Electronics Engineers.
- Poria, S., Cambria, E., Hazarika, D., & Vij, P. (2016). A deeper look into sarcastic tweets using deep convolutional neural networks. <https://arxiv.org/abs/1610.08815>
- Prasad, A. G., Sanjana, S., Bhat, S. M., & Harish, B. S. (2017, October). Sentiment analysis for sarcasm detection on streaming short text data. In *Proceedings of the 2nd International Conference on Knowledge Engineering and Applications (ICKEA)* (pp. 1–5). Institute of Electrical and Electronics Engineers.
- Ptáček, T., Habernal, I., & Hong, J. (2014). Sarcasm detection on Czech and English Twitter. In *Proceedings of COLING 2014, the 25th international conference on computational linguistics: Technical papers* (pp. 213–223). Association for Computational Linguistics.
- Rajadesingan, A., Zafarani, R., & Liu, H. (2015, February). Sarcasm detection on twitter: A behavioral modeling approach. In *Proceedings of the eighth ACM international conference on web search and data mining* (pp. 97–106). Association for Computing Machinery.
- Rani, S. R., Ramesh, B., Anusha, M., & Sathiaselan, J. (2015). Evaluation of stemming techniques for text classification. *International Journal of Computer Science and Mobile Computing*, 4(3), 165–171.
- Ren, Y., Ji, D., & Ren, H. (2018). Context-augmented convolutional neural networks for twitter sarcasm detection. *Neurocomputing*, 308, 1–7.
- Reyes, A., Rosso, P., & Buscaldi, D. (2012). From humor recognition to irony detection: The figurative language of social media. *Data & Knowledge Engineering*, 74, 1–12.

- Riloff, E., Qadir, A., Surve, P., De Silva, L., Gilbert, N., & Huang, R. (2013). Sarcasm as contrast between a positive sentiment and negative situation. In *Proceedings of the 2013 conference on empirical methods in natural language processing* (pp. 704–714). Association for Computational Linguistics.
- Saha, S., Yadav, J., & Ranjan, P. (2017). Proposed approach for sarcasm detection in twitter. *Indian Journal of Science and Technology*, 10(25), 1–8.
- Sarsam, S. M. (2019, February). Reinforcing the decision-making process in chemometrics: Feature selection and algorithm optimization. In *Proceedings of the 2019 8th international conference on software and computer applications* (pp. 11–16). Association for Computing Machinery.
- Sarsam, S. M., & Al-Samarraie, H. (2018a). A first look at the effectiveness of personality dimensions in promoting users' satisfaction with the system. *Sage Open*, 8(2), 1–12.
- Sarsam, S. M., & Al-Samarraie, H. (2018b). Towards incorporating personality into the design of an interface: A method for facilitating users' interaction with the display. *User Modeling and User-adapted Interaction*, 28(1), 75–96.
- Sarsam, S. M., Al-Samarraie, H., & Omar, B. (2019, February). Geo-spatial-based emotions: A mechanism for event detection in microblogs. In *Proceedings of the 2019 8th international conference on software and computer applications* (pp. 1–5).
- Shrout, P. E., & Fleiss, J. L. (1979). Intraclass correlations: Uses in assessing rater reliability. *Psychological Bulletin*, 86(2), 420.
- Signhaniya, A., Shenoy, G., & Kondekar, R. (2015). *Sarcasm detection in social media*. <https://pdfs.semanticscholar.org/6d03/0f9e4854ef27c0ca28e779049ecc2685aa04.pdf>
- Tay, Y., Tuan, L. A., Hui, S. C., & Su, J. (2018). *Reasoning with sarcasm by reading in-between*. <https://arxiv.org/abs/1805.02856>
- Tian, F., Gao, P., Li, L., Zhang, W., Liang, H., Qian, Y., & Zhao, R. (2014). Recognizing and regulating e-learners' emotions based on interactive Chinese texts in e-learning systems. *Knowledge-Based Systems*, 55, 148–164.
- Tungthamthiti, P., Kiyooki, S., & Mohd, M. (2014). Recognition of sarcasms in tweets based on concept level sentiment analysis and supervised learning approaches. In *Proceedings of the 28th Pacific Asia conference on language, information and computing* (pp. 404–413). ACL Anthology.
- Tungthamthiti, P., Shirai, K., & Mohd, M. (2016). Recognition of sarcasm in microblogging based on sentiment analysis and coherence identification. *Journal of Natural Language Processing*, 23(5), 383–405.
- Yadollahi, A., Shahraki, A. G., & Zaiane, O. R. (2017). Current state of text sentiment analysis from opinion to emotion mining. *ACM Computing Surveys*, 50(2), 25.
- Zhang, M., Zhang, Y., & Fu, G. (2016, December). Tweet sarcasm detection using deep neural network. In Y. Matsumoto & R. Prasad (Eds.), *Proceedings of COLING 2016, the 26th international conference on computational linguistics: Technical papers* (pp. 2449–2460). Japan.