Отчёт 6 день

1. Установка ubuntu



2. данные

Login -timpc
pass – admin123

3. Процесс установки



4. Установил PuTTY и подключился к ubuntu

```
timpc@timpc: ~
login as: timpc
timpc@192.168.3.45's password:
Welcome to Ubuntu 25.04 (GNU/Linux 6.14.0-37-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of Вт 28 апр 2026 06:27:59 UTC

  System load:  0.0               Processes:               119
  Usage of /:   48.6% of 9.75GB   Users logged in:         0
  Memory usage: 10%               IPv4 address for enp0s3: 192.168.3.45
  Swap usage:   0%


65 обновлений может быть применено немедленно.
Чтобы просмотреть дополнительные обновления выполните: apt list --upgradable


To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

timpc@timpc:~$
```

5. статус показывает что готов к работе

```
timpc@timpc:~$ sudo systemctl status redis-server
● redis-server.service - Advanced key-value store
     Loaded: loaded (/usr/lib/systemd/system/redis-server.service; enabled; preset: enabled)
     Active: active (running) since Tue 2026-04-28 06:29:13 UTC; 1min 26s ago
 Invocation: c7f555fc17b84833922850e1f98011b6
       Docs: http://redis.io/documentation,
             man:redis-server(1)
   Main PID: 1889 (redis-server)
     Status: "Ready to accept connections"
      Tasks: 5 (limit: 2812)
     Memory: 4.2M (peak: 4.7M)
        CPU: 172ms
     CGroup: /system.slice/redis-server.service
             └─1889 "/usr/bin/redis-server 127.0.0.1:6379"

апр 28 06:29:13 timpc systemd[1]: Starting redis-server.service - Advanced key-value store...
апр 28 06:29:13 timpc systemd[1]: Started redis-server.service - Advanced key-value store.
timpc@timpc:~$
```

6.задаю пароль

```
#
# aclfile /etc/redis/users.acl

# IMPORTANT NOTE: starting with Redis 6 "requirepass" is just a compatibilit
# layer on top of the new ACL system. The option effect will be just setting
# the password for the default user. Clients will still authenticate using
# AUTH <password> as usually, or more explicitly with AUTH default <passwor
# if they follow the new protocol: both will work.
#
# The requirepass is not compatible with aclfile option and the ACL LOAD
# command, these will cause requirepass to be ignored.
#
# requirepass foobared

# New users are initialized with restrictive permissions by default, via the
# equivalent of this ACL rule 'off resetkeys -@all'. Starting with Redis 6.2
# is possible to manage access to Pub/Sub channels with ACL rules as well. T
# default Pub/Sub channels permission if new users is controlled by the
# acl-pubsub-default configuration directive, which accepts one of these val
#
# allchannels: grants access to all Pub/Sub channels
# resetchannels: revokes access to all Pub/Sub channels
#
# From Redis 7.0, acl-pubsub-default defaults to 'resetchannels' permission.
#
# acl-pubsub-default resetchannels

# Command renaming (DEPRECATED).
#
# ------------------------------------------------------------------------
# WARNING: avoid using this option if possible. Instead use ACLs to remove
# commands from the default user, and put them only in some admin user you


timpc@timpc:~$ requirepass admin123
```

7. Пропингован(Работает), пройдена аутентификация

```
timpc@timpc:~$ redis-cli ping
PONG
timpc@timpc:~$ redis-cli
127.0.0.1:6379> AUTH admin123
(error) ERR AUTH <password> called without any password configured for the default user. Are you sure your configuration is correct?
127.0.0.1:6379> exit
timpc@timpc:~$ sudo systemctl restart redis-server
timpc@timpc:~$ redis-cli
127.0.0.1:6379> AUTH admin123
OK
127.0.0.1:6379>
```

8. Успешное подключение в another redis desktop manager



9. Начальное тело сайта

```
timpc@timpc:~$ curl http:/localhost:8080/apps/fusio
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html><head>
<title>301 Moved Permanently</title>
</head><body>
<h1>Moved Permanently</h1>
<p>The document has moved <a href="http://localhost:8080/apps/fusio/">here</a>.</p>
<hr>
<address>Apache/2.4.66 (Debian) Server at localhost Port 8080</address>
</body></html>
timpc@timpc:~$ _
```

10. Окно авторизации



11. API


```
{
    "apiVersion": "8.7.4.0",
    "title": "Fusio",
    "description": "Self-Hosted API Management for Builders.",
    "paymentCurrency": "EUR",
    "categories": [
        "authorization",
        "backend",
        "consumer",
        "default",
        "system"
    ],
    "scopes": [
        "default"
    ],
    "links": [
        {
            "rel": "root",
            "href": "http:\/\/192.168.3.45:8080\/"
        },
        {
            "rel": "apps",
            "href": "http:\/\/192.168.3.45:8080\/apps"
        },
        {
            "rel": "openapi",
            "href": "http:\/\/192.168.3.45:8080\/system\/generator\/spec-openapi"
        },
        {
            "rel": "typeapi",
            "href": "http:\/\/192.168.3.45:8080\/system\/generator\/spec-typeapi"
        },
        {
            "rel": "route",
            "href": "http:\/\/192.168.3.45:8080\/system\/route"
        },
        {
            "rel": "health",
            "href": "http:\/\/192.168.3.45:8080\/system\/health"
        },
        {
            "rel": "oauth2",
            "href": "http:\/\/192.168.3.45:8080\/authorization\/token"
        },
        {
            "rel": "whoami",
            "href": "http:\/\/192.168.3.45:8080\/authorization\/whoami"
        },
        {
            "rel": "api-catalog",
```

12. Итоговое тело сайта

```
</script>
style>:root{--bs-blue:#0d6efd;--bs-indigo:#6610f2;--bs-purple:#6f42c1;--bs-pink:#d63384;--b
-red:#dc3545;--bs-orange:#fd7e14;--bs-yellow:#ffc107;--bs-green:#198754;--bs-teal:#20c997;-
bs-cyan:#0dcaf0;--bs-black:#000;--bs-white:#fff;--bs-gray:#6c757d;--bs-gray-dark:#343a40;--
s-gray-100:#f8f9fa;--bs-gray-200:#e9ecef;--bs-gray-300:#dee2e6;--bs-gray-400:#ced4da;--bs-g
ay-500:#adb5bd;--bs-gray-600:#6c757d;--bs-gray-700:#495057;--bs-gray-800:#343a40;--bs-gray-
00:#212529;--bs-primary:#0d6efd;--bs-secondary:#6c757d;--bs-success:#198754;--bs-info:#0dca
0;--bs-warning:#ffc107;--bs-danger:#dc3545;--bs-light:#f8f9fa;--bs-dark:#212529;--bs-primar
-rgb:13,110,253;--bs-secondary-rgb:108,117,125;--bs-success-rgb:25,135,84;--bs-info-rgb:13,
02,240;--bs-warning-rgb:255,193,7;--bs-danger-rgb:220,53,69;--bs-light-rgb:248,249,250;--bs
dark-rgb:33,37,41;--bs-primary-text-emphasis:#052c65;--bs-secondary-text-emphasis:#2b2f32;-
bs-success-text-emphasis:#0a3622;--bs-info-text-emphasis:#055160;--bs-warning-text-emphasis
#664d03;--bs-danger-text-emphasis:#58151c;--bs-light-text-emphasis:#495057;--bs-dark-text-e
phasis:#495057;--bs-primary-bg-subtle:#cfe2ff;--bs-secondary-bg-subtle:#e2e3e5;--bs-success
bg-subtle:#d1e7dd;--bs-info-bg-subtle:#cff4fc;--bs-warning-bg-subtle:#fff3cd;--bs-danger-bg
subtle:#f8d7da;--bs-light-bg-subtle:#fcfcfd;--bs-dark-bg-subtle:#ced4da;--bs-primary-border
subtle:#9ec5fe;--bs-secondary-border-subtle:#c4c8cb;--bs-success-border-subtle:#a3cfbb;--bs
info-border-subtle:#9eeaf9;--bs-warning-border-subtle:#ffe69c;--bs-danger-border-subtle:#f1
eb5;--bs-light-border-subtle:#e9ecef;--bs-dark-border-subtle:#adb5bd;--bs-white-rgb:255,255
255;--bs-black-rgb:0,0,0;--bs-font-sans-serif:system-ui,-apple-system,"Segoe UI",Roboto,"He
vetica Neue","Noto Sans","Liberation Sans",Arial,sans-serif,"Apple Color Emoji","Segoe UI E
oji","Segoe UI Symbol","Noto Color Emoji";--bs-font-monospace:SFMono-Regular,Menlo,Monaco,C
nsolas,"Liberation Mono","Courier New",monospace;--bs-gradient:linear-gradient(180deg, rgba
255, 255, 255, .15), rgba(255, 255, 255, 0));--bs-body-font-family:var(--bs-font-sans-serif
;--bs-body-font-size:1rem;--bs-body-font-weight:400;--bs-body-line-height:1.5;--bs-body-col
r:#212529;--bs-body-color-rgb:33,37,41;--bs-body-bg:#fff;--bs-body-bg-rgb:255,255,255;--bs-
mphasis-color:#000;--bs-emphasis-color-rgb:0,0,0;--bs-secondary-color:rgba(33, 37, 41, .75)
--bs-secondary-color-rgb:33,37,41;--bs-secondary-bg:#e9ecef;--bs-secondary-bg-rgb:233,236,2
9;--bs-tertiary-color:rgba(33, 37, 41, .5);--bs-tertiary-color-rgb:33,37,41;--bs-tertiary-b
:#f8f9fa;--bs-tertiary-bg-rgb:248,249,250;--bs-heading-color:inherit;--bs-link-color:#0d6ef
d;--bs-link-color-rgb:13,110,253;--bs-link-decoration:underline;--bs-link-hover-color:#0a58c
;--bs-link-hover-color-rgb:10,88,202;--bs-code-color:#d63384;--bs-highlight-color:#212529;-
bs-highlight-bg:#fff3cd;--bs-border-width:1px;--bs-border-style:solid;--bs-border-color:#de
2e6;--bs-border-color-translucent:rgba(0, 0, 0, .175);--bs-border-radius:.375rem;--bs-borde
-radius-sm:.25rem;--bs-border-radius-lg:.5rem;--bs-border-radius-xl:1rem;--bs-border-radius
xxl:2rem;--bs-border-radius-2xl:var(--bs-border-radius-xxl);--bs-border-radius-pill:50rem;-
bs-box-shadow:0 .5rem 1rem rgba(0, 0, 0, .15);--bs-box-shadow-sm:0 .125rem .25rem rgba(0, 0
0, .075);--bs-box-shadow-lg:0 1rem 3rem rgba(0, 0, 0, .175);--bs-box-shadow-inset:inset 0
px 2px rgba(0, 0, 0, .075);--bs-focus-ring-width:.25rem;--bs-focus-ring-opacity:.25;--bs-fo
us-ring-color:rgba(13, 110, 253, .25);--bs-form-valid-color:#198754;--bs-form-valid-border-
olor:#198754;--bs-form-invalid-color:#dc3545;--bs-form-invalid-border-color:#dc3545}*,:afte
,:before{box-sizing:border-box}@media (prefers-reduced-motion:no-preference){:root{scroll-b
havior:smooth}}body{margin:0;font-family:var(--bs-body-font-family);font-size:var(--bs-body
font-size);font-weight:var(--bs-body-font-weight);line-height:var(--bs-body-line-height);co
or:var(--bs-body-color);text-align:var(--bs-body-text-align);background-color:var(--bs-body
bg);-webkit-text-size-adjust:100%;-webkit-tap-highlight-color:transparent}:root{--bs-breakp
oint-xs:0;--bs-breakpoint-sm:576px;--bs-breakpoint-md:768px;--bs-breakpoint-lg:992px;--bs-br
akpoint-xl:1200px;--bs-breakpoint-xxl:1400px}:root{--bs-btn-close-filter: }:root{--bs-carou
```

13. Установка нейросети

```
Usage:  docker [OPTIONS] COMMAND [ARG...]

Run 'docker --help' for more information
timpc@timpc:~/fusio-docker/piper-http/piper-http$ ^C
timpc@timpc:~/fusio-docker/piper-http/piper-http$ docker --version
Docker version 28.2.2, build 28.2.2-0ubuntu1~25.04.1
timpc@timpc:~/fusio-docker/piper-http/piper-http$ docker-compose --version
docker-compose version 1.29.2, build unknown
timpc@timpc:~/fusio-docker/piper-http/piper-http$ ^C
timpc@timpc:~/fusio-docker/piper-http/piper-http$ docker-compose up -d
Creating network "piper-http_default" with the default driver
Creating volume "piper-http_piper-models" with default driver
Pulling piper (artibex/piper-http:latest)...
latest: Pulling from artibex/piper-http
206356c42440: Pull complete
206709444425: Pull complete
bbf418262cbe: Pull complete
43272e9c9d4b: Pull complete
6058de73a84d: Pull complete
a8bd3abbb7b6: Pull complete
12944bc02919: Downloading [=====================>                          ]  108.8MB/249.8
2eb55d0bdc7e: Download complete
4f4fb700ef54: Download complete
8b9c95553bd0: Download complete
bb2ecb33976c: Download complete
117264c87a71: Download complete
a41614e43b8a: Download complete
4728854af3db: Download complete
```