

SX-Con User Manual

Project name: **SX-Con**

Team name: **Stinger Systems**

Team Members

Alexander Bubienko

Colin Heinselman

Colin Henderson

Maksym Komarov

Joe Lee

Tim Liu

Tyler Slagboom

Kyle Valdez

Date: 5/3/2026

Table of Contents

1. Deployment:	2
How to generate a new release.....	3
How to redeploy the application using the github action.....	3
How to redeploy the application using the literal python files.....	4
2. Login	4
GUI Aid(s)	5
How to login	5
How to log out in online mode	5
How to log out in offline mode.....	6
3. Offline Mode	7
How to access offline mode.....	8
How to upload offline tickets.....	8
4. Forgot Password	9
GUI Aid(s)	10
How to change a username's password	11
5. Create New Tab.....	12
GUI Aid(s)	13
How to create a ticket.....	13
How to add to the auto population (via admin subtabs)	14
6. Vendor Tickets Tab	18
GUI Aid(s)	19
How to search for tickets based on vendor information	19
7. Search Tickets Tab	21
GUI Aid(s)	22
How to search for tickets based on ticket information	22
8. Settings Tab	23
GUI Aid(s)	24
How to change the logged in account's theme.....	27

How to change the logged in account's username	27
How to change the logged in account's password.....	28
How to change the logged in account's security questions and answers	28
How to save your themes.....	28
How to load pre-saved theme	28
How to upload offline tickets.....	29
9. Admin Settings Tab.....	29
GUI Aid(s)	30
How to switch between the subtabs	30
10. Users Subtab	30
GUI Aid(s)	31
How to create a new user account.....	37
How to search for existing user accounts	38
How to edit an existing user account	38
How to change a user's password	39
How to delete a user account (via direct database access).....	39
11. Vendors Subtab	40
GUI Aid(s)	41
How to create a new vendor account	51
How to search for existing vendor accounts	52
How to edit an existing vendor account.....	52
How to delete a vendor account (via direct database access)	52
12. Products Subtab	53
GUI Aid(s)	54
How to create a new product	59
How to search for existing products.....	59
How to edit an existing product	60
How to delete a product (via direct database access)	60
13. Records Subtab	60

GUI Aid(s)	61
How to search for an existing record	61
How to edit an existing record (via direct database access)	63
How to delete a record (via direct database access)	64
14. Rates Subtab	65
How to change a product type's rate [Requires Admin Account]	66
15. Database.....	66
How to setup the database config.ini	67
How to access the database	69
How to manipulate data in the database	71

1. Deployment:

Deployment can be done in two ways, executable or repository build.

The executable provides an easier setup that does not require an environment setup other than the config.ini which contains confidential information to connect the program to the database.

The repository build provides a faster program but requires an environment setup as well as the config.ini file.

How to generate a new release

0. Log into github
1. Navigate to the github repository via the following link:
<https://github.com/ifndefy/SX-Con>
2. Navigate to the “Actions” tab or via the following link:
<https://github.com/ifndefy/SX-Con/actions>
3. In the left menu, select “Release to .EXE” workflow
4. Select the “Run workflow” dropdown
5. Select the dropdown menu and select the branch to build an executable from

How to redeploy the application using the github action

1. Navigate to the github repository via the following link:
<https://github.com/ifndefy/SX-Con>
2. Navigate to the “Releases” section or via the following link:
<https://github.com/ifndefy/SX-Con/releases>
3. Locate the latest release
4. Download the appropriate “Source code” zip to your local host
Windows: Source code (zip)
5. Extract the downloaded zip file
6. Create the config.ini file as guided in “How to setup the database config.ini”

6. Run the executable

How to redeploy the application using the literal python files

1. Navigate to the github repository via the following link:

<https://github.com/ifndefy/SX-Con>

2. Click on the “Code” drop down menu
3. Select “Download ZIP”
4. Extract the downloaded zip file
5. Create the config.ini file as guided in “How to setup the database config.ini”
5. Run the python file “SXC.py” to start the program

2. Login

GUI Aid(s)



FIGURE 2.1: THE LOGIN SCREEN

How to login

The program will allow a user to log in using one of two methods.

The first, the user enters valid credentials that matches a User item stored in the Entities container of the database

The second, there is no database connection and the program logs in under offline mode

Should the user not remember their valid credentials, they may select the “Forgot Password” button to reset their password after providing correct answers for the security questions.

If a user does not have an account, they will have to contact an administrator to create one for them via the database.

How to log out in online mode

The screenshot displays the Super X Market SX-Conn application window. The title bar shows 'SX-Conn'. The application has a menu bar with 'Create New', 'Vendor Tickets', 'Search Tickets', 'Settings', and 'Admin Settings'. A 'Logout' button is highlighted in green in the top right corner. Below the menu bar, there are sections for 'Vendor Information' and 'Product Information'. The 'Vendor Information' section includes fields for 'Ticket Number' (189), 'ID' (V ID), 'Phone Number', 'DateTime' (05/03/26 -- 12:36 AM), 'First Name', 'Middle Name', 'Last Name', 'Address', 'City', 'State' (ST), and 'Zip Code'. The 'Product Information' section includes fields for 'ID' (P ID), 'Type', 'Name', 'Notes', 'Rate', 'Price' (\$0.00), 'Qty', and 'Total' (\$0.00). There are three 'Remove Product Line' buttons. Below the product information, there is an 'Add Product Line' button. At the bottom, there are two tables: 'Revenue by Product Type' and 'Revenue Sharing'. The 'Revenue by Product Type' table has columns for 'Type' and 'Total'. The 'Revenue Sharing' table has columns for 'Vendor', 'Amount Sold', and 'Super X'. There are buttons for 'Excel', 'PDF', 'Print', 'Calculate', and 'Create Record'. A 'Clear Form' button is also present. The status bar at the bottom says 'Ready to create record'.

Super X Market SX-Conn

Logout

rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Vendor Information Ticket Number: 189

ID: V ID Phone Number: Phone Number DateTime: 05/03/26 -- 12:36 AM

First Name: First Name Middle Name: Middle Name Last Name: Last Name

Address: Address City: City State: ST Zip Code: Zip

Product Information

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

Add Product Line

Revenue by Product Type

Type	Total
Hot Food	\$0.00
General	\$0.00
Produce	\$0.00
Total	\$0.00

Revenue Sharing

Vendor	Amount Sold	Super X
\$0.00	25%	\$0.00
\$0.00	50%	\$0.00
\$0.00	75%	\$0.00
\$0.00	100%	\$0.00

Excel PDF Print

Calculate Create Record

Clear Form

Ready to create record

FIGURE 2.2: LOG OUT BUTTON LOCATION HIGHLIGHTED IN GREEN IN THE TOP RIGHT

The user can logout of the program by using the logout button located at the top right of the window at all times. The program will return to the login screen on a successful logout.

How to log out in offline mode

Super X Market SX-Con

Logout

rev0.0.0

Create New

Vendor Information

Ticket Number: OFFLINE_1

ID: V ID Phone Number: Phone Number DateTime: 05/03/26 -- 12:37 AM

First Name: First Name Middle Name: Middle Name Last Name: Last Name

Address: Address City: City State: ST Zip Code: Zip

Product Information

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

Add Product Line

Revenue by Product Type

Type	Total
Hot Food	\$0.00
General	\$0.00
Produce	\$0.00
Total	\$0.00

Revenue Sharing

Vendor	Amount Sold	Super X
\$0.00	25%	\$0.00
\$0.00	50%	\$0.00
\$0.00	75%	\$0.00
\$0.00	100%	\$0.00

Excel

PDF

Print

Export Record

Calculate

Clear Form

Ready to create record

FIGURE 2.3: LOGGING OUT IN OFFLINE MODE

Logging out while in offline mode will trigger one of two paths:

1. Network connection has been restored, and the login screen will be able to contact the database which then enables the user to provide credentials to log in with
2. Network connection cannot be made, and the program will reopen offline mode

This leaves the only option of logging out to exiting the program.

3. Offline Mode

How to access offline mode

Offline mode triggers autonomously, when the program starts it the login screen will instantiate, if it is not able to make contact with the database, it will start the program in offline mode with a notification pop up.

Consignments can still be made while the program runs in offline mode.

An “Export Record” button will be instantiated in place of the “Create Record” button. It will export the entered consignment data as a json file which can then be inserted into the database.

How to upload offline tickets

1. Run the program in online mode
2. Navigate to the settings tab
3. Click on “Sync Offline Tickets” button



FIGURE 3.1: SYNC OFFLINE TICKETS BUTTON LOCATION HIGHLIGHTED IN GREEN AT THE BOTTOM OF THE IMAGE


4. Forgot Password

GUI Aid(s)



The login screen for Super X Market SX-Con. It features a brown background with the logo 'Super X Market' in large blue and white stylized text, and 'SX-Con' in smaller blue and white text below it. The version 'rev0.0.8' is displayed in small black text. Below the logo, there are two input fields: 'Username:' with a placeholder 'Enter username' and 'Password:' with a placeholder 'Enter password'. At the bottom, there are two buttons: a blue 'Login' button and a dark red 'Forgot Password' button.

FIGURE 4.1: THE LOGIN SCREEN



The initial 'Forgot Password' pop-up window for SX-Con. It has a brown background with the title 'SX-Con Password Reset' in bold black text. Below the title, there is a 'Username:' label and an input field with the placeholder 'Enter username'. At the bottom, there is a blue button labeled 'Request for Username'.

FIGURE 4.2: THE INITIAL “FORGOT PASSWORD” POP UP WINDOW

Security Question 1:

What was your first pet's name?

Answer 1:

Enter answer for question 1

Security Question 2:

What was your mother's maiden name?

Answer 2:

Enter answer for question 2

Update Cancel

FIGURE 4.3: THE SECOND “FORGOT PASSWORD” POP UP WINDOW AFTER A SUCCESSFUL USERNAME INPUT

Enter New Password

New Password:

Enter new password

Confirm Password:

Confirm new password

Update Cancel

FIGURE 4.4: THE FINAL “FORGOT PASSWORD” POP UP WINDOW AFTER ALL SUCCESSFUL INPUTS

How to change a username’s password

A user can click the Forgot Password button, shown at the bottom of Figure 4.1, on the login screen to access the password reset prompt.

User will then be prompted to enter their username, as shown in Figure 4.2. Once username is entered, the user can either press the enter key or click the Request for Username button. This will trigger a database check for the entered username and, if the username is found, bring the user to the security questions screen.

The security questions prompt, as shown in figure 4.3, will display two security questions associated with the selected account, as set up in account creation. The user must enter both answers exactly as they answered them during account creation, and then either press the enter key or click the update button. The database will again be queried to see if the answers match. If they do, the program will move to the new password prompt. The user can also cancel this process through the cancel button.

Lastly, the user will be prompted to enter a new password and confirm that password, as shown in Figure 4.4. Password must be between 4 and 25 characters. If both fields match and the new password fits the criteria for a valid password, the user can click update to successfully change the selected account's password. The new password will now be usable for that account's login process. The reset password process can again be cancelled through the cancel button.

5. Create New Tab

GUI Aid(s)

The screenshot shows the 'Super X Market SX-Con' application window. The 'Create New' tab is active, highlighted in green. The interface is divided into several sections:

- Vendor Information:** Includes fields for Ticket Number (188), ID (V ID), Phone Number, DateTime (05/02/26 -- 01:36 PM), First Name, Middle Name, Last Name, Address, City, State (ST), and Zip Code.
- Product Information:** Contains three identical product entry sections. Each section has fields for ID (P ID), Type (dropdown), Name, Notes, Rate, Price (\$0.00), Qty, and Total (\$0.00). A 'Remove Product Line' button is next to each section.
- Revenue by Product Type:** A table showing revenue for different product types.
- Revenue Sharing:** A table showing revenue sharing details for Vendor, Amount Sold, and Super X.
- Buttons:** 'Clear Form', 'Calculate', 'Excel', 'PDF', 'Print', and 'Create Record'.
- Status Bar:** Displays 'Ready to create record'.

Type	Total
Hot Food	\$0.00
General	\$0.00
Produce	\$0.00
Total	\$0.00

Vendor	Amount Sold	Super X
\$0.00	25%	\$0.00
\$0.00	50%	\$0.00
\$0.00	75%	\$0.00
\$0.00	100%	\$0.00

FIGURE 5.1: THE CREATE NEW TAB

How to create a ticket

A Consignment Ticket can be created using the following steps and assuming all inputs are valid:

1. Enter all required fields in the Vendor Information section.

All but the middle name is a required field for the Vendor

2. Enter data for at least one product section.

The program starts with 3 product sections, but only one needs to be populated prior to Consignment creation

All input fields of a product section are required to be entered

- a. Entry of a Product Type, Price, and Quantity will trigger the Total to be calculated for the product section

3. Click on “Create Record” button

The Revenue fields will be populated through a bank currency method,
meaning the Calculate button will trigger without having to implicitly click on it first.

If all entered data is valid, the consignment will successfully be:

- Uploaded to the database
- Have a PDF created
- Have the PDF printed

Should there be invalid data, the program will reject the creation attempt and flag the field with invalid data.

The screenshot shows the 'Super X Market SX-Con' application interface. The 'Create New' button is highlighted in green. The 'Vendor Information' section includes fields for ID, Phone Number, DateTime, First Name, Middle Name, Last Name, Address, City, State, and Zip Code. The 'Product Information' section includes fields for ID, Type, Name, Notes, Rate, Price, Qty, and Total. The 'Revenue by Product Type' section includes a table with columns for Type, Total, Vendor, Amount Sold, and Super X. The 'Calculate' button is highlighted in blue. A red error message at the bottom states 'Invalid product type: None'.

FIGURE 5.2: INVALID PRODUCT TYPE CAUSES RECORD CREATION TO FAIL

How to add to the auto population (via admin subtabs)

In a new database, there will not be any data to use the auto population feature, however once items exist in the database, the auto population methods can be called using the Vendor ID, Phone Number, Product ID, or Product Name fields.

1. Enter a value that exists in the database into one of the respective fields
2. Press the Return/Enter key

3. If an item with the input value exists in the database, the input fields will autonomously populate with the item's property values.

All fields except for the calling field will become locked for editing to prevent data changes within the Create New tab.

Super X Market SX-Con Logout rev0.0.0

Create New **Vendor Tickets** **Search Tickets** **Settings** **Admin Settings**

Vendor Information Ticket Number: 188

ID: 2 Phone Number: 222-222-2222 DateTime: 05/02/26 -- 11:00 PM

First Name: second Middle Name: second Last Name: second

Address: 222 second test City: testtest State: TE Zip Code: 22222

Product Information

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

ID: P ID Type: Type Name: Product name Remove Product Line

Notes: Product notes Rate: Rate Price: \$0.00 Qty: Qty Total: \$0.00

Add Product Line

Revenue by Product Type		Revenue Sharing		
Type	Total	Vendor	Amount Sold	Super X
Hot Food	\$0.00	\$0.00	25%	\$0.00
General	\$0.00	\$0.00	50%	\$0.00
Produce	\$0.00	\$0.00	75%	\$0.00
Total	\$0.00	\$0.00	100%	\$0.00

Clear Form Calculate Excel PDF Print Create Record

Autopopulating Vendor fields using vendor_id: 2

FIGURE 5.3: AUTO POPULATION USING VENDOR ID

SX-Con

Super X Market SX-Con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Vendor Information Ticket Number: 188

ID: 8 Phone Number: 111-111-1111 DateTime: 05/02/26 -- 11:00 PM

First Name: Eight Middle Name: None Last Name: EightyEight

Address: 888 Eighty Eight Street City: Eight City State: EE Zip Code: 88888

Product Information

ID: 1	Type: Hot Food	Name: Hot Food	Remove Product Line
Notes: Product notes	Rate: 30%	Price: \$0.00 Qty: Qty	Total: \$0.00
ID: P ID	Type: Type	Name: Product name	Remove Product Line
Notes: Product notes	Rate: Rate	Price: \$0.00 Qty: Qty	Total: \$0.00
ID: P ID	Type: Type	Name: Product name	Remove Product Line
Notes: Product notes	Rate: Rate	Price: \$0.00 Qty: Qty	Total: \$0.00

Add Product Line

Revenue by Product Type		Revenue Sharing		
Type	Total	Vendor	Amount Sold	Super X
Hot Food	\$0.00	\$0.00	25%	\$0.00
General	\$0.00	\$0.00	50%	\$0.00
Produce	\$0.00	\$0.00	75%	\$0.00
Total	\$0.00	\$0.00	100%	\$0.00

Excel PDF Print Create Record

Clear Form Calculate

Autopopulating Vendor fields using phone: 111-111-1111

Super X Market SX-Conn

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Vendor Information

Ticket Number: 188

ID: V ID Phone Number: Phone Number DateTime: 05/02/26 -- 11:00 PM

First Name: First Name Middle Name: Middle Name Last Name: Last Name

Address: Address City: City State: ST Zip Code: Zip

Product Information

ID: 1	Type: Hot Food	Name: Hot Food	Remove Product Line
Notes: Product notes	Rate: 30%	Price: \$0.00 Qty: Qty	Total: \$0.00
ID: P ID	Type: Type	Name: Product name	Remove Product Line
Notes: Product notes	Rate: Rate	Price: \$0.00 Qty: Qty	Total: \$0.00
ID: P ID	Type: Type	Name: Product name	Remove Product Line
Notes: Product notes	Rate: Rate	Price: \$0.00 Qty: Qty	Total: \$0.00

Add Product Line

Type	Total
Hot Food	\$0.00
General	\$0.00
Produce	\$0.00
Total	\$0.00

Vendor	Amount Sold	Super X
\$0.00	25%	\$0.00
\$0.00	50%	\$0.00
\$0.00	75%	\$0.00
\$0.00	100%	\$0.00

Excel

PDF

Print

Create Record

Calculate

Autopopulating with found product name Hot Food

6. Vendor Tickets Tab

GUI Aid(s)

The screenshot displays the 'Super X Market SX-Con' application window. At the top, there is a navigation bar with buttons for 'Create New', 'Vendor Tickets' (which is highlighted in green), 'Search Tickets', 'Settings', and 'Admin Settings'. A 'Logout' button is located in the top right corner. Below the navigation bar, the 'View Vendor Tickets' section contains several input fields: 'Vendor ID' (with a placeholder 'V ID'), 'Phone Number' (with a placeholder 'Phone Number'), 'First Name' (with a placeholder 'First Name'), 'Middle Name' (with a placeholder 'M. Name'), 'Last Name' (with a placeholder 'Last Name'), 'Address' (with a placeholder 'Address'), 'City' (with a placeholder 'City'), 'State' (with a placeholder 'ST'), and 'Zip' (with a placeholder 'Zip'). There are 'Clear' and 'Search' buttons below these fields. The 'Tickets' section below the input fields is currently empty. At the bottom of the window, a status bar indicates 'Switched to Vendor Tickets tab'.

FIGURE 6.1: THE VENDOR TICKETS TAB

How to search for tickets based on vendor information

The Vendor Tickets tab is initially populated with an input field for each vendor's database property. The search triggers autonomously after input and can also be triggered using the Search button. Entering fractional values into a field will trigger a search of vendors whose respective property contains the fractional value. Entering a complete value will further filter the search results. The query returns consignment items in the database where the Vendor is an item that contains the searched query input.

SX-Con

Super X Market SX-Con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

View Vendor Tickets

Vendor ID: Phone Number:

First Name: Middle Name: Last Name:

Address: City: State: Zip:

Clear Search

Tickets

Ticket Number: Datetime: Status: Hide Excel PDF Print Close

ID:	Type: Hot Food	Name:	Sold:	Update
Notes: 2e test - jxl Price: \$9.35 Qty Signed: Qty Remaining: Qty Sold:				
ID:	Type: General	Name:	Sold:	Update
Notes: 2e test - jxl Price: \$8.23 Qty Signed: Qty Remaining: Qty Sold:				
ID:	Type: Produce	Name:	Sold:	Update
Notes: 2e test - jxl Price: \$9.62 Qty Signed: Qty Remaining: Qty Sold:				
ID:	Type: General	Name:	Sold:	Update
Notes: 2e test - jxl Price: \$8.88 Qty Signed: Qty Remaining: Qty Sold:				

Revenue Summary		Grouped Payout Data		Payout	
	Vendor	Super X	Type	Total	
Signed:	\$251.07	\$86.19	Hot Food	\$19.63	
Paid Out:	\$195.37	\$37.00	General	\$71.31	

Calculate Payout

OPENED ticket 187

FIGURE 6.2: A SUCCESSFUL QUERY

After a successful query, the Consignment items from the database with a matching query search will be displayed in the Tickets section of the GUI. Each Consignment can then be interacted with by updating their sold quantities. Payouts can be created through this GUI expansion after successfully updating the quantity sold by increasing the Sold value. Decreasing the sold value is not valid and cannot be updated through this GUI and a payout cannot be created for decremented sold quantities. It is advised that all updating quantities be verified prior to creation as it cannot be undone through these screens.

7. Search Tickets Tab

GUI Aid(s)



FIGURE 7.1: THE SEARCH TICKETS TAB

How to search for tickets based on ticket information

The Search Tickets tab can search for tickets directly using the input fields of Ticket Number, Datetime, or Status.

8. Settings Tab

GUI Aid(s)



The screenshot displays the 'Settings' tab of the Super X Market application. The interface features a top navigation bar with buttons for 'Create New', 'Vendor Tickets', 'Search Tickets', 'Settings' (highlighted in green), and 'Admin Settings'. A 'Logout' button is located in the top right corner. The main content area includes a 'Themes' dropdown menu set to 'Super', a 'Username' field with the value 'bubienko' and a 'Change Username' button, a 'Password' field with a 'Change Password' button, and a 'Security Questions' field with a 'Change Q/A' button. At the bottom of the main area is a 'Sync Offline Tickets' button. Below this are two buttons: 'Load Settings' and 'Save Settings'. A status bar at the very bottom indicates 'User set: bubienko, Admin: True'.

Super X Market sx-con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets **Settings** Admin Settings

Themes: Super

Username: bubienko Change Username

Password: Change Password

Security Questions: Change Q/A

Sync Offline Tickets

Load Settings Save Settings

User set: bubienko, Admin: True

FIGURE 8.1: THE SETTINGS TAB




FIGURE 8.2: THE THEME DROPDOWN MENU



FIGURE 8.3: THE VERIFICATION POP UP WINDOW FOR CHANGE USERNAME



FIGURE 8.4: THE USERNAME FIELD WILL UNLOCK FOR EDITING AFTER SUCCESSFUL VERIFICATION

A dialog box titled "Change Password" with a close button (X) in the top right corner. The main heading is "Enter New Password". It contains two input fields: "New Password:" with a placeholder "Enter new password" and "Confirm Password:" with a placeholder "Confirm new password". At the bottom are two blue buttons: "Update" and "Cancel".

Change Password

Enter New Password

New Password:


Enter new password

Confirm Password:

Confirm new password

Update **Cancel**

FIGURE 8.5: THE VERIFICATION POP UP WINDOW FOR CHANGE PASSWORD

A dialog box titled "Change Security Questions" with a close button (X) in the top right corner. The main heading is "Set New Security Questions and Answers". It contains two sets of input fields. The first set is for "Security Question 1:" with a text input field (placeholder "Enter answer for question 1") and a dropdown menu. The second set is for "Security Question 2:" with a text input field (placeholder "Enter answer for question 2") and a dropdown menu. At the bottom are two blue buttons: "Update" and "Cancel".

Change Security Questions

Set New Security Questions and Answers

Security Question 1:

Enter answer for question 1

Answer 1:

Enter answer for question 1

Security Question 2:

Enter answer for question 2

Answer 2:

Enter answer for question 2

Update **Cancel**

FIGURE 8.6: THE VERIFICATION POP UP WINDOW FOR CHANGE Q/A

How to change the logged in account's theme

1. Click on the drop-down menu to the right of the "Themes:" shown in Figure 8.1.
2. Select the desired theme from the 10 provided themes shown in Figure 8.2.

How to change the logged in account's username

1. Click on the blue button titled "Change: Username" on the right side of the screen beside your current username shown in Figure 8.2.

2. Enter your credentials to the logged in account that needs the username changed and finish by pressing the blue “Login” button shown in Figure 8.3.
3. Your previous username should now be highlighted and able to be edited. After entering your new desired username, click the blue “Update” button to complete the change shown in Figure 8.4.

How to change the logged in account’s password

1. Click on the blue “Change Password” button on the right side of the screen shown in Figure 8.1.
2. Enter your credentials to the logged in account that needs the password to change and finish by pressing the blue “Login” button shown in Figure 8.3.
3. In the new window that opens labeled “Change Password”, enter your new desired password in the first text box that is labeled “Enter new password.” Reenter the password into the second text box beneath the label “Confirm new password” shown in Figure 8.5.
4. Click the blue “Update” button to complete the password change shown in Figure 8.5.

How to change the logged in account’s security questions and answers

1. Click on the blue “Change Q/A” button on the right side of the screen shown in Figure 8.1.
2. Enter your credentials to the logged in account that needs the security questions changed and finish by pressing the blue “Login” button shown in Figure 8.4.
3. In the new window titled “Change Security Questions” click the drop-down box directly under “Security Question 1:” to select a list of available security questions shown in Figure 8.6.
4. After selecting the first security question in the previous step, enter the answer to the question in the text box directly below “Answer 1:” shown in Figure 8.6.
5. Repeat the process in steps 3 and 4 except for Security Question 2 and Answer 2.
6. Finish the process by clicking the blue “Update” button in the bottom right shown in Figure 8.6.

How to save your themes

1. After selecting your desired theme, click the blue “Save Settings” button at the bottom right to save it, shown in Figure 8.1.

How to load pre-saved theme

1. Click on the blue “Load Settings” button at the bottom left to load your pre-saved theme, shown in Figure 8.1.

How to upload offline tickets

1. Click on the blue “Sync Offline Tickets” button at the bottom to upload your offline tickets, shown in Figure 8.1.

9. Admin Settings Tab

GUI Aid(s)




FIGURE 9.1: THE ADMIN SETTINGS SUBTABS

How to switch between the subtabs

You can click on the different subtabs, by hovering your cursor over them and left click on it.

The subtabs usage will be covered in their own sections.

10. Users Subtab

GUI Aid(s)


The screenshot shows the 'Users' subtab of the 'Super X Market SX-Com' application. The interface includes a top navigation bar with 'Create New', 'Vendor Tickets', 'Search Tickets', 'Settings', and 'Admin Settings'. Below this, a tabbed interface shows 'Users' as the active tab, with other tabs for 'Vendors', 'Products', 'Records', and 'Rates'. The 'View Users' section contains search filters: 'UserID' (with a dropdown 'U ID'), 'Username', 'Last Consignment', 'First Name', 'Last Name', and 'Admin' (a dropdown set to 'admin'). There are 'Clear' and 'Search' buttons. A 'Create New User' button is also present. At the bottom, a status bar indicates 'Switched to Admin Settings tab'.

FIGURE 10.1: THE USERS SUBTAB

This screenshot shows the same 'Users' subtab interface as Figure 10.1, but with search results displayed. The 'View Users' section shows two user entries. Each entry includes fields for 'UserID', 'Username', 'Last Consignment', 'First Name', 'Last Name', and 'Admin'. Below each entry are 'Reset Password' and 'Edit' buttons. The status bar at the bottom indicates 'Found 15 user(s)'.

UserID	Username	Last Consignment	First Name	Last Name	Admin
1	admin		admin	admin	True
2	user	05/02/26 -- 01:03 PM	user	user	False

FIGURE 10.2: A SUCCESSFUL QUERY RESULT

A screenshot of a 'Create New User' pop-up window. The window has a title bar with a close button. The form contains several input fields: Username, First Name, Last Name, Password, Security Question 1, Response for Question 1, Security Question 2, Response for Question 2, and Admin. Each field has a blue button to its right. At the bottom are 'Create' and 'Cancel' buttons.

Create New User [X]

Username:

First Name:

Last Name:

Password:

Security Question 1:
 [Blue button]

Response for Question 1:

Security Question 2:
 [Blue button]

Response for Question 2:

Admin
 [Blue button]

Create **Cancel**

FIGURE 10.3: THE USER CREATION POP UP WINDOW




FIGURE 10.4: THE ERROR POP UP WARNING INDICATING A DUPLICATE USERNAME




FIGURE 10.5: THE ERROR POP UP WARNING INDICATING 2 OF THE SAME SECURITY QUESTIONS ARE SELECTED




FIGURE 10.6: THE ERROR POP UP WARNING INDICATING ONLY 1 SECURITY QUESTION WAS SELECTED




FIGURE 10.7: THE CONFIRMATION POP UP INDICATING A USER WAS SUCCESSFULLY CREATED

UserID:	2	Username:	user	Last Consignment:	05/02/26 -- 01:03 PM
First Name:	user	Last Name:	user	Admin:	False
Reset Password			Save		

FIGURE 10.8: THE UNLOCKED USER FIELDS




FIGURE 10.9: THE ADMIN PASSWORD RESET POP UP WINDOW FOR OTHER USERS




FIGURE 10.10: THE CONFIRMATION POP UP WINDOW FOR WHEN A PASSWORD IS SUCCESSFULLY CHANGED FOR ANOTHER USER BY AN ADMIN




FIGURE 10.11: THE ERROR POP UP WARNING INDICATING THE PASSWORD CHANGE INPUTS DO NOT MATCH




FIGURE 10.12: THE ICON MENU BAR OF THE AZURE DATABASE PORTAL




FIGURE 10.13: THE PORTAL DISPLAY FOR DATABASES




FIGURE 10.14: THE PORTAL DISPLAY FOR NAVIGATING TO THE DATABASE CONTAINERS




FIGURE 10.15: THE PORTAL DISPLAY FOR ITEM MANIPULATION




FIGURE 10.16: THE ITEM (USER) LIST WITH THE ELLIPSES SELECTED




FIGURE 10.17: THE COLUMN EDITOR VIEW

The screenshot shows a web application interface for managing entities. At the top, there are buttons for 'New Item', 'Update', 'Discard', 'Delete', and 'Upload Item'. Below these is a navigation bar with 'Home' and 'Entities.Items' (the active tab). A query bar contains 'SELECT * FROM c' and a placeholder for a query predicate. An 'Apply Filter' button is to the right. Below the query bar is a table with columns: a checkbox, 'id', 'username', and 'keyname'. The table contains five rows: 'testuserA', 'fakeuser', 'ExampleUser' (selected), and 'user'. To the right of the table is a JSON preview for the selected 'ExampleUser' item, showing fields like 'id', 'partitionKey', 'entity_type', 'user_id', 'username', 'first_name', 'last_name', 'password', and 'q1_q'.

	id	username	keyname
☐	user_...	use...	testuserA
☐	user_...	use...	fakeuser
☒	user_...	use...	ExampleUser
☐	user_2	use...	user

```

1  {
2    "id": "user_17",
3    "partitionKey": "user_17",
4    "entity_type": "user",
5    "user_id": 17,
6    "username": "ExampleUser",
7    "first_name": "first",
8    "last_name": "last",
9    "password": "$2b$12$buVkr0rtPsCtgKQffh5Df.77LXFfp36h5
10   "q1_q": "$2b$12$siPqCHZ.9EKVnvPoFiSS.QS5nWPX79KR8nE

```

FIGURE 10.18: THE ITEM LIST WITH THE USERNAME COLUMN VISIBLE AND THE INTENDED USER SELECTED

The screenshot shows a dark-themed dialog box titled 'Confirm delete'. It contains the text 'Are you sure you want to delete the selected item?'. At the bottom right, there are two buttons: 'Delete' (highlighted in blue) and 'Cancel'.

FIGURE 10.18: THE CONFIRM DELETE MESSAGE

The screenshot shows a dark-themed message box titled 'Deleting 1 document(s)'. Below the title, it says 'Successfully deleted 1 document(s)'. At the bottom right, there is a blue button labeled 'Close'.

FIGURE 10.19: SUCCESSFUL USER DELETION MESSAGE

How to create a new user account

1. Click on the “Create New User” button near the top right corner of the screen shown in Figure 10.1.
2. Enter the Username, First Name, Last Name, Password, and two different Security Questions and Answers for the new user. The security questions and answers will be used by the user if they ever forget their password.
3. Click the “Admin” field and select “True” if you want the new user to be an Admin and select “False” if you want the new user to be a standard user.
4. Finally, click the “Create” button at the bottom of the form. After a few seconds, a popup message will notify you that the new user was successfully created, as shown in Figure 10.7.
5. Potential Errors:
 - a. If the entered Username already exists, you will see a popup message that says, “Username already in use” as shown in Figure 10.4. If this happens, simply change the username and continue.
 - b. If either Security Question is left blank, then a popup message titled “Please select both security questions” is displayed, as shown in Figure 10.6. If this happens, simply press “OK” and ensure two different security questions are selected.
 - c. If two of the same security questions are chosen, then a popup message titled “Please select two different security questions” will display, as shown in Figure 10.5.

How to search for existing user accounts

1. Enter information into the input fields shown in Figure 10.1, corresponding to the user you want to find. If you are unsure of what information to enter, or are looking for any user, then leave all fields blank to view all users.
2. If results do not automatically display, then click the “Search” button near the right, and any users with information matching that in the input fields will appear below the search buttons, as shown in Figure 10.2.
3. If several users appear in the search results, you may need to scroll while hovering over the other users’ information to view other results and find the user you are looking for.

How to edit an existing user account

1. After having searched for a user, click the “Edit” button corresponding to the user you want to edit, as shown in Figure 10.2.

2. The Username, First Name, Last Name, and Admin fields which were previously unable to be edited are now unlocked and able to be edited, as shown in Figure 10.8.
3. To edit the information in any unlocked field, simply click on the field you want to edit, then type into the field to change it as desired.
4. Once you have made your desired edits, click the “Save” button as shown in Figure 10.8. The previously unlocked fields will now become locked, and any edits you have made to the user’s information will be saved.

How to change a user’s password

1. After searching for the user whose password you want to reset, click the “Reset Password” button, as shown in Figure 10.2.
2. A new popup window titled “Enter New Password” will appear, as shown in Figure 10.9. At the very top of the window will be the text “Reset Password - [user]” with the name of the user whose password you are resetting at the end.
3. Enter the desired new password in both the “New Password” and “Confirm Password” fields, then click the “Update” button
4. A popup window will then appear to notify you that the user’s password was successfully updated.
 - a. If the passwords do not match, then a popup window will appear to notify you of this. In this case, simply click the “OK” button and re-enter the password in both fields to ensure they match, then click the “Update” button again.

How to delete a user account (via direct database access)

1. Navigate to the Azure portal to log in to the database by going to the following URL:
<https://portal.azure.com/auth/login/>
2. Log in using the credentials provided by your admin.
3. Near the top of the page, you will see a list of Azure Services. Click on the service labeled “Azure Cosmos DB” as shown in Figure 10.12.
4. Near the middle-left side of the page, click the link labeled “sxcontext”, as shown in Figure 10.13.
5. Near the center of the screen with the list of items, click the item labeled “Data Explorer”, with the box icon next to it, as shown in Figure 10.14.
 - a. NOTE: Click the icon with the two left arrows “<<” near the top left of the screen to more easily view the data in the Data Explorer.
6. If the button labeled “sxcontest” is not already expanded, click it so that you can see “Consignments and Entities” directly underneath.

7. Click “Entities”, then click the “Items” button that appears directly underneath it, as shown in figure 10.15. On the right side of the screen, you can now see a list of items labeled in the format: “user_X” or “vendor_X”.
8. If the “username” column does not yet exist, click the Ellipses, or three dots “...” at the top of the list, then click “Edit columns”, as shown in Figure 10.16.
9. On the right side of the screen, you will see a search field to look for columns, as shown in Figure 10.17. Click the search bar, enter “name” into the field, click the checkbox for “username”, then click the “Save” button.
10. There will now be a “Username” column above the list, as shown in Figure 10.18. Scroll down the list, looking at the username of each user until you reach the user that you want to delete, then click on that user.
11. Verify that only one user is selected, and that you can see the information for that user on the right side of the screen.
12. Click the “Delete” button above the user data.
13. A popup window will appear asking you to verify that you would like to delete the selected item, as shown in Figure 10.19. If you are sure, then click the “Delete” button.
14. Finally, you will see a message appear on your screen notifying you that the document (user) has been successfully deleted, as shown in Figure 10.20.

11. Vendors Subtab

GUI Aid(s)

The screenshot displays the 'Vendors' subtab within the 'Admin Settings' section of the 'Super X Market SX-con' application. The interface includes a top navigation bar with buttons for 'Create New', 'Vendor Tickets', 'Search Tickets', 'Settings', and 'Admin Settings'. Below this, a sub-navigation bar highlights 'Vendors' among other options like 'Users', 'Products', 'Records', and 'Rates'. The main area is titled 'View Vendors' and contains a form for adding or editing vendor information. The form includes fields for 'VendorID' (with a placeholder 'V ID'), 'Phone Number' (with a placeholder 'Phone Number'), 'Last Consignment' (with a placeholder 'Last Consignment'), 'First Name' (with a placeholder 'First Name'), 'Middle Name' (with a placeholder 'M. Name'), 'Last Name' (with a placeholder 'Last Name'), 'Address' (with a placeholder 'Address'), 'City' (with a placeholder 'City'), 'State' (with a placeholder 'ST'), and 'Zip' (with a placeholder 'Zip'). There are 'Clear' and 'Search' buttons at the bottom of the form. A status bar at the very bottom of the window indicates 'Query and Results cleared'.

Super X Market SX-con

Logout

rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Users Vendors Products Records Rates

View Vendors Create New Vendor

VendorID: V ID Phone Number: Phone Number Last Consignment: Last Consignment

First Name: First Name Middle Name: M. Name Last Name: Last Name

Address: Address City: City State: ST Zip: Zip

Clear Search

Query and Results cleared

FIGURE 11.1: THE VENDORS SUBTAB IN ADMIN SETTINGS

SX-Con

Super X Market SX-con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Users Vendors Products Records Rates

View Vendors

Create New Vendor

VendorID: V ID Phone Number: Phone Number Last Consignment: Last Consignment

First Name: First Name Middle Name: M. Name Last Name: Last Name

Address: Address City: City State: ST Zip: Zip

Clear Search

Query and Results cleared

FIGURE 11.2: THE CREATE NEW VENDOR BUTTON



A screenshot of a software window titled "Create New Vendor" with a close button (X) in the top right corner. The window has a light brown background and contains several input fields for vendor information. The fields are arranged vertically, each with a label above it. The labels are: "VendorID:", "Phone Number:", "First Name:", "Middle Name:", "Last Name:", "Address:", "City:", "State:", and "Zip Code:". The input fields are light orange with a thin border. The "VendorID:" field contains the text "V ID". The "Phone Number:" field contains the text "Phone Number". The "First Name:" field contains the text "First Name". The "Middle Name:" field contains the text "Middle Name". The "Last Name:" field contains the text "Last Name". The "Address:" field contains the text "Address". The "City:" field contains the text "City". The "State:" field contains the text "ST". The "Zip Code:" field contains the text "Zip". At the bottom of the window, there are two blue buttons: "Create" and "Cancel".

Create New Vendor X

VendorID:
V ID

Phone Number:
Phone Number

First Name:
First Name

Middle Name:
Middle Name

Last Name:
Last Name

Address:
Address

City:
City

State:
ST

Zip Code:
Zip

Create **Cancel**

Figure 11.3: The Window for Adding a New Vendor



The image shows a software window titled "Create New Vendor" with a close button (X) in the top right corner. The window contains several input fields for vendor information, each with a label above it: "VendorID:" (with placeholder "V ID"), "Phone Number:" (with placeholder "Phone Number"), "First Name:" (with placeholder "First Name"), "Middle Name:" (with placeholder "Middle Name"), "Last Name:" (with placeholder "Last Name"), "Address:" (with placeholder "Address"), "City:" (with placeholder "City"), "State:" (with placeholder "ST"), and "Zip Code:" (with placeholder "Zip"). At the bottom of the window are two blue buttons: "Create" and "Cancel". The "Create" button is highlighted with a red, hand-drawn, wavy border.

Figure 11.4: Highlighting the Create Button in Create New Vendor Window

SX-Con

Super X Market SX-Con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Users Vendors Products Records Rates

View Vendors

Create New Vendor

VendorID: V ID Phone Number: Phone Number Last Consignment: Last Consignment

First Name: First Name Middle Name: M. Name Last Name: Last Name

Address: Address City: City State: ST Zip: Zip

Clear Search

Query and Results cleared

Figure 11.5: Showing the Search Inputs

SX-Con

Super X Market SX-Con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Users Vendors Products Records Rates

View Vendors

Create New Vendor

VendorID: V ID Phone Number: Phone Number Last Consignment: Last Consignment

First Name: First Name Middle Name: M. Name Last Name: Last Name

Address: Address City: City State: ST Zip: Zip

Clear Search

Query and Results cleared

Figure 11.6: showing the Search button in Vendor Subtab in Admin Setting

SX-Con

Super X Market SX-Con

Logout rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Users Vendors Products Records Rates

View Vendors

Create New Vendor

VendorID: 1 Phone Number: Phone Number Last Consignment: Last Consignment

First Name: First Name Middle Name: M. Name Last Name: Last Name

Address: Address City: City State: ST Zip: Zip

Clear Search

Vendor ID: 1 Phone Number: 111-111-1111 Last Consignment: 05/02/26 -- 01:03 PM

First Name: first test Middle Name: first test Last Name: first test

Address: 111 first test City: first test city State: FT Zip Code: 11111

Edit

Found 1 vendors(s)

Figure 11.7: Showing Where the Edit Button is in Search Section of Vendor Subtab

SX-Con

Super X Market SX-con

Logout

rev0.0.0

Create New Vendor Tickets Search Tickets Settings Admin Settings

Users Vendors Products Records Rates

View Vendors Create New Vendor

VendorID: 1 Phone Number: Phone Number Last Consignment: Last Consignment

First Name: First Name Middle Name: M. Name Last Name: Last Name

Address: Address City: City State: ST Zip: Zip

Clear Search

Vendor ID: 1 Phone Number: 111-111-1111 Last Consignment: 05/02/26 -- 01:03 PM

First Name: first test Middle Name: first test Last Name: first test

Address: 111 first test City: first test city State: FT Zip Code: 11111

Save

Found 1 vendors(s)

Figure 11.8: Showing Where the Save Button is in Search Section of Vendor Subtab




Figure 11.9: the dashboard view of the database




Figure 11.10: where the Container and Data button is in the dashboard view




Figure11.11: where the Entities button is in Container and Data Section




Figure 11.12: where the Entities List is at in the Data Explorer




Figure 11.13: where the Delete Button is at in the Data Explorer




Figure 11.14: where to Confirm your Delete

How to create a new vendor account

1. First, you must be in the vendor subtab in admin settings. (F 11.1)
2. Second, you must click on the “create new user” button. (F11.2)
 - a. You would need to fill in all the required fields (Phone Number, First name, Last Name, Address, City, State, and Zip Code) (F11.3)

- b. There are other fields as well, those are info you can add for more info about the vendor (vendor ID and Middle Name)
 - c. You cannot take a vendor ID that has already been taken.
 3. Third, you click on create to create a vendor (F11.4)
 - a. If it did not create a vendor, then you are missing a field or VendorID is already taken

How to search for existing vendor accounts

1. First, you must be in the vendor subtab in admin settings (F11.1)
2. (optional) you would fill in the fields to specify what you are looking for (VendorID, Phone Number, Last Consignment, First Name, Middle Name, Last Name, Address, City, State, and Zip) (F11.5)
 - a. You could skip this step or fill it in partially, and it will still be able to search.
3. Second, you must click on the “search”, and it will return all vendors based on the inputs you put in. (F11.6)
 - a. If you don’t see any, it might not be because it is an error; there might be no one matching the inputs you put in.

How to edit an existing vendor account

1. First, you must be in the vendor subtab in admin settings(F11.1)
2. Second, you must Follow “How to search for existing vendor accounts” to locate a vendor you want to edit
3. Third, you must click on “edit” button (F11.7)
 - a. You can modify values at this point (values you can modify Phone Number, First name, Middle name, Last name, Address, City, State, Zip Code
4. Fourth, you must click on “Save button” after you modified the values; this will save the values into the database. (F11.8)

How to delete a vendor account (via direct database access)

1. First, you would need to login and enter the database screen (F11.9)
2. Second, you would click on Containers & Data (F11.10)
 - a. You would click on Entities (F11.11)
 - b. Consignments have consignment
 - c. Entities have user, vendor, and product
3. Third, you would need to select the item to delete (F11. 12)
 - a. You would see an id list of product, user, and vendor. You would only need to select the vendor ids.
 - b. You can select multiple vendors with holding ctrl.

4. Fourth, you would click on “Delete” button and confirm it (F11.13 & F11.14)


12. Products Subtab



FIGURE 12.1: THE PRODUCTS SUBTAB



FIGURE 12.2: THE CREATE NEW PRODUCT BUTTON



A dialog box titled "Create New Product" with a close button (X) in the top right corner. It contains three input fields: "Product ID:" with a text input, "Product Name:" with a text input, and "Product Type:" with a dropdown menu. At the bottom, there are two blue buttons: "Create" and "Cancel".

FIGURE 12.3: THE CREATE NEW PRODUCT PROMPT




FIGURE 12.4A: THE PRODUCT ID IN USE ERROR




FIGURE 12.4B: THE PRODUCT NAME IN USE ERROR




FIGURE 12.4C: THE PRODUCT CREATED SUCCESSFULLY WINDOW

The screenshot shows the 'View Products' form with a top navigation bar containing 'Users', 'Vendors', 'Products' (highlighted in green), 'Records', and 'Rates'. Below the navigation bar, the form has a 'Create New Product' button. The main section contains three input fields: 'ProductID:' with the value 'P ID', 'Product Name:' with the value 'Produce Name', and 'Last Consignment:' with the value 'Last Consignment'. Below these is a 'Product Type:' dropdown menu showing 'Produce Type'. At the bottom of the form, there are two blue buttons: 'Clear' on the left and 'Search' on the right. Both buttons are circled in red.

FIGURE 12.5: THE SEARCH AND CLEAR BUTTONS

The screenshot shows the 'View Products' form after a successful search. The top navigation bar is the same. The 'Create New Product' button is still present. The main section now shows the search results. The 'ProductID:' field has the value '999999', 'Product Name:' has 'Example Product', and 'Last Consignment:' is empty. Below these are four more fields: 'Product Type:' with 'General', 'Last Rate:' with '0%', 'Last Price:' with '\$0.00', and 'Average Price:' with '\$0.00'. A blue 'Clear' button is on the left and a blue 'Search' button is on the right. Below the search results, there is a dark red bar with the text 'Edit'. At the bottom of the form, a status bar shows 'Found 1 products(s)'.

FIGURE 12.6A: A SUCCESSFUL SEARCH

Users Vendors **Products** Records Rates

View Products [Create New Product](#)

ProductID: Product Name: Last Consignment:

Product Type:

[Clear](#) [Search](#)

ProductID: 1	Product Name: Hot Food	Last Consignment: 05/03/26 -- 12:24 AM
Product Type: Produce	Last Rate: 25%	Last Price: \$12.34 Average Price: \$4.84
Edit		
ProductID: 2	Product Name: General	Last Consignment: 05/02/26 -- 01:03 PM
Product Type: General	Last Rate: 25%	Last Price: \$8.23 Average Price: \$6.97
Edit		
ProductID: 3	Product Name: Produce	Last Consignment: 05/02/26 -- 01:03 PM
Product Type: Produce	Last Rate: 25%	Last Price: \$9.62 Average Price: \$6.74
Edit		
ProductID: 4	Product Name: Strawberries	Last Consignment: 05/02/26 -- 01:03 PM
Product Type: General	Last Rate: 25%	Last Price: \$8.88 Average Price: \$7.21
Edit		
ProductID: 5	Product Name: Blueberries	Last Consignment:

Found 29 products(s)

FIGURE 12.6B A SUCCESSFUL SEARCH WITH NO PARAMETERS

Users Vendors **Products** Records Rates

View Products [Create New Product](#)

ProductID: Product Name: Last Consignment:

Product Type:

[Clear](#) [Search](#)

ProductID: 999999	Product Name: Example Product	Last Consignment:
Product Type: General	Last Rate: 0%	Last Price: \$0.00 Average Price: \$0.00
Edit		

FIGURE 12.7A: THE EDIT PRODUCT BUTTON

The screenshot shows a web application interface with a top navigation bar containing tabs: Users, Vendors, **Products** (highlighted in green), Records, and Rates. Below the navigation bar is a 'View Products' section. At the top right of this section is a blue button labeled 'Create New Product'. The form contains several input fields: 'ProductID' (999999), 'Product Name' (Produce Name), 'Last Consignment' (Last Consignment), and 'Product Type' (Produce Type). Below these fields are 'Clear' and 'Search' buttons. A second set of fields is visible below, including 'ProductID' (999999), 'Product Name' (Example Product A), 'Last Consignment' (empty), 'Product Type' (Produce), 'Last Rate' (0%), 'Last Price' (\$0.00), and 'Average Price' (\$0.00). A large blue 'Save' button at the bottom of this section is circled in red.

FIGURE 12.7B: THE SAVE EDITS BUTTON

This screenshot shows the same 'View Products' form as Figure 12.7B, but with the 'Save' button replaced by a red 'Edit' button. The product details remain the same: ProductID 999999, Product Name Example Product A, Last Consignment empty, Product Type Produce, Last Rate 0%, Last Price \$0.00, and Average Price \$0.00. The 'Create New Product' button is still present at the top right.

FIGURE 12.7C: A SUCCESSFULLY EDITED PRODUCT




FIGURE 12.8: THE AZURE COSMOS DB BUTTON




FIGURE 12.9A: THE CONTAINERS & DATA BUTTON




FIGURE 12.9B: THE ENTITIES BUTTON




FIGURE 12.10: THE ENTITIES CONTAINER




FIGURE 12.11: SEARCHING AND SELECTING A SPECIFIC PRODUCT IN THE TABLE




FIGURE 12.12: THE DELETE BUTTON




FIGURE 12.13: THE CONFIRM DELETE BUTTON

How to create a new product

1. A new product can be created using the Create New Product button in the top right of the subtab. (figure 12.2)
2. Doing so will open a new window, where the user will be prompted to enter the necessary Product ID, Product Name, and Product Type fields to create the new product. (figure 12.3)
 - a. Potential errors include using the Product ID or Product Name of another product that already exists (figure 12.4A, figure 12.4B), leaving either the Product ID or Product Name fields empty, attempting to enter non-numerical characters to the Product ID field, and attempting to enter non-alphabetical characters to the Product Name field. In the case of the latter two, the program will automatically block any invalid input.
3. Upon successful creation, the user will be met with a window telling them that the product has been created successfully. (figure 12.3C)

How to search for existing products

1. Products can be searched through the Product ID, Product Name, Last Consignment, and Product Type Field.
 - a. Edited fields will automatically fill the query results list with any matching results. (figure 12.6A)
 - b. If the user wants to query all products, they can press the Search button in the bottom right of the fields section to get all existing products. (figure 12.5, figure 12.6B)
 - c. Potential errors include attempting to enter non-numerical characters into the Product ID field and attempting to enter non-alphabetical characters into the Product Name field. Similar to the Create New Product window, these fields will block the incorrect input automatically.
2. Additionally, if the user wants to clear the list of queried products, they can press the Clear button in the bottom left of the fields section to clear the list. (figure 12.6)

How to edit an existing product

1. To edit an existing product, a search must first be done for the product that the user wishes to edit.
2. Once queried, the user can click on the Edit button at the bottom of the result product to edit some of its values. (figure 12.7A)
 - a. The only values that can be edited are Product Name and Product Type.
 - b. Potential errors include attempting to enter non-alphabetical characters into the Product Name field. Similar to the Create New Product window, this field will block the incorrect input automatically.
3. Once the desired changes have been made, the user can click the new Save button that has replaced the Edit button. (figure 12.7B) Doing so will make the fields non-editable, unless the user clicks the Edit button again. (figure 12.7C)

How to delete a product (via direct database access)

1. Log into the database using this link
<https://portal.azure.com/auth/login/>
2. Navigate to the “Entities” container using the flow “Azure Cosmos DB” > “sxcontest” > “Containers & Data” > “Entities” > “Items (figure 12.10)
3. Navigate to the product that you wish to delete, either by scrolling until the item is found, or by applying a filter to the search field titled “SELECT * FROM c”
 - a. An example of a valid filter is WHERE c.id = “product_999999” (figure 12.11)
4. Select the product(s) that you wish to delete by checking the box that applies to the product.

5. Click the “Delete” button in the bar above the list of items (figure 12.12)
6. Click The Confirm Delete button to delete the product (figure 12.13)

13. Records Subtab

GUI Aid(s)



FIGURE 13.1: THE RECORDS SUBTAB

How to search for an existing record

Existing Consignments can be searched in the database using any of the input fields as a filter for the search query. Multiple inputs can be entered to further constrain the filter for a precise result.



FIGURE 13.2: A SUCCESSFUL QUERY USING THE DATETIME FILTER



FIGURE 13.3: THE VIEW GUI ON A RESULT CONSIGNMENT

Consignments returned by the query cannot be manipulated to retain data integrity between the User and the Client. The only fields available for manipulation in the View GUI are only the quantity sold and payout creation.

How to edit an existing record (via direct database access)

1. Log into the database through the portal at the following link:

<https://portal.azure.com/auth/login/>

2. Navigate to the “Consignments” container then into “Items”




FIGURE 13.4: NAVIGATING INTO THE CONSIGNMENTS CONTAINER

3. Locate the Consignment either by scrolling or by applying a filter to the query

The screenshot shows a web application interface with a query filter applied. The filter is "WHERE c.consignment_id = 187". The table displays a single row for "consignment_187" with columns "id" and "consignment_187". The right pane shows the JSON data for this consignment, including product details and status.

```
SELECT * FROM c WHERE c.consignment_id = 187
```

id	consignment_187
1	consignment_187

```
{
  "id": "consignment_187",
  "partitionKey": "consignment_187",
  "entity_type": "consignment",
  "consignment_id": 187,
  "vendor_id": 1,
  "user_id": 2,
  "datetime": "05/02/26 -- 01:03 PM",
  "status": "OPEN",
  "products": [
    {
      "product_id": 1,
      "product_type": "Hot Food",
      "product_name": "Hot Food",
      "notes": "e2e test - jxl",
      "rate": 30,
      "price": 9.35,
      "quantity": 4,
      "total": 26.18,
      "sold": 3,
      "remaining": 1
    },
    {
      "product_id": 2,
      "product_type": "General",
      "product_name": "General",
      "notes": "e2e test - jxl",
      "rate": 25,
      "price": 8.23,
      "quantity": 10,
      "total": 61.73,
      "sold": 4,
      "remaining": 6
    },
    {
      "product_id": 3,
      "product_type": "Produce",
      "product_name": "Produce",
      "notes": "e2e test - jxl",
      "rate": 25,
      "price": 9.62,
      "quantity": 6,
      "total": 43.29,
      "sold": 2,
      "remaining": 4
    }
  ]
}
```

FIGURE 13.5: QUERYING FOR A CONSIGNMENT USING A QUERY FILTER

How to delete a record (via direct database access)




FIGURE 13.6: GUIDANCE ON PORTAL DELETE BUTTON

It is not advised that Consignments be deleted as a means of data retention. However, should a Consignment need to be deleted:

1. Navigate to the Consignments container
2. Locate the Consignment to be deleted
3. Click the checkbox of the Consignment
4. Click the “Delete” button highlighted in figure 13.6

14. Rates Subtab

How to change a product type's rate [Requires Admin Account]

1. Navigate into the 'Admin Settings' tab on the main application.



FIGURE 14.1: THE ADMIN SETTINGS TAB LOCATION

2. In the sub-menu, select 'Rates' to open the corresponding section.



FIGURE 14.2: THE RATES SUBTAB LOCATION

3. Find the product type you want to change the rate for and press the corresponding 'edit' button.




FIGURE 14.3: THE EDIT BUTTON LOCATION

4. This unlocks the related input field, denoted by the changing field color. From there you can enter any non-negative integer you want for the rate.




FIGURE 14.4: THE CHANGES AFTER THE EDIT BUTTON IS CLICKED

5. Once editing is finished, confirm the changes by pressing the 'Save' button to the right of the field. This will validate the input one more time before updating the internal program rates table. If validation fails, the save will abort and nothing will occur. Alternatively, you can press 'Cancel' which will discard the current change and return the value to what it was previously.

15. Database

How to setup the database config.ini

The program can be ran without a database purely in offline mode, however it will have no collection properties.

To setup the database connection with the program, a “config.ini” file must be created.

Use the following steps to configure the “config.ini” file:

1. Create a new file at services/config.ini

2. Copy and paste the following scaffold:

```
[Cosmos Connection Parameters]
```

```
endpoint = aaaa
```

```
database_name = bbbb
```

```
key = cccc
```

3. Locate the URI path from the database Portal “Overview” page




FIGURE 15.1: LOCATING THE URI PATH

4. Copy the URI path from the Portal as found in figure 15.1 and replace “aaaa” as the value for “endpoint” in the config.ini file

5. Locate the database name from “Data Explorer” of the Portal




FIGURE 15.2: LOCATING THE DATABASE NAME

6. Copy the database name as found in figure 15.2 and replace “bbbb” as the value for “database_name” in the config.ini file

7. Locate the Primary Key value nested in the “Keys” page from the “Settings” in the left menu bar as shown in figure 15.3




FIGURE 15.3: LOCATING THE PRIMARY KEY VALUE

8. Click on the eye to unhide the Primary Key value
9. Copy the Primary key and replace “cccc” as the “key” value of the config.ini file
10. Save the changes to the config.ini file and restart the program

How to access the database

1. Navigate to the Database Portal using the following link:

<https://portal.azure.com/auth/login/>

2. Navigate to the appropriate database account

If the database has been accessed before using the account, it can be found in the “Recent” section of the landing page as seen in figure 15.1




FIGURE 15.1: THE PORTAL LANDING PAGE

3. Should this be the first time accessing the database, navigate to “Azure Cosmos DB” using the icon located in figure 15.1

4. Select the appropriate database

5. Select “Data Explorer” in the left menu to display the database containers




FIGURE 15.2: NAVIGATION TO THE DATABASE

To view the Containers in the database, expand the database by clicking on its name

To view the Items of the container, click on “Items” nested under the respective container

How to manipulate data in the database

Once the user has navigated to the item to be manipulated, the user can either manipulate the individual values of the item or outright delete it




FIGURE 15.3: PORTAL DISPLAY OF AN ITEM FROM ENTITIES CONTAINER