

# OIX Classifieds App - Deployment Blueprint

Yeh document aapke "OIX" project ke sabhi zaroori files ke contents ko ek saath dikhata hai.

Deployment ke liye, aapko apne local machine par neeche diya gaya folder structure banana hoga aur phir in contents ko unki files mein copy-paste karna hoga.

## 1. File: package.json

(Root Directory: oix-app/)

```
{
  "name": "oix-classifieds-app",
  "version": "1.0.0",
  "description": "A classifieds web application built with React, Vite, Tailwind CSS, and Firebase.",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "firebase": "^10.12.3",
    "lucide-react": "^0.407.0",
    "react": "^18.3.1",
    "react-dom": "^18.3.1"
  },
  "devDependencies": {
    "@types/react": "^18.3.3",
    "@types/react-dom": "^18.3.0",
    "@vitejs/plugin-react": "^4.3.1",
    "autoprefixer": "^10.4.19",
    "postcss": "^8.4.39",
    "tailwindcss": "^3.4.4",
    "vite": "^5.3.4"
  }
}
```

## 2. File: vite.config.js

(Root Directory: oix-app/)

```
import { defineConfig } from 'vite';
import react from '@vitejs/plugin-react';

// [https://vitejs.dev/config/](https://vitejs.dev/config/)
export default defineConfig({
  plugins: [react()],
  // ...
})
```

```
});
```

### 3. File: .gitignore

(Root Directory: oix-app/) Yeh file GitHub par zaroori files ko upload hone se rokne ke liye hai.

```
# dependencies
/node_modules
# build output
/dist
# logs
npm-debug.log*
yarn-debug.log*
yarn-error.log*
# OS generated files
.DS_Store
.env
.env.local
```

### 4. File: public/index.html

(Path: oix-app/public/)

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>OIX Classifieds - Buy and Sell</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/App.jsx"></script>
  </body>
</html>
```

### 5. File: src/index.css

(Path: oix-app/src/)

```
@tailwind base;
@tailwind components;
@tailwind utilities;

/* Custom font setup for a clean look */
@import url('https://fonts.googleapis.com/css2?family=Inter:wght@400;600;700;800&display=swap');
```

```
font-family: 'Inter', sans-serif;  
background-color: #f5f5f5; /* Light gray background */  
}
```