Coin Flipping with Constant Bias
Implies One-Way Functions

Iftach Haitner
School of Computer Science, Tel Aviv University.
E-mail: `iftachh@cs.tau.ac.il.`

Eran Omri
Department of Computer Science, Bar Ilan University.
E-mail: `omrier@gmail.com.`

Abstract— It is well known (cf., Impagliazzo and Luby [FOCS '89]) that the existence of almost all "interesting" cryptographic applications, i.e., ones that cannot hold information theoretically, implies one-way functions. An important exception where the above implication is not known, however, is the case of coin-flipping protocols. Such protocols allow honest parties to mutually flip an unbiased coin, while guaranteeing that even a cheating (efficient) party cannot bias the output of the protocol by much. While Impagliazzo and Luby proved that coin-flipping protocols that are safe against negligible bias do imply one-way functions, and, very recently, Maji, Prabhakaran, and Sahai [FOCS '10] proved the same for constant-round protocols (with any non-trivial bias). For the general case, however, no such implication was known.

We make progress towards answering the above fundamental question, showing that (strong) coin-flipping protocols safe against a constant bias (concretely, $\frac{\sqrt{2}-1}{2} - o(1)$) imply one-way functions.

Keywords: coin-flipping protocols; one-way functions;

1. INTRODUCTION

A central focus of modern cryptography has been to investigate the weakest possible assumptions under which various cryptographic primitives exist. This direction of research has been quite fruitful, and minimal assumptions are known for a wide variety of primitives. In particular, it has been shown that one-way functions (i.e., easy to compute but hard to invert functions) imply pseudorandom generators, pseudorandom functions, symmetric-key encryption/message authentication, commitment schemes, and digital signatures [9, 10, 15, 13, 22, 23, 24], where one-way functions were shown also to be implied by each of these primitives [17].

An important exception for which we have failed to prove the above rule, is that of coin-flipping protocols. A coin-flipping protocol [3] allows the honest parties to mutually flip an unbiased coin, where even a cheating (efficient) party cannot bias the outcome of the protocol by much. While one-way functions are known to imply coin-flipping protocols [3, 11], the other direction is less clear: Impagliazzo and Luby [17] showed that *negligible*-bias coin-flipping protocols (i.e.,

an efficient cheating strategy cannot make the common output to be 1, or to be 0, with probability greater than $\frac{1}{2} + \operatorname{neg}(n)$) implies one-way functions. Where very recently, Maji, Prabhakaran, and Sahai [19] proved the same implication for $(\frac{1}{2} - 1/\operatorname{poly}(n))$-bias *constant-round* protocols, where n is the security parameter of the protocol. We have no such implications, however, for any other choice of parameters.

1.1. Our Result

We prove the following theorem.

Theorem 1 (informal)**.** *The existence of a $(\frac{\sqrt{2}-1}{2} - o(1))$-bias coin-flipping protocol (of any round complexity) implies one-way functions.*[1]

1.2. Related Results

As mentioned above, Impagliazzo and Luby [17] showed that negligible-bias coin-flipping protocols imply one-way functions, and Maji et al. [19] proved the same for $(\frac{1}{2} - 1/\operatorname{poly}(n))$-bias constant-round protocols. [19] also proved that of $(\frac{1}{4} - o(1))$-bias coin-flipping protocols implies that $\mathrm{BPP} \neq \mathrm{NP}$. Finally, it is well known that $(\frac{1}{2} - \upsilon(n))$-bias coin-flipping protocols, for any $\upsilon(n) > 0$, implies that $\mathrm{BPP} \neq \mathrm{PSPACE}$. All the above results extend to *weak* coin-flipping protocols: in such protocols, each party has a *different* predetermined value towards which it cannot bias the output coin.[2] A quick overview on the techniques underlying the above results, can be found in Section 1.3.3.

Information theoretic coin-flipping protocols (i.e., whose security holds against all powerful adversaries) were shown to exist in the quantum world; Mochon [20] presents an ε-bias quantum weak coin-flipping protocol for any $\varepsilon > 0$, where Chailloux and Kerenidis [4] present a $\left(\frac{\sqrt{2}-1}{2} - \varepsilon\right)$-bias quantum strong coin-

---

[1]We note that our results do not apply to weak coin-flipping protocols. See Section 6 for further discussion.

[2]While such protocols are strictly weaker then full-fledged coin flipping protocols, they are still useful in many settings. For instance, when Alice and Bob are trying to decide who is doing the dishes.

flipping protocol for any $\varepsilon > 0$ (which is optimal, [18]). A key step in [4] is a reduction from strong to weak coin-flipping protocols, which holds also in the classical world (see Section 6 for further discussion).

A related line of work considers *fair* coin-flipping protocols. In this setting the honest party is required to always output a bit, whatever the other party does. In particular, a cheating party might bias the output coin just by aborting. We know that one-way functions imply fair $(1/\sqrt{m})$-bias coin-flipping protocol [1, 6], where m being the round complexity of the protocol, and this quantity is known to be tight for $O(n/\log n)$-round protocols with fully black-box reductions [8]. Oblivious transfer, on the other hand, implies fair $1/m$-bias protocols [21, 2], which is known to be tight [6].

1.3. Our Technique

Let (A, B) be a balanced coin-flipping protocol (i.e., the common output of the honest parties is a uniformly chosen bit), and let f be the following efficiently computable function:

$$f(r_\mathsf{A}, r_\mathsf{B}, i) = \mathrm{Trans}(r_\mathsf{A}, r_\mathsf{B})_i, \mathrm{Out}(r_\mathsf{A}, r_\mathsf{B})$$

where r_A and r_B are the random coins of A and B respectively, $\mathrm{Trans}(r_\mathsf{A}, r_\mathsf{B})_i$ is the first i messages exchanged in the execution $(\mathsf{A}(r_\mathsf{A}), \mathsf{B}(r_\mathsf{B}))$, and $\mathrm{Out}(r_\mathsf{A}, r_\mathsf{B})$ is the common output of this execution (i.e., the coin). Assuming that one-way functions do not exist, it follows that distributional one-way functions do not exist either [17], and therefore there exists an efficient inverter Inv that given a random output y of f, samples a random preimage of y. Concretely, for any $p \in \mathrm{poly}$ there exists a PPT Inv such that the following holds:

$$\mathrm{SD}((X, f(X)), (\mathsf{Inv}(f(X')), X')) \leq 1/p(|X|) \quad (1)$$

where X and X' are uniformly distributed over the domain of f, and SD stands for statistical distance. In the following we show how to use the above Inv to bias the output of (A, B).

Note that given a random partial transcript t of (A, B), the call $\mathsf{Inv}(t, 1)$ returns a random pair of random coins for the parties that is (1) consistent with t, and (2) yields a common output 1. In other words, one can use Inv to sample a random continuation of t which leads to a 1-leaf — a full transcript of (A, B) in which the common output is 1. As we show below, such ability is an extremely useful tool for a dishonest party trying to bias the outcome of this protocol. In particular, we consider the following cheating strategy $\mathcal{A}$ for A (a cheating strategy $\mathcal{B}$ for B is analogously defined): given that the partial transcript is t, $\mathcal{A}$ uses Inv to sample a pair

of random coins $(r_\mathsf{A}, r_\mathsf{B})$ that is consistent with t and leads to a 1-leaf ($\mathcal{A}$ aborts in Inv failed to provide such coins), and then acts as the honest A does on the random coins r_A, given the transcript t. Namely, at each of its turns $\mathcal{A}$ takes the first step of a random continuation that leads to a 1-leaf.

Assuming that Inv behaves as its ideal variant that returns a uniform random preimage on *any* transcript, it is not that hard to prove (see outline in Section 1.3.1) that either $\mathcal{A}$ or $\mathcal{B}$ can significantly bias the outcome of the protocol. Proving that the same holds with respect to the real inverter, however, is not trivial. Algorithm Inv is only guaranteed to work well on *random* transcript/output pairs, as induced by a random output of f (namely, a transcript/output pair defined by a random *honest* execution of (A, B)). A random execution of $(\mathcal{A}, \mathsf{B})$ or of $(\mathsf{A}, \mathcal{B})$ (i.e., with one party being controlled by the adversary) might, however, generate a query distribution that is very far from that induced by f.

Fortunately, we manage to prove (and this is the crux of our proof, see outline in Section 1.3.2) that the following holds: we call a query *non-typical*, if its probability mass with respect to the execution of $(\mathcal{A}, \mathsf{B})$ (or of $(\mathsf{A}, \mathcal{B})$) is much larger than its mass with respect to the output distribution of f. We first show that even if both $\mathcal{A}$ and $\mathcal{B}$ totally fail on such non-typical queries, then either $\mathcal{A}$ or $\mathcal{B}$ can significantly bias the outcome of the protocol assuming access to the ideal sampler. Since on typical queries the real sampler should perform almost as well as its ideal version, we conclude that the cheating probability of either $\mathcal{A}$ or $\mathcal{B}$ is high, also when the cheating strategies are using the real sampler.

1.3.1. When Using the Ideal Sampler: Consider a mental experiment in which the cheating strategies $\mathcal{A}$ and $\mathcal{B}$ (both using the ideal sampler) are interacting with each other. It is not hard to see that the common output of $(\mathcal{A}, \mathcal{B})$ in this case is always one. Moreover, the transcript distribution induced by such an execution, is that of a random execution of the "honest" protocol (A, B) conditioned that the common output is 1 (i.e., a random 1-leaf). In particular, the probability of each 1-leaf with respect to a random execution of $(\mathcal{A}, \mathcal{B})$, is twice this probability with respect to (A, B).

The probability of a 1-leaf t to happen, is the product of the probabilities that in each stage of the protocol the relevant party sends the "right" message. Such a product can be partitioned into two parts: the part corresponding to the actions of $\mathcal{A}$, and the part corresponding to the actions of $\mathcal{B}$. In particular, either $\mathcal{A}$ or $\mathcal{B}$ contribute a factor of value at least $\sqrt{2}$ to the probability of t. Namely, the probability of a 1-leaf t in either $(\mathcal{A}, \mathsf{B})$

or in $(A, \mathcal{B})$, is $\sqrt{2}$ times its probability with respect to (A, B). Summing over all 1-leaves, it follows that the common output of either $(\mathcal{A}, B)$ or $(A, \mathcal{B})$ is one with probability at least $\sqrt{2} \cdot \frac{1}{2} = 1/\sqrt{2}$. That is, either $\mathcal{A}$ or $\mathcal{B}$ can bias the output of (A, B) by $\frac{1}{\sqrt{2}} - \frac{1}{2} = \frac{\sqrt{2}-1}{2}$.

1.3.2. Using the Real Sampler: By the discussion we made earlier, it suffices to prove that the following holds: either $\mathcal{A}$ or $\mathcal{B}$ can bias the output of the protocol significantly, when given access to the ideal sampler, even if both cheating strategies are assumed to fail completely when asking non-typical queries.

Towards this end, we partition the non-typical queries into two: (1) queries $(t, 1)$ such that the probability to visit t with respect to $(\mathcal{A}, B)$ or $(A, \mathcal{B})$, is much larger than this probability with respect to f (i.e., super polynomial in n larger than $\Pr[f(X) = (t, *)]$), and (2) queries $(t, 1)$ such that the probability of ending in a 1-leaf conditioned on t is small (i.e., $\Pr[f(X) = (t, 1) \mid f(X) = (t, *)]$ is small). In the following we focus on the first type of non-typical queries, which we find to be the more interesting case.

For $q \in \mathbb{N}$, let $\mathsf{UnBal}_\mathcal{A}$ contain the transcripts whose weights induced by $(\mathcal{A}, B)$ are at least q times larger then their weights with respect to the honest protocol ($\mathsf{UnBal}_\mathcal{B}$ is defined similarly). Using similar intuition to that used in Section 1.3.1, one can show that the probability of every transcript t induced by a random execution of $(\mathcal{A}, \mathcal{B})$ is at most twice its probability with respect to a random (honest) execution of (A, B). Hence, the following "compensation effect" happens: if the probability of a transcript t with respect to (a random execution of) $(A, \mathcal{B})$ is q times *larger* than its probability with respect to (A, B), then the probability of t with respect to $(\mathcal{A}, B)$ is q times *smaller* than this value. We conclude that $\mathsf{UnBal}_\mathcal{A}$ is visited by $\mathcal{B}^{\mathsf{Ideal}}$ with probability at most $1/q$.

To show that both $\mathcal{A}$ and $\mathcal{B}$ can be assumed to fail completely when asking queries in $\mathsf{UnBal}_\mathcal{A}$ (the argument for $\mathsf{UnBal}_\mathcal{B}$ is analogous), we consider another mental experiment. In this mental experiment, we replace the probabilities of ending up with a 1-leaf, upon reaching a transcript in $\mathsf{UnBal}_\mathcal{A}$ by associating a new values to each such transcript. These values are no longer probability measures. Specifically, for all $t \in \mathsf{UnBal}_\mathcal{A}$, we replace the probability that $(\mathcal{A}, B)$ ends up in a 1-leaf conditioned on t with the value $1/\sqrt{q}$ and replace the probability that $(A, \mathcal{B})$ ends up in a 1-leaf conditioned on t with the value $\sqrt{q}$ (this is only a mental experiment, so we can allow these values to be larger than 1). Using a similar approach to that used in Section 1.3.1, we can prove that in the above

experiment, it is still true that either $\mathcal{A}$ or $\mathcal{B}$ biases the output of (A, B) by $\frac{\sqrt{2}-1}{2}$.

Finally, we note that we can safely fail both cheating strategies on $\mathsf{UnBal}_\mathcal{A}$ almost without changing their overall success probability in the above experiment. Specifically, $\mathcal{A}$ will not suffer much since it visits these nodes with probability at most 1 and gains only $1/\sqrt{q}$ upon visiting them. On the other hand, $\mathcal{B}$ will not suffer much since it visits these nodes with probability at most $1/q$ and gain only $\sqrt{q}$ upon visiting them (hence, these nodes contributes at most $1/\sqrt{q}$ to its overall success). Observe that the probabilities induced by an execution of $(\mathcal{A}, B)$ (or of $(A, \mathcal{B})$) on typical transcripts in the real scenario, as well as, the success probability of the adversary upon visiting these transcripts, are exactly the same as in the above mental experiment. We conclude that either $\mathcal{A}$ or $\mathcal{B}$ biases the output of (A, B) by $\frac{\sqrt{2}-1}{2} - 1/\operatorname{poly}$, even assuming that both cheating strategies totally fail on non-typical queries.

1.3.3. Perspective: The sampling strategy we use above was inspired by the "smooth sampling" approach used by [5, 12, 16] in the setting of parallel repetition of interactive arguments to sample a random wining strategy for the cheating prover. Such approach can be thought of as an "hedged greedy" strategy, using the recent terminology of Maji et al. [19], as it does not necessarily choose the *best* move at each step (the one that maximize the success probability of the honest strategy), but rather *hedges* its choice according to the relative success probability. [19] used a different hedged greedy strategy to bias any coin-flipping protocol by $\frac{1}{4} - o(1)$. They then show how to implement this strategy using an NP-oracle, yielding that $(\frac{1}{4} - o(1))$-bias coin-flipping protocols imply $\mathsf{BPP} \neq \mathsf{NP}$. They failed, however, to implement their strategy using a one-way functions inverter, and thus could not prove that such protocols imply that one-way functions do not exist.

Impagliazzo and Luby [17] used a more conservative method to bias a coin-flipping protocol by $\frac{1}{\sqrt{m}}$ (where m is the protocol round complexity). Their cheating strategy (which, in turn, was inspired by [7]) follows the prescribed one (i.e., acts honestly), while deviating from it at most once through the execution. In particular, at each step it estimates its potential gain from deviating from the prescribed strategy. If this gain is large enough, it deviates from the prescribed strategy, and then continues as the honest party would. Since their strategy only needs to estimates the potential gain *before* deviating from the prescribed strategy, it is rather straightforward to prove that it can be implemented using a one-way function inverter (in particular, the

3

query distribution induced by their strategy is simply the output distribution of the one-way function).

Finally, we mention that the cheating strategy used by [19] to prove their result for constant-round protocols, takes a very different approach then the above. Specifically, their cheating strategy uses a one-way function inverter to implement (with close resemblance) the well-known recursive PSPACE-attack on such protocols. Unlike the above greedy strategies, the running time of this recursive approach is exponential in the round complexity of the protocol (which is still efficient for constant-round protocols).

Paper Organization

General notations and definitions used throughout the paper are given in Section 2. Our adversarial strategy to bias any coin-flipping protocol is presented in Section 3. In Section 4 we analyze this strategy assuming access to an ideal sampler. Finally, in Section 5 we extend this analysis to the real sampler. Due to space limitation some of the proofs are omitted, and can found in [14].

2. Preliminaries

2.1. Notation

Given a two-party protocol (A, B) and inputs i_A and i_B, we let $\mathrm{Out}(\mathsf{A}(i_\mathsf{A}), \mathsf{B}(i_\mathsf{B}))$ and $(\mathsf{A}(i_\mathsf{A}), \mathsf{B}(i_\mathsf{B}))$ denote the (joint) output and transcript respectively, of the execution of (A, B) with inputs i_A and i_B. Given a measure M over a set $\mathcal{S}$, the support of M is defined as $\mathrm{Supp}(M) := \{s \in \mathcal{S} \colon M(s) > 0\}$. The statistical distance of two distributions P and Q over a finite set $\mathcal{U}$, denoted $\mathrm{SD}(P, Q)$, is defined as $\frac{1}{2} \cdot \sum_{u \in \mathcal{U}} |P(u) - Q(u)|$. We use the following notion of measure dominance.

Definition 2 (dominating measure)**.** *A measure M is said to δ-dominate a measure M', if:*
1) *$\mathrm{Supp}(M') \subseteq \mathrm{Supp}(M)$, and*
2) *$M(y) \geq \delta \cdot M'(y)$, for every $y \in \mathrm{Supp}(M')$.*

2.2. Coin-Flipping Protocols

In a coin-flipping protocol the honest execution outputs an unbiased coin, where no (efficient) cheating party can bias the outcome by much. This intuitive description is captured using the following definition.

Definition 3. *A polynomial-time protocol (A, B) is a δ-bias coin-flipping protocol, if the following hold:*
1) *$\Pr[\mathrm{Out}(\mathsf{A}, \mathsf{B})(n) = 0] = \Pr[\mathrm{Out}(\mathsf{A}, \mathsf{B})(n) = 1] = \frac{1}{2}$, and*
2) *for any PPT's $\mathcal{A}$ and $\mathcal{B}$, any $c \in \{0, 1\}$ and large enough n:*

$$\Pr[\mathrm{Out}(\mathcal{A}, \mathsf{B})(n) = c], \Pr[\mathrm{Out}(\mathsf{A}, \mathcal{B})(n) = c] \leq \frac{1}{2} + \delta(n).$$

In the case that $\delta(n) = \mathrm{neg}(n)$, we simply say that (A, B) is a coin-flipping protocol.

2.3. One-Way Functions and Distributional One-Way Functions

Definition 4 (one-way functions)**.** *A polynomially-computable function $f \colon \{0, 1\}^n \mapsto \{0, 1\}^{\ell(n)}$ is one-way, if the following holds for any PPT A.*

$$\Pr_{y \leftarrow f(U_n)}[A(y) \in f^{-1}(y)] = \mathrm{neg}(n)$$

Definition 5 (γ-inverter)**.** *Let $f \colon \mathcal{D} \to \mathcal{R}$ be a deterministic function. An algorithm Inv is called a γ-inverter of f the following holds.*

$$\mathrm{SD}\left((U, f(U)), (\mathsf{Inv}(f(U')), f(U'))\right) \leq \gamma,$$

where U, U' are uniformly distributed in $\mathcal{D}$.

We call a 0-inverter of f, an *ideal* inverter of f. Alternatively, an ideal inverter of f is an algorithm that on $y \in \mathcal{R}$, returns a uniformly chosen element (preimage) in $f^{-1}(y)$.

Lemma 6 ([17, Lemma 1])**.** *Assume that one-way functions do not exit, then for any polynomial computable function $f \colon \{0, 1\}^n \mapsto \{0, 1\}^{\ell(n)}$ and any $p \in \mathrm{poly}$, there exists a PPT Inv that is a $1/p(n)$-inverter of f, for infinitely many n's.*

Note that nothing is guaranteed when invoking a good inverter for f (i.e., γ-inverter for some small γ) on an arbitrary distribution D. Yet, the following lemma states that if D is dominated by output distribution of f, then such good inverters are useful.

Lemma 7. *Let $f \colon \mathcal{D} \to \mathcal{R}$ be a deterministic function and let Ideal be an ideal inverter of f. Let A be an oracle-aided algorithm that makes at most m oracle queries to Ideal, where all A's queries are in $\mathcal{R}$. For $i \in [m]$, let the random variable Q_i describe the i'th query of A, where Q_i is set to $\perp$ if the i'th query is not asked, and define the measure M_i as follows:*

$$M_i(y) = \begin{cases} \Pr[Q_i = y] & y \in \mathcal{R}, \\ 0 & otherwise. \end{cases}$$

The probability is taken over the randomness of the algorithm A and the randomness of the ideal inverter Ideal. Let U denote the uniform distribution over $\mathcal{D}$ and suppose that $f(U)$ δ-dominates M_i for all $i \in [m]$ (according to Definition 2), then the following holds for any γ-inverter Inv of f.

$$\mathrm{SD}\left(\mathsf{A}^{\mathsf{Ideal}}, \mathsf{A}^{\mathsf{Inv}}\right) \leq \frac{\gamma \cdot (m + 1)}{\delta}.$$

Proof: Omitted. ∎

3. THE ATTACK

Let (A, B) be a coin-tossing protocol. In the following we define adversarial strategies for both A and B to bias the output of the protocol towards 1. The strategies for biasing the output towards 0 are defined analogously.

3.1. Notation

We associate the following random variables with an (honest) execution of (A, B). Throughout, we let n be the security parameter of the protocol and omit it whenever its value is clear from the context. We assume for simplicity that the protocol's messages are single bits, and naturally view a valid execution of the protocol as a path the binary tree $\mathcal{T} = \mathcal{T}_n$, whose nodes are associated with all possible (valid) transcripts. The root of $\mathcal{T}$, corresponding to the empty transcript, is denoted by the empty string λ, and the children of a node α (if exist) are denoted by $\alpha \circ 0$ and $\alpha \circ 1$ ('$\circ$' stands for strings concatenation), corresponding to the two (possibly partial) executions with these transcripts. A node with no descendants is called a *leaf*, where we assume for simplicity that a non-leaf node has exactly two descendants. Given a node α, we let $|\alpha|$ denote its depth, and for $i \in [|\alpha|]$ let α_i denote the prefix of length i of α, which describes the i'th node on the path from λ to α ($\alpha_0 = \lambda$).

We call a transcript α an A node [resp., B node], if this is A's [resp., B's] turn to send the next message, where without loss of generality the root λ is an A node. We also assume that the parties always exchange $m = m(n)$ messages, and that each party uses $t = t(n)$ random coins, denoted r_A and r_B respectively. Given a pair of random coins (r_A, r_B), we let $\text{Leaf}(r_A, r_B) = (A(r_A), B(r_B))$ (i.e., the leaf transcript induced by the execution of $(A(r_A), B(r_B))$).

For $\alpha \in \mathcal{T}$, let $\text{Uni}(\alpha)$ denote a random sample of (r_A, r_B), conditioned on $\text{Leaf}(r_A, r_B)_{|\alpha|} = \alpha$. Given random coins $r_A \in \{0, 1\}^t$, we let $A(r_A; \alpha)$ be the next message sent by A with random coins r_A after seeing the transcript α, and define the random variable $A(\alpha)$ as $A(R_A; \alpha)$, where $(R_A, *) \leftarrow \text{Uni}(\alpha)$. [$B(r_B; \alpha)$ and $B(\alpha)$ are defined analogously.] Finally, we assume without loss of generality that the transcript of an (honest) execution of the protocol always defines an output, 0 or 1 (consistent for both parties). For a leaf α, we let V_α be the output of the protocol determined by this leaf, where if α is an internal node, we define V_α as

$$V_\alpha = \mathop{\text{E}}_{(r_A, r_B) \leftarrow \text{Uni}(\alpha)} [V_{\text{Leaf}(r_A, r_B)}] \qquad (2)$$

Namely, V_α is the probability that (A, B) outputs 1, conditioned that α is the current transcript.

Similarly, we associate the following random variables with an execution of $(\mathcal{A}, B)$, where $\mathcal{A}$ is a cheating strategy for A: we denote the random coins used by $\mathcal{A}$ by $r_\mathcal{A}$, and for $\alpha \in \mathcal{T}$ let $\text{Uni}^\mathcal{A}(\alpha)$ denote a random sample of $(r_\mathcal{A}, r_B)$, conditioned on $(\mathcal{A}(r_\mathcal{A}), B(r_B))_{|\alpha|} = \alpha$. Given random coins $r_\mathcal{A} \in \{0, 1\}^*$, we let $\mathcal{A}(r_\mathcal{A}; \alpha)$ be the next message sent by $\mathcal{A}$ with random coins $r_\mathcal{A}$ after seeing the transcript α, and define the random variable $\mathcal{A}(\alpha)$ as $\mathcal{A}(R_\mathcal{A}; \alpha)$, where $(R_\mathcal{A}, *) \leftarrow \text{Uni}^\mathcal{A}(\alpha)$. [$\mathcal{B}(r_\mathcal{B}; \alpha)$ and $\mathcal{B}(\alpha)$ are defined analogously.] Finally, we define $V_\alpha^\mathcal{A}$ as

$$V_\alpha^\mathcal{A} = \mathop{\text{E}}_{(r_\mathcal{A}, r_B) \leftarrow \text{Uni}^\mathcal{A}(\alpha)} [V_{(\mathcal{A}(r_\mathcal{A}), B(r_B))}], \qquad (3)$$

where we set $V_{(\mathcal{A}(r_\mathcal{A}), B(r_B))} = 0$, if $(\mathcal{A}(r_\mathcal{A}), B(r_B))$ aborts. Namely, $V_\alpha^\mathcal{A}$ is a lower bound on the probability that $(\mathcal{A}, B)$ outputs 1, conditioned that α is the current transcript. [$V_\alpha^\mathcal{B}$ is defined analogously.]

3.2. The Adversary $\mathcal{A}$

We now present an adversarial strategy $\mathcal{A}$ for A, designed to bias the outcome of the protocol towards 1 (the adversarial strategy $\mathcal{B}$ for B is defined analogously). In each round $\mathcal{A}$ uses a "sampling oracle" Samp to sample a value for the coins of A, and then acts as the (honest) A would, given these coins and the current transcript. Roughly speaking, the objective of Samp is to return a random pair of coins (r_A, r_B) consistent with α (i.e., $\text{Leaf}(r_A, r_B)_{|\alpha|} = \alpha$), which leads to a 1-node (i.e., $V_{\text{Leaf}(r_A, r_B)} = 1$). In the following we analyze the success probability of $\mathcal{A}$ when using different implementations for Samp. Specifically, in Section 4 we consider an "ideal sampler" (which is not necessarily efficient). Then, in Section 5, we consider a more realistic implementation of the sampler (specifically, using the inverter that will stem from the assumption that one-way function do not exists). Before describing and analyzing each of these samplers, we first give the formal description of $\mathcal{A}$.

Algorithm 8 (Adversary $\mathcal{A}$).
Input: Security parameter n.
Oracle: Samp.
Operation: Let α be the current transcript.
  1) Halt if α is a leaf node.
  2) Let $(r_A, *) \leftarrow \text{Samp}(\alpha)$. Abort if $r_A = \bot$.
  3) Send $A(r_A; \alpha)$ to B.

· ·

Given an instantiation of Samp, we view $\mathcal{A}^{\text{Samp}}$ as a random algorithm whose random coin are those used by Samp (independent coins for each call).

5

4. Using the Ideal Sampler

Our "ideal sampler" Ideal is defined as follows: on input $\alpha \in \mathcal{T}$, Ideal returns a random sample $(r_\mathsf{A}, r_\mathsf{B}) \leftarrow \mathrm{Uni}(\alpha)$, conditioned on $V_{\mathrm{Leaf}(r_\mathsf{A}, r_\mathsf{B})} = 1$. Where Ideal returns $\perp$, in case $V_\alpha = 0$. The following lemma asserts that at least one of the parties has a good cheating strategy given oracle access to this sampler.

Lemma 9. *For any $n \in \mathbb{N}$ and any transcript $\alpha \in \mathcal{T}_n$, it holds that*

$$V_\alpha^{\mathcal{A}^{\mathrm{Ideal}}} \cdot V_\alpha^{\mathcal{B}^{\mathrm{Ideal}}} \geq V_\alpha.$$

We omit the proof of Lemma 9 from this extended abstract. To understand the lemma, assume that $V_{\lambda_n} = 1/2$. It then holds that either $V_\lambda^{\mathcal{A}^{\mathrm{Ideal}}} \geq 1/\sqrt{2}$ or $V_\lambda^{\mathcal{B}^{\mathrm{Ideal}}} \geq 1/\sqrt{2}$. Namely, either $\mathcal{A}^{\mathrm{Ideal}}$ or $\mathcal{B}^{\mathrm{Ideal}}$ can bias the output of the protocol by $\frac{1}{\sqrt{2}} - \frac{1}{2}$.

5. Moving to an Efficient Sampler

Our goal in this section is to use the above analysis of the success probability of our adversaries when given access to the *ideal* sampler, for analyzing their success probability when given access to an *efficient* sampler. The accuracy of such an inverter will be parameterized by a function $1/p$ for some $p \in \mathrm{poly}$. In the following we fix such p.

Assuming that one-way functions do not exists, our efficient sampler is defined as follows: let $f : \{0,1\}^{t(n)} \times \{0,1\}^{t(n)} \times \{0, \ldots, m(n)\}$ be defined as

$$f(r_\mathsf{A}, r_\mathsf{B}, i) = \mathrm{Leaf}(r_\mathsf{A}, r_\mathsf{B})_i, V_{\mathrm{Leaf}(r_\mathsf{A}, r_\mathsf{B})}$$

Namely, $f(r_\mathsf{A}, r_\mathsf{B}, i)$ outputs the i'th node in the execution of $(\mathsf{A}(r_\mathsf{A}), \mathsf{B}(r_\mathsf{B}))$ and the outcome coin induced by the leaf transcript of this execution. Given a node $\alpha \in \mathcal{T}_n$, the sampler Real_p returns $\mathrm{Inv}_f(\alpha, 1)$, where Inv_f is the distributional inverter for f guaranteed by Lemma 6 with respect to accuracy parameter $1/p$.[3]

Notice that while Lemma 6 tells us that Inv_f samples well over a random output of f, the distribution induced by the calls of $\mathcal{A}^{\mathrm{Real}_p}$ might be very different from this distribution. While we cannot bound the difference between these two distributions, we prove that there exists a high-probability event conditioned upon these distributions are close enough. Loosely speaking, we first show that Lemma 9 still (almost) holds even if both $\mathcal{A}^{\mathrm{Ideal}}$ and $\mathcal{B}^{\mathrm{Ideal}}$ fail on their "non-typical" queries to Ideal – the calls that happen with provability very different for the one induce by f. Since Real_p does similarly to Ideal on the typical queries, it follows

[3]We assume for simplicity that the security parameter of the protocol is determined by its (even partial) transcript, and therefore, the domain of f in the calls to Inv_f is well defined.

that $V_\lambda^{\mathcal{A}^{\mathrm{Real}_p}} \cdot V_\lambda^{\mathcal{B}^{\mathrm{Real}_p}}$ is almost as large as V_α, and therefore, either $\mathcal{A}^{\mathrm{Real}_p}$ or $\mathcal{B}^{\mathrm{Real}_p}$ can significantly bias the outcome of the protocol.

In Lemma 10, stated below, we formally capture the above intuition regarding $\mathcal{A}^{\mathrm{Ideal}}$ and $\mathcal{B}^{\mathrm{Ideal}}$ (with access to the ideal sampler). We denote by $w(\alpha)$ the probability that the node α is visited in a random execution of (A, B) and by $w^{\mathcal{A}^{\mathrm{Ideal}}}(\alpha)$ the probability of this visit in a random execution of $(\mathcal{A}^{\mathrm{Ideal}}, \mathsf{B})$. [$w^{\mathcal{B}^{\mathrm{Ideal}}}(\alpha)$ is defined analogously.]

Lemma 10. *Let (A, B) be a coin-tossing protocol as above. For any $q \in \mathrm{poly}$ and for any $n \in \mathbb{N}$, there exists a set $\mathcal{E} \subseteq \{\alpha \in \mathcal{T}_n : V_\alpha > 0\}$ such that the following holds:*

1) For any $\alpha \in \mathcal{E}$, it holds that $\max\{w^{\mathcal{A}^{\mathrm{Ideal}}}(\alpha), w^{\mathcal{B}^{\mathrm{Ideal}}}(\alpha)\} \in O(q(n)^5 \cdot w(\alpha) \cdot V_\alpha)$, and

2) $V_{\lambda_n}^{\mathcal{A}_\mathcal{E}^{\mathrm{Ideal}}} \cdot V_{\lambda_n}^{\mathcal{B}_\mathcal{E}^{\mathrm{Ideal}}} \geq V_{\lambda_n} - \frac{1}{q(n)}$, where $\mathcal{A}_\mathcal{E}$ acts as $\mathcal{A}$ does, but aborts if a node outside of $\mathcal{E}$ is reached. [$\mathcal{B}_\mathcal{E}$ is defined analogously.]

Proving Lemma 10 is the main contribution of this section, but first let us use it for proving Theorem 11.

Theorem 11 (restating Theorem 1). *Let (A, B) be a coin-tossing protocol with $V_{\lambda_n} = \mathrm{E}[\mathrm{Out}(\mathsf{A}, \mathsf{B})(1^n)]$. Assuming that one-way functions do not exist, then for any $g \in \mathrm{poly}$ there exists a pair of efficient (cheating) strategies $\mathcal{A}$ and $\mathcal{B}$ such that the following holds: for infinitely many n's, for each $j \in \{0,1\}$ either $\Pr[(\mathcal{A}(j), \mathsf{B})(1^n) = j]$ or $\Pr[(\mathcal{B}(j), \mathsf{B})(1^n) = j]$ is greater than $\sqrt{V_n^j} - \frac{1}{g(n)}$, where $V_n^1 = V_{\lambda_n}$ and $V_n^0 = 1 - V_{\lambda_n}$.*

In particular, for the case of $V_{\lambda_n} = \frac{1}{2}$, one party can "bias the outcome" of (A, B) by almost $\frac{1}{\sqrt{2}} - \frac{1}{2}$.

Proof: We focus on $j = 1$ where the proof for $j = 0$ follows analogously. We prove the theorem by considering the success probabilities of the adversaries $\mathcal{A}^{\mathrm{Real}_p}$ and $\mathcal{B}^{\mathrm{Real}_p}$ (with access to an efficient inverter Inv_f) on the set $\mathcal{E} \subseteq \mathcal{T}_n$ guaranteed by Lemma 10. Namely, the success probabilities of $\mathcal{A}_\mathcal{E}^{\mathrm{Real}_p}$ and $\mathcal{B}_\mathcal{E}^{\mathrm{Real}_p}$. We show that if Inv_f is "good enough", then they will do almost as well as $\mathcal{A}_\mathcal{E}^{\mathrm{Ideal}}$ and $\mathcal{B}_\mathcal{E}^{\mathrm{Ideal}}$ would. Towards this end, we show that the distribution induced by f on a random input, $(1/\mathrm{poly})$-dominates (according to Definition 2) both query distributions induced by $\mathcal{A}_\mathcal{E}^{\mathrm{Ideal}}$ and $\mathcal{B}_\mathcal{E}^{\mathrm{Ideal}}$. Thus, we can apply Lemma 7 to show that each adversary behaves almost identically when given access to Ideal as when given access to Inv_f. Finally, we remark that, while $\mathcal{A}_\mathcal{E}^{\mathrm{Real}_p}$ and $\mathcal{B}_\mathcal{E}^{\mathrm{Real}_p}$ may not be efficient (since they need to abort on $\alpha \notin \mathcal{E}$), they serve

as a mental experiment and provide lower bounds on the success probabilities of $\mathcal{A}^{\mathsf{Real}_p}$ and $\mathcal{B}^{\mathsf{Real}_p}$, respectively. We next give the formal argument.

Let $g'(n) := \frac{g(n)}{\sqrt{V^1}}$, where we assume without loss of generality that $g(n) \geq \frac{1}{\sqrt{V^1}}$ (otherwise, the statement is trivial). Let $D_f(y)$ be the probability that a random output of f equals y. Note that the following holds for any $\alpha \in \mathcal{T}_n$:

$$D_f(\alpha, 1) := \Pr[f(U_{2t(n)}, I_n) = (\alpha, 1)]$$
$$= \frac{1}{m(n) + 1} \cdot w(\alpha) \cdot V_\alpha$$

where I_n is uniformly distributed over $\{0, \ldots, m(n)\}$. Let $\mathcal{E} \subseteq \mathcal{T}_n$ be the set guaranteed by Lemma 10 with respect to $q(n) = 2 \cdot g'(n)$. It follows that

$$\max\{w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha), w^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha)\} \in O(q(n)^5 m(n) D_f(\alpha, 1)) \tag{4}$$

for any $\alpha \in \mathcal{E}$. In other words, the distributions induced by the queries of $\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}$ and $\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}$ on the range of f, is δ-dominated by the distribution of a random output of f, for $\delta = 1/O(q(n)^5 \cdot m(n))$.

Fix $n \in \mathbb{N}$ such that the inverter Inv_f (guaranteed by Lemma 6) is a $1/p(n)$-inverter for f, and let Real_p be the sampler described above (i.e., $\mathsf{Real}_p(\alpha)$ returns $\mathsf{Inv}_f(\alpha, 1)$). For $\mathsf{Samp} \in \{\mathsf{Ideal}, \mathsf{Real}_p\}$, let $E^{\mathcal{A}_\mathcal{E}^{\mathsf{Samp}}}$ be the algorithm that emulates a random execution of $(\mathcal{A}_\mathcal{E}^{\mathsf{Samp}}, \mathsf{B})$ and outputs the outcome of this execution, where $\mathcal{A}_\mathcal{E}$ is as in Lemma 10 [$E^{\mathcal{B}_\mathcal{E}^{\mathsf{Samp}}}$ is defined analogously]. For $i \in \{0, \ldots, m(n)\}$, let Q_i be the value of the i'th Ideal-query made in the execution of $E^{\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}}$ (set to $\perp$ if no such call was made). Equation (4) yields that for $\Pr[Q_i = (\alpha, 1)] \in O(q(n)^5 \cdot m(n) \cdot D_f(\alpha, 1))$ any $i \in [m(n)]$ and for any $\alpha \in \mathcal{E}$. Thus, Lemma 7 yields that

$$\mathsf{SD}(E^{\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}}, E^{\mathcal{A}_\mathcal{E}^{\mathsf{Real}_p}}) \in \frac{O\left(q(n)^5 \cdot m(n)^2\right)}{p(n)} < 1/8g'(n),$$

for the proper choice of p. Therefore,

$$V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Real}_p}} \geq V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}} - 1/4g'(n).$$

Doing the analogous calculation for $V_\lambda^{\mathcal{B}_\mathcal{E}^{\mathsf{Real}_p}}$ and using Lemma 10, it follows that $V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Real}_p}} \cdot V_\lambda^{\mathcal{B}_\mathcal{E}^{\mathsf{Real}_p}} \geq V^1 - \frac{1}{g'(n)}$. Since $V_\lambda^{\mathcal{A}^{\mathsf{Real}_p}} \geq V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Real}_p}}$ and $V_\lambda^{\mathcal{B}^{\mathsf{Real}_p}} \geq V_\lambda^{\mathcal{B}_\mathcal{E}^{\mathsf{Real}_p}}$ (on the nodes in $\mathcal{E}$ the strategies $\mathcal{A}_\mathcal{E}^{\mathsf{Real}_p}$ and $\mathcal{A}^{\mathsf{Real}_p}$ act identically, and $\mathcal{A}_\mathcal{E}^{\mathsf{Real}_p}$ fails on the other nodes), it follows that

$$V_\lambda^{\mathcal{A}^{\mathsf{Real}_p}} \cdot V_\lambda^{\mathcal{B}^{\mathsf{Real}_p}} \geq V^1 - \frac{1}{g'(n)} \tag{5}$$

In particular, either $V_\lambda^{\mathcal{A}^{\mathsf{Real}_p}}$ or $V_\lambda^{\mathcal{B}^{\mathsf{Real}_p}}$ are larger than $\sqrt{V^1 - \frac{1}{g'(n)}} \geq \sqrt{V^1} - \frac{1}{g(n)}$, which completes the proof of the theorem. ∎

5.1. Proving Lemma 10

Towards proving Lemma 10 we identify the nodes (queries) in $\mathcal{T} = \mathcal{T}_n$ that are potentially "non typical" (i.e., either V_α is small or $\max\{w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha), w^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha)\}$ is large), and prove that by modifying $\mathcal{A}^{\mathsf{Ideal}}$ or $\mathcal{B}^{\mathsf{Ideal}}$ to totally fail on such nodes, we hardly change their overall success probability. The proof then follows by taking $\mathcal{E}$ to be the set of "typical" nodes in $\mathcal{T}$.

We next give a slightly more detailed overview of the proof. For simplicity, in the discussion below, we (implicitly) assume that V_{λ_n} is constant (in the formal proof, we deal with any value of V_{λ_n}). We need to show that the set $\mathcal{E}$ satisfies both of the requirements in Lemma 10. Proving that the first requirement is satisfied will come for free, simply by the way we define non-typical nodes. To show that $\mathcal{E}$ satisfies the second requirement (i.e., that $\mathcal{A}^{\mathsf{Ideal}}$ and $\mathcal{B}^{\mathsf{Ideal}}$ can indeed abort on nodes outside $\mathcal{E}$ without losing much), we partition the non-typical nodes into two sets. The first set, denoted Small, contains those nodes for which $V_\alpha \in O(\frac{1}{q^2})$. The second set, denoted UnBal, contains the nodes whose weights induced by $\mathcal{A}^{\mathsf{Ideal}}$ or $\mathcal{B}^{\mathsf{Ideal}}$ are $\Omega(q^2)$ times larger then their weight in an honest execution of the protocol. On a very intuitive level, handling the set Small is fairly easy: consider a mental experiment in which we (artificially) set a new "success probability" for such nodes, by setting $V_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = V_\alpha^{\mathcal{B}^{\mathsf{Ideal}}} = \sqrt{V_\alpha}$ for every $\alpha \in \mathsf{Small}$. Since $V_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} \cdot V_\alpha^{\mathcal{B}^{\mathsf{Ideal}}} \geq V_\alpha$, the proof of Lemma 9 will still go through with respect to the above experiment. Namely, it will still hold that $V_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} \cdot V_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} \geq V_\lambda$. To then allow aborting on nodes in Small, we observe that neither $\mathcal{A}^{\mathsf{Ideal}}$ nor $\mathcal{B}^{\mathsf{Ideal}}$ gains much on any node $\alpha \in \mathsf{Small}$ (at most $\sqrt{V_\alpha} \in O(1/q)$). Hence, even if Small is reached with high probability, it contributes an overall success probability of $O(1/q)$.

Handling the unbalanced nodes inside UnBal, on the other hand, seems much more challenging. These nodes might have arbitrary expected values (i.e., V_α) and are reached by one of the adversaries with high probability. As such, they may contribute significantly to the success probability of the cheating parties. Fortunately, by making a critical use of the query distribution induced by the ideal sampler, we are able to prove the following "compensation lemma": a node α whose weight with respect to $\mathcal{A}^{\mathsf{Ideal}}$ is k times *larger* from its real weight (i.e., $w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) = k \cdot w(\alpha)$), has weight with respect to $\mathcal{B}^{\mathsf{Ideal}}$ that is k time *smaller* than its real weight.

Hence, the set UnBal can be separated into two disjoint subsets $\mathsf{UnBal}_\mathcal{A}$ and $\mathsf{UnBal}_\mathcal{B}$, where $\mathsf{UnBal}_\mathcal{B}$ is almost never visited by $\mathcal{A}^{\mathsf{Ideal}}$ and $\mathsf{UnBal}_\mathcal{A}$ is almost never visited by $\mathcal{B}^{\mathsf{Ideal}}$. Now, we handle each of these sets in a similar manner to the way we handled the nodes in Small (for simplicity we only consider here the set $\mathsf{UnBal}_\mathcal{A}$): consider the mental experiment in which for every $\alpha \in \mathsf{UnBal}_\mathcal{A}$ we modify the values of $V_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}$ and $V_\alpha^{\mathcal{B}^{\mathsf{Ideal}}}$ such that $V_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = 1/q$ and $V_\alpha^{\mathcal{B}^{\mathsf{Ideal}}} = q$ (this is only a mental experiment, so we do not care to have these values might be larger than 1). Since $V_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} \cdot V_\alpha^{\mathcal{B}^{\mathsf{Ideal}}} = 1 \geq V_\alpha$, the proof of Lemma 9 still goes through with respect to this experiment as well. Furthermore, we can safely fail both cheating strategies on $\mathsf{UnBal}_\mathcal{A}$ without changing their overall success probability too much. Specifically, $\mathcal{A}^{\mathsf{Ideal}}$ will not suffer much because its success probability on these nodes is bounded by $\frac{1}{q}$ (i.e., it has gained at most $O(1 \cdot \frac{1}{q} = \frac{1}{q})$ from these nodes), and $\mathcal{B}^{\mathsf{Ideal}}$ will not suffer much since it almost never visits these nodes (i.e., it has gained $O(q \cdot \frac{1}{q^2} = \frac{1}{q})$ from these nodes).

We now work towards formalizing the above discussion. We assume that $V_\lambda \geq 1/q$, since otherwise the lemma follows trivially, and start with formally defining the different subsets of $\mathcal{T}$ we considered above. We define the relative weights of $\alpha \in \mathcal{T}$ as $W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) = \frac{w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha)}{w(\alpha)}$ and $W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) = \frac{w^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha)}{w(\alpha)}$, let

$$\mathsf{UnBal}_\mathcal{A} := \{\alpha \in \mathcal{T}: W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) > 16 \cdot q^3\} \quad (6)$$

$$\mathsf{UnBal}_\mathcal{B} := \{\alpha \in \mathcal{T}: W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) > 16 \cdot q^3\}, \quad (7)$$

and let $\mathsf{UnBal} = \mathsf{UnBal}_\mathcal{A} \cup \mathsf{UnBal}_\mathcal{B}$. Finally, we let

$$\mathsf{Small} := \{\alpha \in \mathcal{T} \setminus \mathsf{UnBal}: V_\alpha < \frac{1}{16 \cdot q^2}\} \quad (8)$$

and let $\mathcal{E} = \mathcal{T} \setminus (\mathsf{Small} \cup \mathsf{UnBal})$. The following fact is immediate.

Claim 12. *For any $\alpha \in \mathcal{E}$ it holds that $\max\{w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha), w^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha)\} \in O(q^5 \cdot w(\alpha) \cdot V_\alpha)$.*

To prove that $\mathcal{E}$ satisfies the second property of Lemma 10, we present a pair of random variables $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}$ and $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}$, such that the following holds for λ (the root of $\mathcal{T}$):

1) $Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} \cdot Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} \geq V_\lambda$, and
2) $V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} - 1/2q$ and $V_\lambda^{\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} - 1/2q$.

The variables $Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}}$ and $Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}}$ are defined below, but intuitively they measure the success probability of $\mathcal{A}^{\mathsf{Ideal}}$ and $\mathcal{B}^{\mathsf{Ideal}}$ respectively, in the mental experiment where their success probability on internal nodes outside $\mathcal{E}$ is changed according to the informal description above. The above immediately yields that $V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}} \cdot V_\lambda^{\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}} \geq V_\lambda - \frac{1}{q}$, completing the proof of Lemma 10.

Since our goal is to bound (from below) the success probabilities of $\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}$ and $\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}$, it suffices to restrict the discussion to the nodes in $\mathcal{T}$ that have non-zero probability of being reached in executions with $\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}$ and $\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}$. This set of nodes defines a tree (which is defined below and denoted $\mathcal{T}'$) that can alternatively be defined as the set of all nodes in $\mathcal{T}$ that have no proper ancestor in $\mathsf{Small} \cup \mathsf{UnBal}$. We use the following random variables:

Definition 13. *For $\alpha \in \mathcal{T}' := \mathrm{Supp}((\mathcal{A}, \mathsf{B})(1^n)) \cap \mathrm{Supp}((\mathsf{A}, \mathcal{B})(1^n)) \subseteq \mathcal{T},$[4] we define $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}$ as follows [$Y_\alpha^{\mathcal{B}^{\mathsf{Ideal}}}$ is defined analogously]:*

- *If $\alpha \in \mathcal{E}$:*
  1) *If α is a leaf, $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = V_\alpha$.*
  2) *Otherwise, $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = \Pr[\mathcal{A}^{\mathsf{Ideal}}(\alpha) = 1] \cdot Y_{\alpha \circ 1}^{\mathcal{A}^{\mathsf{Ideal}}} + \Pr[\mathcal{A}^{\mathsf{Ideal}}(\alpha) = 0] \cdot Y_{\alpha \circ 0}^{\mathcal{A}^{\mathsf{Ideal}}}.$*
- *If $\alpha \in \mathsf{UnBal}$:*
  1) *If $\alpha \in \mathsf{UnBal}_\mathcal{A}$, $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = \frac{1}{4q}$.*
  2) *Otherwise ($\alpha \in \mathsf{UnBal}_\mathcal{B}$), $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = 4q$.*
- *Otherwise ($\alpha \in \mathsf{Small}$), $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} = \frac{1}{4q}$.*

We emphasize that the adversaries $\mathcal{A}^{\mathsf{Ideal}}$ and $\mathcal{B}^{\mathsf{Ideal}}$ remain exactly as before, and the random variables $Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}$ and $Y_\alpha^{\mathcal{B}^{\mathsf{Ideal}}}$ only enable us to present a refined analysis of their success probabilities. The following fact easily follows from similar arguments to those used in the proof of Lemma 9.

Claim 14. *For any $\alpha \in \mathcal{T}'$, it holds that*

$$Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} \cdot Y_\alpha^{\mathcal{B}^{\mathsf{Ideal}}} \geq V_\alpha.$$

Proof: Omitted. ∎

To complete the proof of Lemma 10, we need to prove that the success probability of both $\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}$ and $\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}$, is not far from the above mental experiment. We prove the following lemma.

Lemma 15. *It holds that $V_\lambda^{\mathcal{A}_\mathcal{E}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} - 1/2q$ and $V_\lambda^{\mathcal{B}_\mathcal{E}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} - 1/2q$.*

Proof: The main tool we are using for proving Lemma 15 is the following "compensation lemma".

Lemma 16 (compensation lemma)**.** *Let the relative weights of $\alpha \in \mathcal{T}$ be as above (i.e., $W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) =$*

---

[4]We assume without loss of generality that honest party aborts if the other party does. Hence, $\mathcal{T}'$ is indeed contained in $\mathcal{T}$.

$\frac{w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha)}{w(\alpha)}$ and $W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) = \frac{w^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha)}{w(\alpha)}$). The following holds for every $\alpha \in \mathcal{T}$:

$$W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) \cdot W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) = \frac{V_\alpha}{V_\lambda}.$$

Namely, the lemma states that a node α whose weight with respect to $\mathcal{A}^{\mathsf{Ideal}}$ is k times larger its typical weight (i.e., $w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) > k \cdot w(\alpha)$), has weight with respect to $\mathcal{B}^{\mathsf{Ideal}}$ that is (close to) k times smaller then its typical weight. The proof of Lemma 16 is given later below. We first use it for completing the proof of Lemma 15.

In the following we focus on analyzing the value of $V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}}$ (the part of $V_\lambda^{\mathcal{B}_{\mathcal{E}}^{\mathsf{Ideal}}}$ is proved analogously). Let $\mathcal{F}$ be the set of leaves in $\mathcal{T}'$. That is, $\mathcal{F}$ contains nodes of two types: (i) a leaf α of the original tree $\mathcal{T}$ (such that, there is no ancestor α' of α in $\mathsf{Small} \cup \mathsf{UnBal}$), and (ii) a node $\alpha \in \mathsf{Small} \cup \mathsf{UnBal}$ (such that, there is no ancestor $\alpha' \neq \alpha$ of α in $\mathsf{Small} \cup \mathsf{UnBal}$). Furthermore, any execution $(\mathcal{A}^{\mathsf{Ideal}}, \mathsf{B})$ passes through a node in $\mathcal{F}$. It follows that

$$Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} = \sum_{\alpha \in \mathcal{F}} w^{\mathcal{A}}(\alpha) \cdot Y_\alpha^{\mathcal{A}^{\mathsf{Ideal}}} \qquad (9)$$

$$V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}} = \sum_{\alpha \in \mathcal{F}} w^{\mathcal{A}}(\alpha) \cdot V_\alpha^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}} \qquad (10)$$

Let $\mathcal{F}_1 = \mathcal{F} \cap \mathsf{UnBal}_{\mathcal{B}}$, $\mathcal{F}_2 = \mathcal{F} \cap (\mathsf{UnBal}_{\mathcal{A}} \cup \mathsf{Small})$, and $\mathcal{F}_3 = \mathcal{F} \setminus (\mathcal{F}_1 \cup \mathcal{F}_2) = \mathcal{F} \cap \mathcal{E}$. Lemma 16 yields that $\mathsf{UnBal}_{\mathcal{A}}$ and $\mathsf{UnBal}_{\mathcal{B}}$ are disjoint. It follows that $\mathcal{F}_1, \mathcal{F}_2$, and $\mathcal{F}_3$ form a partition of $\mathcal{F}$, and Equation (9) yields that

$$Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} \leq 4q \cdot \sum_{\alpha \in \mathcal{F}_1} w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) + \frac{1}{4q} + V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}}, \quad (11)$$

We next consider the probability of visiting $\mathcal{F}_1$ in a random an execution of $(\mathcal{A}^{\mathsf{Ideal}}, \mathsf{B})$. The definition of $\mathsf{UnBal}_{\mathcal{B}}$ yields that $W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) > 16 \cdot q^3$ for any $\alpha \in \mathcal{F}_1$. Applying Lemma 16 yields that

$$\frac{w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha)}{w(\alpha)} = W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) < \frac{1}{16 \cdot q^2} \cdot \frac{V_\alpha}{V_\lambda}, \qquad (12)$$

for any $\alpha \in \mathcal{F}_1$. Since $V_\alpha \leq 1$ and $\frac{1}{V_\lambda} \leq q$, we have that $w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) < \frac{w(\alpha)}{16 \cdot q^2}$. Plugging this into Equation (11) yields that $V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} - 1/2q$, as desired. ∎

5.1.1. Putting it All Together.: We next summarize the arguments that conclude the proof of Lemma 10.

Proof of Lemma 10: Let $\mathcal{E}$ be defined as in the foregoing discussion. Claim 12 asserts that $\mathcal{E}$ satisfies the first requirement of Lemma 10. For the second requirement, Lemma 15 yields that $V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} - \frac{1}{2q}$

and $V_\lambda^{\mathcal{B}_{\mathcal{E}}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} - \frac{1}{2q}$. Hence, we have

$$V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}} \cdot V_\lambda^{\mathcal{B}_{\mathcal{E}}^{\mathsf{Ideal}}} \geq Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} \cdot Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} - \frac{2}{2q}.$$

Claim 14 asserts that $Y_\lambda^{\mathcal{A}^{\mathsf{Ideal}}} \cdot Y_\lambda^{\mathcal{B}^{\mathsf{Ideal}}} \geq V_\lambda$, and hence, the second requirement is also satisfied, i.e.,

$$V_\lambda^{\mathcal{A}_{\mathcal{E}}^{\mathsf{Ideal}}} \cdot V_\lambda^{\mathcal{B}_{\mathcal{E}}^{\mathsf{Ideal}}} \geq V_\lambda - \frac{1}{q}.$$

∎

5.1.2. The Proof of the Compensation Lemma.:
Proof of Lemma 16: For $\alpha \in \mathcal{T}$ and $c \in \{0, 1\}$, let $\beta_\alpha(c)$ be the probability that the next message is c given that the transcript so far was α. I.e.,

$$\beta_\alpha(c) = \Pr_{(r_{\mathsf{A}}, r_{\mathsf{B}}) \leftarrow \mathsf{Uni}(\alpha)}[\mathsf{Leaf}(r_{\mathsf{A}}, r_{\mathsf{B}})_{|\alpha|+1} = \alpha \circ c]$$

Recall that $w(\alpha)$ is the probability that α is a prefix of the full communication transcript in an honest execution of the protocol. Assume that $\alpha = c_1 c_2 \ldots c_\ell$, then $w(\alpha) = \beta_{\alpha_0}(c_1) \cdot \beta_{\alpha_1}(c_2) \cdot \ldots \cdot \beta_{\alpha_{\ell-1}}(c_\ell)$.

Consider now an execution of $(\mathcal{A}^{\mathsf{Ideal}}, \mathsf{B})$. For $c \in \{0, 1\}$, let $\beta_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}(c)$ be the probability that the next message is c given that the transcript so far was α. I.e.,

$$\beta_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}(c) = \Pr[\mathcal{A}^{\mathsf{Ideal}}(\alpha) = c]. \qquad (13)$$

Recall that $w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha)$ is the probability that the node α is reached in an execution of $(\mathcal{A}^{\mathsf{Ideal}}, \mathsf{B})$. It follows that

$$w^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) = \beta_{\alpha_0}^{\mathcal{A}^{\mathsf{Ideal}}}(c_1) \cdot \beta_{\alpha_1}^{\mathcal{A}^{\mathsf{Ideal}}}(c_2) \cdots \beta_{\alpha_{\ell-1}}^{\mathcal{A}^{\mathsf{Ideal}}}(c_\ell),$$

Note that, if α is an A node, then $\beta_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}(c) = \frac{\beta_\alpha(c) \cdot V_{\alpha \circ c}}{V_\alpha}$, and otherwise $\beta_\alpha^{\mathcal{A}^{\mathsf{Ideal}}}(c) = \beta_\alpha(c)$. It follows that

$$W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) = \prod_{i=1}^{\ell/2} \frac{V_{\alpha_{2i-1}}}{V_{\alpha_{2i-2}}} \text{ and } W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) = \prod_{i=1}^{\ell/2} \frac{V_{\alpha_{2i}}}{V_{\alpha_{2i-1}}}.$$

Hence, $W^{\mathcal{A}^{\mathsf{Ideal}}}(\alpha) \cdot W^{\mathcal{B}^{\mathsf{Ideal}}}(\alpha) = \prod_{i=1}^{\ell} \frac{V_{\alpha_i}}{V_{\alpha_{i-1}}} = \frac{V_\alpha}{V_\lambda}$ ∎

6. Discussion and Open Questions

The main open question is understanding the limits of efficient attacks in breaking coin-flipping protocols. Specifically (assuming one-way functions do not exist), does there exist, for any (correct) coin-flipping protocol, an efficient adversary that biases its output towards 0 *or* towards 1 by $\frac{1}{2} - 1/\operatorname{poly}$? or even by $\frac{\sqrt{2}-1}{2} + \Omega(1)$? In light of the reduction of Chailloux and Kerenidis [4] from $(\frac{\sqrt{2}-1}{2} + O(\varepsilon))$-bias *strong* coin-flipping to ε-bias *weak* coin-flipping, a positive answer (even to the weaker form of above question i.e., $\frac{\sqrt{2}-1}{2} + \Omega(1)$ bias), would imply that the existence of constant-bias weak coin-flipping protocols implies the existence of one-way functions.

While our analysis only proves the existence of an adversary achieving $\frac{\sqrt{2}-1}{2} - o(1)$ bias (and thus has no direct implication to weak coin flipping), it shows that (assuming one-way functions do not exist) for any coin-flipping protocol there exists an efficient adversary that can bias its output *both* towards 0 and towards 1, by $\frac{\sqrt{2}-1}{2} - o(1)$. Hence, our attack accomplishes a harder task than the required one. Interestingly, $\frac{\sqrt{2}-1}{2}$ is the right bound for this more challenging task. That is, there exists a (correct) coin-flipping protocol for which no adversary (not even an unbounded one) can bias the output towards 1 by more than $\frac{\sqrt{2}-1}{2}$.[5]

ACKNOWLEDGMENT

REFERENCES

[1] B. Averbuch, M. Blum, B. Chor, S. Goldwasser, and S. Micali, "How to implement Bracha's $O(\log n)$ Byzantine agreement algorithm," 1985, unpublishe manuscript.

[2] A. Beimel, E. Omri, and I. Orlov, "Protocols for multiparty coin toss with dishonest majority," in *CRYPTO 2010*, 2010, pp. 538–557.

[3] M. Blum, "Coin flipping by telephone," in *CRYPTO 1981*, 1981, pp. 11–15.

[4] A. Chailloux and I. Kerenidis, "Optimal quantum strong coin flipping," in *FOCS 2009*, 2009, pp. 527–533.

[5] K.-M. Chung and F.-H. Liu, "Parallel repetition theorems for interactive arguments," in *TCC 2010*, 2010, pp. 19–36.

[6] R. Cleve, "Limits on the security of coin flips when half the processors are faulty," in *STOC 1986*, 1986, pp. 364–369.

[7] R. Cleve and R. Impagliazzo, "Martingales, collective coin flipping and discrete control processes," 1993, manuscript.

[8] D. Dachman-Soled, Y. Lindell, M. Mahmoody, and T. Malkin, "On the black-box complexity of optimally-fair coin tossing," in *TCC 2011*, 2011, pp. 450–467.

[9] O. Goldreich, S. Goldwasser, and S. Micali, "On the cryptographic applications of random functions," in *CRYPTO 1984*, 1984, pp. 276–288.

[10] ——, "How to construct random functions," *Journal of the ACM*, vol. 33, no. 4, pp. 792–807, 1986.

[11] O. Goldreich and L. A. Levin, "A hard-core predicate for all one-way functions," in *STOC 1989*, 1989, pp. 25–32.

[12] I. Haitner, "A parallel repetition theorem for any interactive argument," in *FOCS 2009*, 2009.

[13] I. Haitner, M. Nguyen, S. J. Ong, O. Reingold, and S. Vadhan, "Statistically hiding commitments and statistical zero-knowledge arguments from any one-way function," *SIAM Journal on Computing*, vol. 39, no. 3, pp. 1153–1218, 2009.

[14] I. Haitner and E. Omri, "Coin flipping with constant bias implies one-way functions," 2011, http://www.cs.tau.ac.il/~iftachh/papers/CoinFlipping/CoinFlippingtoOWF.pdf.

[15] J. Håstad, R. Impagliazzo, L. A. Levin, and M. Luby, "A pseudorandom generator from any one-way function," *SIAM Journal on Computing*, vol. 28, no. 4, pp. 1364–1396, 1999.

[16] J. Håstad, R. Pass, K. Pietrzak, and D. Wikström, "An efficient parallel repetition theorem," in *TCC 2010*, 2010.

[17] R. Impagliazzo and M. Luby, "One-way functions are essential for complexity based cryptography," in *FOCS 1989*, 1989, pp. 230–235.

[18] A. Y. Kitaev, "Quantum coin-flipping," 2003, presentation at the 6th workshop on quantum information processing (qip 2003).

[19] H. K. Maji, M. Prabhakaran, and A. Sahai, "On the Computational Complexity of Coin Flipping," in *FOCS 2010*, 2010, pp. 613–622.

[20] C. Mochon, "Quantum weak coin flipping with arbitrarily small bias," arXiv:0711.4114, 2007.

[21] T. Moran, M. Naor, and G. Segev, "An optimally fair coin toss," in *TCC 2009*, 2009, pp. 1–18.

[22] M. Naor, "Bit commitment using pseudorandomness," *Journal of Cryptology*, vol. 4, no. 2, pp. 151–158, 1991.

[23] M. Naor and M. Yung, "Universal one-way hash functions and their cryptographic applications," in *STOC 1989*. ACM Press, 1989, pp. 33–43.

[24] J. Rompel, "One-way functions are necessary and sufficient for secure signatures," in *STOC 1990*, 1990, pp. 387–394.

[5]For instance, consider the protocol where A (playing first) sets the outcome of the protocol to 0 w.p. $1 - \frac{1}{\sqrt{2}}$ and defers the decision to B otherwise. The party B, if plays, sets the outcome to 1 w.p. $\frac{1}{\sqrt{2}}$ and to 0 otherwise. It is clear that the protocol is correct (i.e., expected outcome for an honest execution is $\frac{1}{2}$) and that there exists no cheating strategy for neither A nor B that can make the expected outcome of the protocol to be larger than $\frac{1}{\sqrt{2}}$.