

Database Fundamentals v1.0 (98-364)

Page: 5 / 47

Total 235 questions



10 questions per page



Question 21 (Topic 1)



You are writing an SQL statement to retrieve rows from a table.
Which data manipulation language (DML) command should you use?

- A. READ
- B. SELECT
- C. OUTPUT
- D. GET

Answer : B

Question 22 (Topic 1)



Which constraint ensures a unique value in the ID column for each customer?

- A. DISTINCT
- B. FOREIGN KEY
- C. SEQUENTIAL
- D. PRIMARY KEY

Answer : D

Question 23 (Topic 1)



The component that holds information for a single entry in a table is called a:

- A. Data type
- B. Row
- C. Column
- D. View

Answer : B

Question 24 (Topic 1)



You execute the following statement:
SELECT EmployeeID, FirstName, DepartmentName

FROM Employee, Department -
This type of operation is called a/an:

- A. Intersection
- B. Outer join
- C. Equi-join

D. Cartesian product

Answer : D

Question 25 (Topic 1)



Which command should you use to add a column to an existing table?

- A. MODIFY
- B. ALTER
- C. UPDATE
- D. INSERT
- E. CHANGE

Answer : B



Database Fundamentals v1.0 (98-364)

Question 16 (Topic 1)



One reason to create a stored procedure is to:

- A. Improve performance.
- B. Minimize storage space.
- C. Bypass case sensitivity requirements.
- D. Give the user control of the query logic.

Answer : A

Question 17 (Topic 1)



Which permission does a user need in order to run a stored procedure?

- A. EXECUTE
- B. ALLOW
- C. CALL
- D. RUN

Answer : A

Question 18 (Topic 1)



You have a table named Product. You create a view that includes all the products from the Product table that are in the Furniture category. You execute a statement on the Product table that deletes all the products in the Furniture category. After you execute the statement, the result set of the view is:

- A. Empty
- B. Deleted
- C. Unchanged
- D. Archived

Answer : A

Question 19 (Topic 1)



In SQL, an insert statement is used to add a:

- A. User to a database.
- B. Row of data to a table.
- C. Table to a database.
- D. Column to a table definition.

Answer : **B**

Question 20 (Topic 1)



You have two tables. Each table has three rows.
How many rows will be included in the Cartesian product of these two tables?

- A. 0
- B. 3
- C. 6
- D. 9

Answer : **D**



Database Fundamentals v1.0 (98-364)

Page: 3 / 47

Total 235 questions

⏮

⏪

↶

🖨

👁

10 questions per page ▾

Question 11 (Topic 1)



Which keyword can be used in a create table statement?

- A. ORDER BY
- B. DISTINCT
- C. GROUP BY
- D. UNIQUE

Answer : D

Question 12 (Topic 1)



You need to store product quantities, and you want to minimize the amount of storage space that is used. Which data type should you use?

- A. INTEGER
- B. DOUBLE
- C. COUNT
- D. FLOAT

Answer : A

Question 13 (Topic 1)



Which statement will result in the creation of an index?

- A.

```
CREATE TABLE Employee
(EmployeeID  INTEGER PRIMARY KEY)
```
- B.

```
CREATE TABLE Employee
(EmployeeID  INTEGER DISTINCT)
```
- C.

```
CREATE TABLE Employee
(EmployeeID  INTEGER NULL)
```
- D.

```
CREATE TABLE Employee
(EmployeeID  INTEGER INDEX)
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer : **A**

Question 14 (Topic 1)



You have the following table definition:

CREATE TABLE Road -
(RoadID INTEGER NOT NULL,
Distance INTEGER NOT NULL)
The Road table contains the following data:

RoadID	Distance
1234	22
1384	34

You execute the following statement:
INSERT INTO Road VALUES (1234, 36)
What is the result?

- A. an error stating that NULL values are not allowed
- B. a new row in the table
- C. an error stating that duplicate IDs are not allowed
- D. a syntax error

Answer : **B**

Question 15 (Topic 1)



You need to store product names that vary from three to 30 characters. You also need to minimize the amount of storage space that is used.
Which data type should you use?

- A. VARCHAR (3, 30)
- B. CHAR (3, 30)
- C. VARCHAR (30)
- D. CHAR (30)

Answer : **C**



Database Fundamentals v1.0 (98-364)

Question 6 (Topic 1)



Which statement creates a composite key?

- A.

```
CREATE TABLE Order
(OrderID      INTEGER PRIMARY KEY,
 OrderItemID INTEGER PRIMARY KEY)
```
- B.

```
CREATE TABLE Order
(OrderID      INTEGER,
 OrderItemID  INTEGER,
 PRIMARY KEY OrderID,
 PRIMARY KEY OrderItemID)
```
- C.

```
CREATE TABLE Order
(OrderID      INTEGER,
 OrderItemID  INTEGER,
 PRIMARY KEY)
```
- D.

```
CREATE TABLE Order
(OrderID      INTEGER,
 OrderItemID  INTEGER,
 PRIMARY KEY(OrderID, OrderItemID))
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer : **D**

Question 7 (Topic 1)



At 3:00 P.M. (1500 hours), you create a backup of your database. At 4:00 P.M. (1600 hours), you create a table named Customer and import data into the table.

At 5:00 P.M. (1700 hours), your server fails.

You run a script to apply only the 3:00 P.M. backup to your database. What is the result of the script?

- A. The Customer table no longer exists.
- B. The Customer table is unaffected.
- C. The Customer table exists but has no data.
- D. The script fails.

Answer : **A**

Question 8 (Topic 1)



In which situation do you need to perform a restore on a database?

- A. when data becomes corrupted in the database
- B. when you need to roll back a transaction
- C. when you encounter an error in your application

D. when data needs to be deleted from the database

Answer : **A**

Question 9 (Topic 1)



Which command should you use to give a user permission to read the data in a table?

- A.** ALLOW SELECT
- B.** LET READ
- C.** PERMIT READ
- D.** GRANT SELECT

Answer : **D**

Question 10 (Topic 1)



You need to enable a new employee to authenticate to your database.
Which command should you use?

- A.** ALLOW USER
- B.** CREATE USER
- C.** ADD USER
- D.** INSERT USER
- E.** ALTER USER

Answer : **B**

Database Fundamentals v1.0 (98-364)

Page: 1 / 16

Total 235 questions



Question 1



Which two elements are required to define a column? (Choose two.)

- A. A name
- B. A key
- C. An index
- D. A data type

Answer : AD

Question 2



What defines the amount of storage space that is allocated to a value in a column?

- A. format
- B. key
- C. data type
- D. validator

Answer : C

Question 3



You are creating a table to store customer data. The AccountNumber column uses values that always consist of one letter and four digits. Which data type should you use for the AccountNumber column?

- A. CHAR
- B. BYTE
- C. DOUBLE
- D. SMALLINT

Answer : A

Question 4



What is one difference between an update statement and a delete statement?

- A. An update statement can change only one row.
- B. A delete statement cannot use a where clause.
- C. An update statement does not remove rows from a table.
- D. A delete statement works only within a stored procedure.

Answer : **C**

Question 5



You have a Department table and an Employee table in your database.
You need to ensure that an employee can be assigned to only an existing department.
What should you apply to the Employee table?

- A. A primary key
- B. An index
- C. A foreign key
- D. A unique constraint
- E. A data type

Answer : **C**

Question 6



You need to store the first name, last name, and student ID for 100 students.
This information will be stored in a table as:

- A. 100 items and three cells.
- B. 100 rows and three columns.
- C. three rows and 100 columns.
- D. three items and 100 cells.

Answer : **B**

Question 7



What are three valid data manipulation language (DML) commands? (Choose three.)

- A. INSERT
- B. COMMIT
- C. DELETE
- D. OUTPUT
- E. UPDATE

Answer : **ACE**

Explanation:

Data manipulation languages have their functional capability organized by the initial word in a statement, which is almost always a verb. In the case of SQL, these verbs are:

- ☞ SELECT ... FROM ... WHERE ...
- ☞ INSERT INTO ... VALUES ...
- ☞ UPDATE ... SET ... WHERE ...
- ☞ DELETE FROM ... WHERE ...

References:

http://en.wikipedia.org/wiki/Data_manipulation_language

Question 8



You assign User1 a set of permissions that include the WITH GRANT OPTION.
The WITH GRANT OPTION enables User1 to:

- A. request a log of permission use.
- B. delegate permissions to other users.
- C. create new database users.
- D. view other users' permissions.

Answer : C

Question 9



Which type of index changes the order in which the data is stored in a table?

- A. non-sequential
- B. sequential
- C. non-clustered
- D. clustered

Answer : A

Question 10



Which statement should you use to remove a foreign key?

- A. ALTER TABLE
- B. DELETE TABLE
- C. DELETE FOREIGN KEY
- D. ALTER FOREIGN KEY

Answer : A

Question 11



First normal form requires that a database excludes:

- A. Foreign keys
- B. Composite keys
- C. Duplicate rows
- D. Repeating groups

Answer : D

Question 12



You execute a statement inside a transaction to delete 100 rows from a table. The transaction fails after only 40 rows are deleted. What is the result in the database?

- A. The table will be corrupted.
- B. Forty (40) rows will be deleted from the table.
- C. The transaction will restart.
- D. No rows will be deleted from the table.

Answer : D

Question 13



You have a table that contains product IDs and product names. You need to write an UPDATE statement to change the name of a specific product to glass. What should you include in the update statement?

- A. SET ProduetName = 'glass'
- B. LET ProduetName = 'glass'
- C. EXEC ProduetName = 'glass'
- D. ASSIGN ProduetName = 'glass'

Answer : A

Question 14



Your database contains a table named Customer. You need to delete the record from the Customer table that has a CusomerID of 12345. Which statement should you use?

- A. UPDATE Customer
DELETE *
WHERE CustomerID = 12345
- B. DELETE CustomerID
FROM Customer
WHERE CustomerID = 12345
- C. UPDATE CustomerID
FROM Customer
DELETE *
WHERE CustomerID = 12345
- D. DELETE FROM Customer
WHERE CustomerID = 12345

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer : **D**

Question 15



On which database structure does an insert statement operate?

- A. Role
- B. Trigger
- C. User
- D. Stored procedure
- E. Table

Answer : **E**

Database Fundamentals v1.0 (98-364)

Question 26 (Topic 1)



You have the following table definition:

CREATE TABLE Product -
(ID INTEGER PRIMARY KEY,
Name VARCHAR(20),
Quantity INTEGER)
The Product table contains the following data.

ID	Name	Quantity
1234	Apples	33
2615	Oranges	0
3781	Pears	29
4589	Plums	

You execute the following statement:
SELECT Name FROM Product WHERE Quantity IS NOT NULL
How many rows are returned?

- A. 0
- B. 1
- C. 2
- D. 3
- E. 4

Answer : D

Question 27 (Topic 1)



You are writing a select statement to find every product whose name contains a specific character.
Which keyword should you use in your where clause?

- A. FIND
- B. BETWEEN
- C. INCLUDES
- D. LIKE

Answer : D

Question 28 (Topic 1)



A database contains two tables named Customer and Order.
You execute the following statement:

DELETE FROM Order -

WHERE CustomerID = 209 -
What is the result?

- A. The first order for CustomerID 209 is deleted from the Order table.

- B.** All orders for CustomerID 209 are deleted from the Order table, and CustomerID 209 is deleted from the Customer table.
- C.** All orders for CustomerID 209 are deleted from the Order table.
- D.** CustomerID 209 is deleted from the Customer table.

Answer : **C**

Question 29 (Topic 1)



You have a table named Product. The Product table has columns for ProductDescription and ProductCategory.
You need to change the ProductCategory value for all the spoons in the Product table to 43.
Which statement should you use?

- A.**

```
UPDATE Product
SET ProductCategory = 43
WHERE ProductDescription = 'spoon'
```
- B.**

```
SET Product
WHERE ProductDescription = 'spoon'
TO ProductCategory = 43
```
- C.**

```
UPDATE Product
WHERE ProductDescription = 'spoon'
SET ProductCategory = 43
```
- D.**

```
SET Product
TO ProductCategory = 43
WHERE ProductDescription = 'spoon'
```

- A.** Option A
- B.** Option B
- C.** Option C
- D.** Option D

Answer : **A**

Question 30 (Topic 1)



You have a table that contains information about all students in your school.
Which SQL keyword should you use to change a student's first name in the table?

- A.** UPDATE
- B.** CHANGE
- C.** SELECT
- D.** INSERT

Answer : **A**

