	All 122	Passed 53	✕ Failed 69	Flaky 0	Skipped 0

26/05/2025, 17:16:58   Total time: 1.0m

∨ ../src/tests/api/rest/data-driven-api.spec.js

✕ **Data-Driven API Tests › Create user: User 1 - Job 1** (src-tests)   791ms
../src/tests/api/rest/data-driven-api.spec.js:56   ▥ View Trace

---

✕ **Data-Driven API Tests › Create user: User 2 - Job 2** (src-tests)   790ms
../src/tests/api/rest/data-driven-api.spec.js:56   ▥ View Trace

---

✕ **Data-Driven API Tests › Create user: User 3 - Job 3** (src-tests)   824ms
../src/tests/api/rest/data-driven-api.spec.js:56   ▥ View Trace

---

✕ **Data-Driven API Tests › Get user with ID: 1** (src-tests)   818ms
../src/tests/api/rest/data-driven-api.spec.js:82   ▥ View Trace

---

✕ **Data-Driven API Tests › Get user with ID: 2** (src-tests)   841ms
../src/tests/api/rest/data-driven-api.spec.js:82   ▥ View Trace

---

✕ **Data-Driven API Tests › Get user with ID: 3** (src-tests)   778ms
../src/tests/api/rest/data-driven-api.spec.js:82   ▥ View Trace

---

✕ **Data-Driven API Tests › Get users from page 1** (src-tests)   785ms
../src/tests/api/rest/data-driven-api.spec.js:112   ▥ View Trace

---

✕ **Data-Driven API Tests › Get users from page 2** (src-tests)   752ms
../src/tests/api/rest/data-driven-api.spec.js:112   ▥ View Trace

---

✕ **Data-Driven API Tests › Get users from page 3** (src-tests)   832ms
../src/tests/api/rest/data-driven-api.spec.js:112   ▥ View Trace

---

✕ **Data-Driven API Tests › API with page=1** (src-tests)   809ms
../src/tests/api/rest/data-driven-api.spec.js:134   ▥ View Trace

---

✕ **Data-Driven API Tests › API with per_page=3** (src-tests)   831ms
../src/tests/api/rest/data-driven-api.spec.js:134   ▥ View Trace

---

✓ **Data-Driven API Tests › Get user with ID: 23** (src-tests)   407ms
../src/tests/api/rest/data-driven-api.spec.js:82

∨ ../src/utils/web/webScrapingUtils.test.js

✕ **extractTableData should extract data from a table** (utils)   608ms

---

../src/utils/web/webScrapingUtils.test.js:24   ▢▢ View Trace

✕ **extractLinks should extract links from a page** (utils)   456ms
     ../src/utils/web/webScrapingUtils.test.js:67   ▢▢ View Trace

✕ **extractText should extract text content from elements** (utils)   552ms
     ../src/utils/web/webScrapingUtils.test.js:96   ▢▢ View Trace

✕ **extractStructuredData should extract data using selectors** (utils)   389ms
     ../src/utils/web/webScrapingUtils.test.js:118   ▢▢ View Trace

✕ **extractImages should extract images from a page** (utils)   2.1s
     ../src/utils/web/webScrapingUtils.test.js:182   ▢▢ View Trace

✕ **extractFormData should extract form data** (utils)   363ms
     ../src/utils/web/webScrapingUtils.test.js:205   ▢▢ View Trace

✕ **extractList should extract list items** (utils)   632ms
     ../src/utils/web/webScrapingUtils.test.js:257   ▢▢ View Trace

✓ **saveDOMSnapshot should save a snapshot of the page** (utils)   307ms
     ../src/utils/web/webScrapingUtils.test.js:143

✓ **extractMetadata should extract page metadata** (utils)   102ms
     ../src/utils/web/webScrapingUtils.test.js:156

⌄ **../src/tests/core/navigation.spec.js**

✕ **Navigation › should navigate to Admin page** (src-tests)   876ms
     ../src/tests/core/navigation.spec.js:22   ▢▢ View Trace

✕ **Navigation › should navigate to PIM page** (src-tests)   1.1s
     ../src/tests/core/navigation.spec.js:31   ▢▢ View Trace

✕ **Navigation › should navigate to Leave page** (src-tests)   1.0s
     ../src/tests/core/navigation.spec.js:40   ▢▢ View Trace

✕ **Navigation › should navigate to Time page** (src-tests)   1.1s
     ../src/tests/core/navigation.spec.js:49   ▢▢ View Trace

✕ **Navigation › should navigate to Recruitment page** (src-tests)   1.1s
     ../src/tests/core/navigation.spec.js:58   ▢▢ View Trace

✕ **Navigation › should navigate back to Dashboard** (src-tests)   808ms
     ../src/tests/core/navigation.spec.js:67   ▢▢ View Trace

⌄ ../src/tests/api/rest/create-user.spec.js

✕ **Create User API Tests › Create new user with valid data** `src-tests`		856ms
../src/tests/api/rest/create-user.spec.js:42　▥ View Trace		
✕ **Create User API Tests › Create user with minimal data** `src-tests`		821ms
../src/tests/api/rest/create-user.spec.js:63　▥ View Trace		
✕ **Create User API Tests › Update user with PUT request** `src-tests`		807ms
../src/tests/api/rest/create-user.spec.js:78　▥ View Trace		
✕ **Create User API Tests › Update user with PATCH request** `src-tests`		881ms
../src/tests/api/rest/create-user.spec.js:98　▥ View Trace		
✕ **Create User API Tests › Delete user** `src-tests`		796ms
../src/tests/api/rest/create-user.spec.js:112　▥ View Trace		

⌄ ../src/tests/core/authentication.spec.js

✕ **Authentication › should login with valid credentials** `src-tests`		1.0s
../src/tests/core/authentication.spec.js:44　▥ View Trace		
✕ **Authentication › should show error with invalid credentials** `src-tests`		1.1s
../src/tests/core/authentication.spec.js:59　▥ View Trace		
✕ **Authentication › should require username and password** `src-tests`		961ms
../src/tests/core/authentication.spec.js:74　▥ View Trace		
✕ **Authentication › should logout successfully** `src-tests`		1.1s
../src/tests/core/authentication.spec.js:85　▥ View Trace		
✕ **Authentication › should remember login credentials** `src-tests`		1.2s
../src/tests/core/authentication.spec.js:103　▥ View Trace		

⌄ ../src/tests/e2e/todo-app.spec.js

✕ **Todo App › should allow adding todo items** `src-tests`		1.1s
../src/tests/e2e/todo-app.spec.js:14　▥ View Trace		
✕ **Todo App › should allow completing todo items** `src-tests`		1.4s
../src/tests/e2e/todo-app.spec.js:33　▥ View Trace		
✕ **Todo App › should allow editing todo items** `src-tests`		736ms
../src/tests/e2e/todo-app.spec.js:57　▥ View Trace		

✕ **Todo App › should allow deleting todo items** `src-tests`   1.1s

../src/tests/e2e/todo-app.spec.js:74   ▥ View Trace

✕ **Todo App › should display correct count of remaining items** `src-tests`   1.2s

../src/tests/e2e/todo-app.spec.js:89   ▥ View Trace

⌄ **../src/tests/core/form-validation.spec.js**

✕ **Form Validation › should validate required fields in Add User form** `src-tests`   1.3s

../src/tests/core/form-validation.spec.js:22   ▥ View Trace

✕ **Form Validation › should validate password strength in Add User form**   1.1s

`src-tests`

../src/tests/core/form-validation.spec.js:41   ▥ View Trace

✕ **Form Validation › should validate password confirmation in Add User form**   1.1s

`src-tests`

../src/tests/core/form-validation.spec.js:64   ▥ View Trace

✕ **Form Validation › should validate username uniqueness in Add User form**   1.3s

`src-tests`

../src/tests/core/form-validation.spec.js:88   ▥ View Trace

⌄ **../src/tests/accessibility/fixed-accessibilityTest.spec.js**

✕ **Fixed Accessibility Tests › OrangeHRM login page should generate**   968ms

accessibility report `src-tests`

../src/tests/accessibility/fixed-accessibilityTest.spec.js:11   ▥ View Trace

✕ **Fixed Accessibility Tests › OrangeHRM dashboard should generate**   683ms

accessibility report `src-tests`

../src/tests/accessibility/fixed-accessibilityTest.spec.js:26   ▥ View Trace

✕ **Fixed Accessibility Tests › OrangeHRM login form should be accessible**   627ms

`src-tests`

../src/tests/accessibility/fixed-accessibilityTest.spec.js:47   ▥ View Trace

⌄ **../src/tests/api/rest/fixed-reqres-api.spec.js**

✕ **ReqRes API with Schema Validation › Get users list with schema validation**   803ms

`src-tests`

../src/tests/api/rest/fixed-reqres-api.spec.js:93   ⊞ View Trace

---

✕ **ReqRes API with Schema Validation › Get single user with schema validation**   771ms

(src-tests)

../src/tests/api/rest/fixed-reqres-api.spec.js:111   ⊞ View Trace

---

✕ **ReqRes API with Schema Validation › Create user with schema validation**   817ms

(src-tests)

../src/tests/api/rest/fixed-reqres-api.spec.js:126   ⊞ View Trace

---

✓ **ReqRes API with Schema Validation › Validate error response for non-**   393ms

existent resource (src-tests)

../src/tests/api/rest/fixed-reqres-api.spec.js:145

⌄ **../src/tests/api/rest/user-api.spec.js**

✕ **User API Tests › Get list of users** (src-tests)   819ms

../src/tests/api/rest/user-api.spec.js:72   ⊞ View Trace

✕ **User API Tests › Get single user by ID** (src-tests)   827ms

../src/tests/api/rest/user-api.spec.js:87   ⊞ View Trace

✕ **User API Tests › Get user resources** (src-tests)   1.0s

../src/tests/api/rest/user-api.spec.js:114   ⊞ View Trace

✓ **User API Tests › Get non-existent user returns 404** (src-tests)   371ms

../src/tests/api/rest/user-api.spec.js:100

⌄ **../src/tests/salesforce/salesforce-api.spec.js**

✕ **Salesforce API Tests › should create and retrieve an account** (src-tests)   0ms

../src/tests/salesforce/salesforce-api.spec.js:18   ⊞ View Trace

---

✕ **Salesforce API Tests › should create and update a contact** (src-tests)   0ms

../src/tests/salesforce/salesforce-api.spec.js:49   ⊞ View Trace

---

✕ **Salesforce API Tests › should query opportunities** (src-tests)   0ms

../src/tests/salesforce/salesforce-api.spec.js:94   ⊞ View Trace

---

⌄ **../src/tests/combined/api-ui-combined-fixed-v2.spec.js**

✕ **API-UI Combined Tests V2 › should create user via UI and verify via API**   616ms

(src-tests)

../src/tests/combined/api-ui-combined-fixed-v2.spec.js:86   ⊞ View Trace

✕ API-UI Combined Tests V2 › should update employee via API and verify
changes in UI `src-tests`   999ms

../src/tests/combined/api-ui-combined-fixed-v2.spec.js:163   ⊟ View Trace

---

⌄ ../src/tests/combined/api-ui-combined-fixed.spec.js

✕ API-UI Combined Tests › should create employee via API and verify in UI   1.2s

`src-tests`

../src/tests/combined/api-ui-combined-fixed.spec.js:75   ⊟ View Trace

✕ API-UI Combined Tests › should get employee list via API and verify in UI   897ms

`src-tests`

../src/tests/combined/api-ui-combined-fixed.spec.js:111   ⊟ View Trace

---

⌄ ../src/tests/e2e/hybrid-flow.spec.js

✕ Hybrid Flow › should create employee via API and verify in UI `src-tests`   1.1s
../src/tests/e2e/hybrid-flow.spec.js:37   ⊟ View Trace

✕ Hybrid Flow › should update employee data via API and verify in UI   1.2s

`src-tests`

../src/tests/e2e/hybrid-flow.spec.js:80   ⊟ View Trace

⌄ ../src/tests/salesforce/lead-management.spec.js

✕ Salesforce Lead Management › should create a new lead `src-tests`   4.8s
../src/tests/salesforce/lead-management.spec.js:27   ⊟ View Trace

✕ Salesforce Lead Management › should convert a lead `src-tests`   4.4s
../src/tests/salesforce/lead-management.spec.js:58   ⊟ View Trace

---

⌄ ../src/tests/salesforce/opportunity-management.spec.js

✕ Salesforce Opportunity Management › should create a new opportunity   4.7s

`src-tests`

../src/tests/salesforce/opportunity-management.spec.js:27   ⊟ View Trace

✕ Salesforce Opportunity Management › should update opportunity stage   4.7s

`src-tests`

../src/tests/salesforce/opportunity-management.spec.js:64   ⊟ View Trace

⌄ **../src/tests/accessibility/accessibility.spec.js**

✕ **Accessibility Tests › login page should pass specific accessibility rules**   14.1s

`src-tests`

../src/tests/accessibility/accessibility.spec.js:61   ▥ View Trace

✓ **Accessibility Tests › login page should not have critical accessibility violations** `src-tests`   5.5s

../src/tests/accessibility/accessibility.spec.js:20

✓ **Accessibility Tests › dashboard should not have critical accessibility violations** `src-tests`   8.7s

../src/tests/accessibility/accessibility.spec.js:40

⌄ **../src/tests/reqres-api-test.spec.js**

✕ **Reqres Api Test › basic test** `src-tests`   1.1s

../src/tests/reqres-api-test.spec.js:7   ▥ View Trace

⌄ **../src/tests/salesforce/salesforce-login.spec.js**

✕ **Salesforce Authentication › should login to Salesforce successfully**   14.3s

`src-tests`

../src/tests/salesforce/salesforce-login.spec.js:13   ▥ View Trace

⌄ **../src/tests/verification-test.spec.js**

✕ **Verification Test › basic test** `src-tests`   868ms

../src/tests/verification-test.spec.js:7   ▥ View Trace

⌄ **../src/tests/api/apiClient.test.js**

✓ **ApiClient › should make GET request and parse JSON response** `src-tests`   12ms

../src/tests/api/apiClient.test.js:99

✓ **ApiClient › should make POST request with JSON body** `src-tests`   5ms

../src/tests/api/apiClient.test.js:117

✓ **ApiClient › should make PUT request to update resource** `src-tests`   6ms

../src/tests/api/apiClient.test.js:137

✓ **ApiClient › should make PATCH request for partial update** `src-tests`   7ms

../src/tests/api/apiClient.test.js:157

✓ **ApiClient › should make DELETE request** `src-tests`   4ms

../src/tests/api/apiClient.test.js:176

✓ **ApiClient › should handle text responses** (src-tests)   2ms
../src/tests/api/apiClient.test.js:189

✓ **ApiClient › should handle error responses** (src-tests)   3ms
../src/tests/api/apiClient.test.js:200

✓ **ApiClient › should set auth token for requests** (src-tests)   3ms
../src/tests/api/apiClient.test.js:216

✓ **ApiClient › should format URL correctly** (src-tests)   0ms
../src/tests/api/apiClient.test.js:235

✓ **ApiClient › should handle query parameters** (src-tests)   4ms
../src/tests/api/apiClient.test.js:245

⌄ ../src/tests/api/schemaValidator.test.js

✓ **SchemaValidator › should validate simple types correctly** (src-tests)   2ms
../src/tests/api/schemaValidator.test.js:14

✓ **SchemaValidator › should validate required properties** (src-tests)   1ms
../src/tests/api/schemaValidator.test.js:46

✓ **SchemaValidator › should validate nested objects** (src-tests)   1ms
../src/tests/api/schemaValidator.test.js:71

✓ **SchemaValidator › should validate arrays and array items** (src-tests)   1ms
../src/tests/api/schemaValidator.test.js:125

✓ **SchemaValidator › should validate string formats** (src-tests)   1ms
../src/tests/api/schemaValidator.test.js:158

✓ **SchemaValidator › should return detailed error information** (src-tests)   1ms
../src/tests/api/schemaValidator.test.js:187

⌄ ../src/tests/common/errorHandler.advanced.test.js

✓ **PlaywrightErrorHandler Advanced › should handle navigation errors**   20ms
(src-tests)
../src/tests/common/errorHandler.advanced.test.js:9

✓ **PlaywrightErrorHandler Advanced › should handle API errors** (src-tests)   6ms
../src/tests/common/errorHandler.advanced.test.js:25

✓ **PlaywrightErrorHandler Advanced › should handle assertion errors**   2ms
(src-tests)
../src/tests/common/errorHandler.advanced.test.js:44

✓ **PlaywrightErrorHandler Advanced › should use exponential backoff for**   49ms

   retries `src-tests`

   ../src/tests/common/errorHandler.advanced.test.js:61

✓ **PlaywrightErrorHandler Advanced › should respect custom retry condition**   18ms

   `src-tests`

   ../src/tests/common/errorHandler.advanced.test.js:85

⌄ **../src/tests/common/errorHandler.test.js**

✓ **PlaywrightErrorHandler › should handle timeout errors with enhanced**   4ms

   context `src-tests`

   ../src/tests/common/errorHandler.test.js:8

✓ **PlaywrightErrorHandler › should handle selector errors with enhanced**   4ms

   context `src-tests`

   ../src/tests/common/errorHandler.test.js:28

✓ **PlaywrightErrorHandler › should retry operations with exponential backoff**   34ms

   `src-tests`

   ../src/tests/common/errorHandler.test.js:46

✓ **PlaywrightErrorHandler › should respect retry condition** `src-tests`   2ms

   ../src/tests/common/errorHandler.test.js:70

✓ **PlaywrightErrorHandler › should execute with timeout** `src-tests`   54ms

   ../src/tests/common/errorHandler.test.js:96

✓ **PlaywrightErrorHandler › should use fallback with graceful degradation**   1ms

   `src-tests`

   ../src/tests/common/errorHandler.test.js:119

✓ **PlaywrightErrorHandler › should attempt self-healing with alternative**   0ms

   selectors `src-tests`

   ../src/tests/common/errorHandler.test.js:136

✓ **PlaywrightErrorHandler › should measure performance of operations**   55ms

   `src-tests`

   ../src/tests/common/errorHandler.test.js:166

⌄ **../src/tests/common/logger.test.js**

✓ **Logger › should create log file when file logging is enabled** `src-tests`   3ms

   ../src/tests/common/logger.test.js:32

✓ **Logger › should respect log level** `src-tests`   4ms
../src/tests/common/logger.test.js:57

✓ **Logger › should format log messages correctly** `src-tests`   2ms
../src/tests/common/logger.test.js:85

✓ **Logger › should not create log file when file logging is disabled** `src-tests`   1ms
../src/tests/common/logger.test.js:101

⌄ **../src/tests/reporting/reportingUtils.test.js**

✓ **Reporting Utilities › should generate HTML report** `src-tests`   22ms
../src/tests/reporting/reportingUtils.test.js:28

✓ **Reporting Utilities › should generate Markdown report** `src-tests`   6ms
../src/tests/reporting/reportingUtils.test.js:73

✓ **Reporting Utilities › should generate JUnit XML report** `src-tests`   5ms
../src/tests/reporting/reportingUtils.test.js:131

✓ **Reporting Utilities › should process Playwright results** `src-tests`   2ms
../src/tests/reporting/reportingUtils.test.js:190

⌄ **../src/tests/salesforce/salesforceUtils.advanced.test.js**

✓ **SalesforceUtils Error Handling › should handle login errors** `src-tests`   20ms
../src/tests/salesforce/salesforceUtils.advanced.test.js:115

✓ **SalesforceUtils Error Handling › should handle create record errors**   17ms

`src-tests`

../src/tests/salesforce/salesforceUtils.advanced.test.js:139

✓ **SalesforceUtils Error Handling › should handle query errors** `src-tests`   16ms
../src/tests/salesforce/salesforceUtils.advanced.test.js:174

✓ **SalesforceUtils Error Handling › should handle missing access token**   9ms

`src-tests`

../src/tests/salesforce/salesforceUtils.advanced.test.js:206

⌄ **../src/tests/salesforce/salesforceUtils.test.js**

✓ **SalesforceUtils › should login to Salesforce API** `src-tests`   8ms
../src/tests/salesforce/salesforceUtils.test.js:102

✓ **SalesforceUtils › should create a record** `src-tests`   7ms
../src/tests/salesforce/salesforceUtils.test.js:134

✓ **SalesforceUtils › should query records** `src-tests`   31ms

../src/tests/salesforce/salesforceUtils.test.js:175

✓ **SalesforceUtils › should update a record** (src-tests)   8ms
../src/tests/salesforce/salesforceUtils.test.js:211

✓ **SalesforceUtils › should delete a record** (src-tests)   5ms
../src/tests/salesforce/salesforceUtils.test.js:250