






E[X(t)]
Time [ms]
Compatible
Incompatible
PDF
CDF
CAF
RT Bin
X(t)
Δ RT [ms]



CDF
0
0.5
1
200
400
600
800
1000
1200
1400
Time [ms]
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



Δ RT [ms]
−20
0
20
40
350
400
450
500
550
600
Time [ms]



RT Correct [ms]
400
420
440
460
480
500
Compatible
Incompatible



Error Rate [%]
RT Error [ms]
Compatible
Incompatible
Compatible
Incompatible
Compatible
Incompatible
Compatible
Incompatible
Compatible
Incompatible
Time [ms]
Time [ms]



100
50
0
−50
−100
X(t)
0
200
400
600
800
1000
Time [ms]
Compatible
Incompatible



Compatible
Incompatible
.001
.005
0
PDF
0
200
400
600
800
1000
Time [ms]



CDF
0
0.5
1
200
400
600
800
1000
1200
1400
Time [ms]
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



Δ RT [ms]
40
20
0
−20
350
400
450
500
550
600
Time [ms]



−20
−40
−60
−80
−100
Δ RT [ms]
350
400
450
500
550
RT Bin



Δ ER [%]
4
2
0
−2
350
400
450
500
550
600
Time [ms]



RT Correct [ms]
500
480
460
440
420
400
Compatible
Incompatible



Error Rate [%]
0.0
0.5
1.0
1.5
2.0
Compatible
Incompatible



RT Error [ms]
500
450
400
PDF
.001
.005
0
Compatible
Incompatible
Compatible
Incompatible
0
200
400
600
800
1000
Time [ms]



CDF
0
0.5
1
200
400
600
800
1000
1200
Time [ms]
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



Δ RT [ms]
−20
0
10
20
30
40
50
350
400
450
500
550
600
Time [ms]



PDF
0
.005
.001
0
200
400
600
800
1000
Time [ms]
Compatible
Incompatible



CDF
Time [ms]
Compatible
Incompatible
RT Bin
Δ RT [ms]
Time [ms]
Compatible
Incompatible



CDF
0
0.5
1
200
400
600
800
1000
1200
Time [ms]
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



50
40
30
20
10
0
−10
−20
Δ RT [ms]
350
400
450
500
550
600
Time [ms]



Δ ER [%]
4
2
0
−2
350
400
450
500
550
600
Time [ms]



RT Correct [ms]
500
480
460
440
420
400
Compatible
Incompatible



Error Rate [%]
0.0
0.5
1.0
1.5
Compatible
Incompatible



amp=20
amp=22
amp=24
amp=26
amp=28
amp=30
60
50
40
30
20
10
0
−10
500
450
400
300
400
500
600
Time [ms]
Compatible
Incompatible



amp=20
amp=22
amp=24
amp=26
amp=28
amp=30
ΔTime [ms]
60
50
40
30
20
10
0
−10
300
400
500
600
Time [ms]



RT Correct [ms]
360
400
440
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



ΔRT [ms]
0
20
40
60
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
400
440
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



ΔRT [ms]
0
20
40
60
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
400
440
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



ΔRT [ms]
0
20
40
60
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
400
440
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



ΔRT [ms]
0
20
40
60
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
480
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



ΔRT [ms]
0
20
40
60
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
400
440
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



RT Correct [ms]
380
400
420
440
460
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
1
2
3
4
5
6
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
380
400
420
440
460
Compatible
Incompatible



ΔRT [ms]
−40
−20
0
20
40
60
350
400
450
500
550
Time [ms]



Compatible
Incompatible



Compatible
Incompatible



Compatible
Incompatible



Compatible
Incompatible



Compatible
Incompatible






RT Correct [ms]
360
400
440
480
Compatible
Incompatible



CDF
0
0.5
1
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
0−20%
20−40%
40−60%
60−80%
80−100%
RT Bin
Compatible
Incompatible



RT Error [ms]
340
360
380
400
420
Compatible
Incompatible



ΔRT [ms]
0
20
40
60
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
320
360
400
440
Compatible
Incompatible



ΔRT [ms]
−20
0
10
20
30
40
50
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
320
360
400
440
Compatible
Incompatible



ΔRT [ms]
−20
0
10
20
30
40
50
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
320
360
400
440
Compatible
Incompatible



ΔRT [ms]
−20
0
10
20
30
40
50
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible


CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
320
360
400
440
Compatible
Incompatible



ΔRT [ms]
−20
0
10
20
30
40
50
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible


RT Error [ms]
320
340
360
380
400
420
440
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



ΔRT [ms]
50
40
30
20
10
0
−10
−20
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



RT Error [ms]
320
360
400
440
Compatible
Incompatible



RT Correct [ms]
360
380
400
420
440
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
1
2
3
4
5
6
7
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
320
340
360
380
400
Compatible
Incompatible



ΔRT [ms]
0
10
20
30
40
50
60
300
350
400
450
500
Time [ms]



Compatible
Incompatible



Compatible
Incompatible



Compatible
Incompatible



Compatible
Incompatible



Compatible
Incompatible






RT Correct [ms]
360
380
400
420
440
460
Compatible
Incompatible



CDF
0
0.5
1
300
350
400
450
500
550
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
10
12
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
0−20%
20−40%
40−60%
60−80%
80−100%
RT Bin
Compatible
Incompatible



RT Error [ms]
320
360
400
440
Compatible
Incompatible



ΔRT [ms]
−20
0
10
20
30
40
50
300
350
400
450
500
550
Time [ms]



RT Correct [ms]
400
450
500
Compatible
Incompatible



CDF
0
0.5
1
300
400
500
600
700
Time [ms]
Compatible
Incompatible



Error Rate [%]
0
2
4
6
8
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
1
2
3
4
5
RT Bin
Compatible
Incompatible



RT Error [ms]
340
360
380
400
Compatible
Incompatible



ΔRT [ms]
20
40
60
80
300
400
500
600
700
Time [ms]



150
100
50
0
−50
−100
Δ
200
300
400
500
600
Time [ms]
Cond 1
Cond 2



Observed
Predicted
RT Correct [ms]
480
440
400
360
Compatible
Incompatible



CDF
1
0.5
0
300
350
400
450
500
550
600
Time [ms]
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted



Observed
Predicted
Error Rate [%]
12
10
8
6
4
2
0
Compatible
Incompatible



CAF
1
0.8
0.6
0.4
0.2
0
1
2
3
4
5
RT Bin
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted



Observed
Predicted
RT Error [ms]
500
450
400
350
300
Compatible
Incompatible



Δ RT [ms]
80
60
40
20
0
300
350
400
450
500
550
600
Time [ms]
Observed
Predicted



RT Correct [ms]
480
440
400
360
Observed
Predicted
Compatible
Incompatible



CDF
1
0.5
0
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted
300
350
400
450
500
550
Time [ms]



Error Rate [%]
12
10
8
6
4
2
0
Observed
Predicted
Compatible
Incompatible



CAF
1
0.8
0.6
0.4
0.2
0
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted
1
2
3
4
5
RT Bin



RT Error [ms]
500
450
400
350
Observed
Predicted
Compatible
Incompatible



Δ RT [ms]
60
40
20
0
−20
Observed
Predicted
300
350
400
450
500
550
Time [ms]



Observed
Predicted
RT Correct [ms]
350
400
450
Compatible
Incompatible



CDF
0
0.5
1
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted
300
350
400
450
500
550
Time [ms]



Observed
Predicted
Error Rate [%]
0
5
10
15
20
Compatible
Incompatible



CAF
0
0.2
0.4
0.6
0.8
1
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted
1
2
3
4
5
RT Bin



Observed
Predicted
RT Error [ms]
300
350
400
450
500
550
Compatible
Incompatible



Δ RT [ms]
0
20
40
60
80
100
Observed
Predicted
300
350
400
450
500
550
Time [ms]



Observed
Predicted
RT Correct [ms]
650
600
550
500
Compatible
Incompatible


CDF
1
0.5
0
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted
300
400
500
600
700
800
900
Time [ms]


Observed
Predicted
Error Rate [%]
15
10
5
0
Compatible
Incompatible


CAF
1
0.8
0.6
0.4
0.2
0
Compatible Observed
Incompatible Observed
Compatible Predicted
Incompatible Predicted
1
2
3
4
5
RT Bin


Observed
Predicted
RT Error [ms]
500
450
400
350
Compatible
Incompatible


Δ RT [ms]
120
80
60
40
20
0
Observed
Predicted
300
400
500
600
700
800
900
Time [ms]