

# Informe de trabajo especial TIO 2019


Hola mi nombre es Ignacio Meana Aldayturriaga , soy alumno de la materia Tecnología de la Información en las Organizaciones (del segundo cuatrimestre del primer año de la carrera TUDAI).

Es la primer materia que curso de esta carrera, no curse web asique intente hacer lo que sabía y con lo que fui mirando en clases y internet.

Lo hice solo al TP porque recién me presente a las clases en la 3° clase (ya que trabajo y se me complicaba asistir a las clases), ese mismo día me comuniqué con los chicos de la catedra para explicarles mi situación y ya se habían armado los grupos.

Ellos enviaron un mail explicando que yo no tenía grupo para interactuar con otros chicos y formar un grupo. Lo cual a mí no me resulto porque no recibí ningún mensaje, asique comencé a hacerlo solo.

- INTRODUCCION : DE MI ( QUE LO HICE SOLO ) Y QUE NO CURSE WEB
- COMENTARIO : DE CADA IMAGEN

A screenshot of a terminal window with a black background and green text. The window title is 'MINGW64:/c:/Users/Ignacio/Desktop/TPETIO'. The prompt is 'Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop'. The user enters '\$ git clone https://github.com/ignaciomeana/TPETIO.git', and the output is 'Cloning into 'TPETIO'...' followed by 'warning: You appear to have cloned an empty repository.' The user then enters '\$ cd TPETIO'.

Luego de haber creado un repositorio en github, lo clone con el comando:  
*git clone [nombre\_del\_repositorio]*

Luego entre a dicha carpeta  
*cd TPETIO*

[Code](#)
[Issues 1](#)
[Pull requests 0](#)
[Projects 0](#)
[Wiki](#)
[Security](#)
[Insights](#)
[Settings](#)

## Crear Html de la pagina #1

[Open](#)
 ignaciomeana opened this issue now · 0 comments

ignaciomeana commented now

Owner + 👤 ...

En esta tarea se debera crear el esqueleto de la pagina.

ignaciomeana added this to the **tp TIO 2019** milestone now

Write Preview

AA B i “ < > ↺

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

tp TIO 2019

Notifications

Customize

Unsubscribe

Cree las issues en github, en la Milestone llamada “*tp TIO 2019*”

issue #1 = Crear html de la página

issue #3 = Crear la lógica de dicha página

[Code](#)
[Issues 3](#)
[Pull requests 0](#)
[Projects 0](#)
[Wiki](#)
[Security](#)
[Insights](#)
[Settings](#)

Label issues and pull requests for new contributors

Now, GitHub will help potential first-time contributors [discover issues](#) labeled with [good first issue](#)

[Dismiss](#)

Filters  [Labels 9](#) [Milestones 1](#) [New issue](#)

<input checked="" type="checkbox"/>	3 selected	Mark as	Label	Milestone	Assign
<input checked="" type="checkbox"/>	<a href="#">Agregar lógica de pagina</a> #3 opened 11 seconds ago by ignaciomeana				Assign someone
<input checked="" type="checkbox"/>	<a href="#">Crear Estilo de la pagina</a> #2 opened 2 minutes ago by ignaciomeana				Filter users
<input checked="" type="checkbox"/>	<a href="#">Crear Html de la pagina</a> #1 opened 9 minutes ago by ignaciomeana <a href="#">tp TIO 2019</a>				Assign to nobody
					<input checked="" type="checkbox"/> ignaciomeana

ProTip! Ears burning? Get @ignaciomeana mentions with [mentions:ignaciomeana](#).

Me asigne las tareas creadas.

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$ git checkout -b tptio-1
Switched to a new branch 'tptio-1'

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$
```

Cree la nueva rama para comenzar la primer issue #1. El nombre de la rama es “*tptio-1*” ya que es la tarea número 1.

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git status
On branch tptio-1

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Home.html

nothing added to commit but untracked files present (use "git add" to track)

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$
```

Luego de crear el archivo html y agregarlo a la carpeta, realice un git status para ver el estado del archivo.

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git add Home.html

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git status
On branch tptio-1

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Home.html

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$
```

se añadió el archivo “*Home.html*” y realice un git status nuevamente para ver el estado de la misma.

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git config --global user.name "ignaciomeana"

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git config --global user.email nachoalday97@gmail.com

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git config user.name
ignaciomeana

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git config user.email
nachoalday97@gmail.com

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$

```

Al intentar hacer el commit del archivo, tuve un inconveniente que me pedía completar mis datos para continuar.

Procedi a completar los datos como decía el mensaje.

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git commit -m "agrego archivo html para la pagina"
[tptio-1 (root-commit) 269fea4] agrego archivo html para la pagina
1 file changed, 11 insertions(+)
create mode 100644 Home.html

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$

```

Realice el commit del archivo Home.html

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git log
commit 269fea4fd910e6d7f53c11baee7ac238f0eab368 (HEAD -> tptio-1)
Author: ignaciomeana <nachoalday97@gmail.com>
Date: Mon Oct 14 22:40:17 2019 -0300

    agrego archivo html para la pagina

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$

```

Realice un git log

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git push origin tptio-1
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1).
$ git push origin tptio-1
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 375 bytes | 187.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/ignaciomeana/TPETIO.git
 * [new branch]      tptio-1 -> tptio-1

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ .....
```


Realice el push al branch origin ("*origin tptio-1*")

## Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#).

 base: tptio-1  compare: master

There isn't anything to compare.  
tptio-1 and master are identical.

 Showing 0 changed files with 0 additions and 0 deletions.

Unified Split

No commit comments for this range

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git status
On branch tptio-1
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Home.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        estilo.css

no changes added to commit (use "git add" and/or "git commit -a")

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git add HOME.html

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git add Home.html

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git status
On branch tptio-1
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Home.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        estilo.css

```

Luego agregue el archivo estilo.css donde se le agrego color a la letra, y se agrego en el archivo Home.html el link al archivo css para que este se viera reflejado con el cambio.

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git commit -m "agrego link de archivos css"
[tptio-1 78231be] agrego link de archivos css
1 file changed, 2 insertions(+)

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git add estilo.css

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git commit -m "agrego color verde"
[tptio-1 ccd621e] agrego color verde
1 file changed, 4 insertions(+)
create mode 100644 estilo.css

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$

```

Realice el add y commit del siguiente archivo

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git push origin tptio-1
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 2 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 606 bytes | 151.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ignaciomeana/TPETIO.git
269fea4..ccd621e tptio-1 -> tptio-1

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ |

```

y al tener finalizada la tarea #1 se realizo el push al branch origin tptio-1

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git log
commit ccd621e176d0a5c0959fc91e512145972f2c35a9 (HEAD -> tptio-1)
Author: ignaciomeana <nachoalday97@gmail.com>
Date: Mon Oct 14 23:10:34 2019 -0300

    agrego color verde

commit 78231be809b2692f3b7b51cb1ba95f22ec7dcade
Author: ignaciomeana <nachoalday97@gmail.com>
Date: Mon Oct 14 23:09:48 2019 -0300

    agrego link de archivos css

commit 269fea4fd910e6d7f53c11baee7ac238f0eab368 (origin/tptio-1, origin/master, master)
Author: ignaciomeana <nachoalday97@gmail.com>
Date: Mon Oct 14 22:40:17 2019 -0300

    agrego archivo html para la pagina

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
Inicio

```

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-1)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$ git pull origin tptio-1
From https://github.com/ignaciomeana/TPETIO
 * branch          tptio-1      -> FETCH_HEAD
Updating 269fea4..ccd621e
Fast-forward
 Home.html | 2 ++
 estilo.css | 4 ++++
 2 files changed, 6 insertions(+)
 create mode 100644 estilo.css

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$

```

Luego me ubique en *master* y se realizo un pull del branch subido anteriormente



## Crear Html de la pagina #1

Closed

ignaciomeana opened this issue 1 hour ago · 1 comment



ignaciomeana commented 1 hour ago

Owner + 👤 ...

En esta tarea se debera crear el esqueleto de la pagina.



ignaciomeana added this to the Tp TIO 2019 milestone 1 hour ago



ignaciomeana self-assigned this 1 hour ago



ignaciomeana commented now

Author Owner + 👤 ...

se agrego color verde



ignaciomeana closed this now

Assignees

ignaciomeana

Labels

None yet

Projects

None yet

Milestone

Tp TIO 2019

Notifications

Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

Se agrego un comentario en la tarea y se cerro la misma.

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$ git branch -d tptio-1
Deleted branch tptio-1 (was ccd621e).


Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$
```

Se elimino el branch tptio-1 ya que la tarea fue terminada y cerrada

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$ git checkout -b tptio-3
Switched to a new branch 'tptio-3'

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git push origin tptio-3
Total 0 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'tptio-3' on GitHub by visiting:
remote:   https://github.com/ignaciomeana/TPETIO/pull/new/tptio-3
remote:
remote: To https://github.com/ignaciomeana/TPETIO.git
* [new branch]      tptio-3 -> tptio-3
```

Se creo el branch tptio-3 para la issue #3 "Agregar lógica de página"



Cree el archivo *“logica.js”*

Agregue un botón desde el archivo Home.html y se agregó el link para la ruta del archivo de javascript, y luego desde el archivo logica.js le di la función de que muestre el mensaje cuando se clickeara el botón. (imagen del resultado de la página)

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git status
On branch tptio-3
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Home.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        logica.js

no changes added to commit (use "git add" and/or "git commit -a")

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git add Home.html

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git commit -m "agrego ruta de archivo js"
[tptio-3 3bdca4d] agrego ruta de archivo js
1 file changed, 6 insertions(+), 1 deletion(-)

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$
```

add y commit del archivo Home.html

```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git status
On branch tptio-3
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   logica.js

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git commit -m
error: switch `m` requires a value

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git commit -m "agrego boton de saludar"
[tptio-3 aba64ee] agrego boton de saludar
1 file changed, 5 insertions(+)
create mode 100644 logica.js

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git push origin tptio-3
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 2 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 766 bytes | 191.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/ignaciomeana/TPETIO.git
   ccd621e..aba64ee tptio-3 -> tptio-3

```

add y commit del archivo logica.js y el push al branch origin tptio-3 ya que la tarea #3 está finalizada.


```

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ git pull origin master
From https://github.com/ignaciomeana/TPETIO
 * branch          master      -> FETCH_HEAD
Already up to date.


Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (tptio-3)
$ |

```

Realice un pull origin master desde branch tptio-3 que no realizó cambios ya que estaba al día con master.



realice desde github un merge pull request del branch tptio-3 hacia master



elimine dicho branch

```
Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$ git pull origin master
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (1/1), done.
From https://github.com/ignaciomeana/TPETIO
* branch                master      -> FETCH_HEAD
   269fea4..daff0a4      master      -> origin/master
Updating ccd621e..daff0a4
Fast-forward
 Home.html | 7 ++++++-
 logica.js | 5 +++++
 2 files changed, 11 insertions(+), 1 deletion(-)
 create mode 100644 logica.js

Ignacio@DESKTOP-FV00CDR MINGW64 ~/Desktop/TPETIO (master)
$
```

Realice el pull origin master ya que habia cambios (imagenes anteriores) que yo no poseía aun.

Link del enlace al repositorio en GitHub : <https://github.com/ignaciomeana/TPETIO>