Notification Number: 1993/116/UK

PERFORMANCE SPECIFICATION FOR ANALOGUE MULTIPOINT VIDEO DISTRIBUTION SYSTEMS (MVDS) TRANSMITTERS AND TRANSMIT ANTENNAS OPERATING IN THE FREQUENCY BAND 40.5 - 42.5 GHZ

Date received : 13/04/1993 End of Standstill : 22/07/1993 Issue of comments by : Germany

Message

MINISTERE DE L'INDUSTRIE ET DE LA RECHERCHE ATT. M. MORTUREUX

INSTITUT BELGE DE NORMALISATION, ATT. M. CROON

INSPECTION DU TRAVAIL ET DES MINES VIA MINISTERE DES AFFAIRES ETRANGERES ATT. M. A. SCHUSTER

MINISTERE DE L'INDUSTRIE ATT. M. CAVANNA

DEPT. OF TRADE AND INDUSTRY, QUALITY AND EDUCATION DIVISION, ATT. MR. E. ALLEN

GOVERNMENT SERVICE OF INDUSTRY AND COMMERCE, NSAI ATT. MR. J. NULTY

MINISTERIE VAN ECONOMISCHE ZAKEN, (DG BEB), ATT. MR. B. SIEBRING

INDUSTRI- OG HANDELSSTYRELSEN ATT. MR. KELD DYBKJAER

AGENCE RECHERCHE SCIENTIFIQUE TECHN ATT. MME. MOUSTAKA-ZERVAKOU

HELLINIKOS ORG. TYPOPISEOS ATT. MR. MELAGRAKIS

MIN WIRTSCHAFT



ATT. DR. WINKEL

MIN PARA RELACIONES CON LA COMUNIDA ATT MR. D. ALFREDO RAMBLA JOVANI

MIN INDUSTRIA ATT MR. ADALBERTO PEREA MARTIN, ESPAGNE

DIRECCIO GERAL QUALIDAD ATT MR. CANDIDO DOS SANTOS, PORTUGAL

DGS INTERNATIONAL BELGIUM

REP PERMANENTE ROYAUME UNI

REP PERMANENTE IRLANDE

REP PERMANENTE GRECE

ICC: PLEASE FORWARD THIS MESSAGE TO ICC MAILBOX EFTBT

TELEX 001

COMMUNICATION FROM THE COMMISSION - SG (93) D/50561 DIRECTIVES 83/189/EEC AND 88/182/EEC

NOTIFIKATION - NOTIFIZIERUNG - NOTIFICATION - NOTIFICACION NOTIFICATION - NOTIFICA - KENNISGEVING - NOTIFICACAO 93/0116/UK

FRISTERNE INDLEDES IKKE -KEIN FRISTBEGINN - DOES NOT OPEN THE DELAYS - NO ABRE EL PLAZO - N'OUVRE PAS DE DELAIS - NON FA DECORRERE LA MORA - GEEN TERMIJNBEGIN - NAO INICIA O PRAZO

- 3B2: 9300594.EN

1. Structured Information Line

TLX 001 IND- 93 0116 UK- EN ----- 930413 --- ---

2. Member State

UNITED KINGDOM

3. Department Responsible

DEPARTMENT OF TRADE AND INDUSTRY: STANDARDS, QUALITY AND POLICY UNIT

3. Originating Department

DEPARTMENT OF TRADE AND INDUSTRY: RADIOCOMMUNICATIONS AGENCY

4. Notification Number

93/0116/UK



5. Title

PERFORMANCE SPECIFICATION FOR ANALOGUE MULTIPOINT VIDEO DISTRIBUTION SYSTEMS (MVDS) TRANSMITTERS AND TRANSMIT ANTENNAS OPERATING IN THE FREQUENCY BAND 40.5 - 42.5 GHZ

6. Products Concerned

MVDS TRANSMITTERS AND TRANSMIT ANTENNAS OPERATING IN THE FREQUENCY BAND 40.5 TO 42.5 GHZ

7. Notification Under Another Act

-

8. Main Content

THE SPECIFICATION COVERS THE MINIMUM MANDATORY REQUIREMENTS FOR THE TYPE APPROVAL OF TRANSMITTERS AND TRANSMIT ANTENNAS FOR ANALOGE MULTIPOINT VIDEO DISTRIBUTION SYSTEMS (MVDS) IN THE UK.

THE SPECIFICATION IS DIVIDED INTO THREE PARTS COVERING GENERAL REQUIREMENTS, TRANSMITTER SPECIFICATION AND TRANSMIT ANTENNA SPECIFICATION. THOSE PARAMETERS WHICH ARE DIRECTLY OR INDIRECTLY RELATED TO SPECTRUM UTILISATION/FREQUENCY MANAGEMENT ARE SPECIFIED.

THESE INCLUDE CARRIER FREQUENCY AND POWER, SPECTRUM MASK TO DEFINE THE RADIATED SPECTRUM AND LIMITS TO CONTROL OUT OF BAND SPURIOUS EMISSIONS.

INFORMATIVE ANNEXES DETAILING ASSUMED RECEIVER PERFORMANCE, LOCAL OSCILLATOR FREQUENCIES AND THE MVDS CHANNEL PLAN ARE ALSO INCLUDED.

9. Brief Statement of Grounds

IN LICENSING THESE SYSTEMS, IT IS NECESSARY TO TYPE APPROVE TRANSMITTERS AND TRANSMIT ANTENNAS. THEREFORE THIS PERFORMANCE SPECIFICATION IS NEEDED TO SPECIFY PARAMETERS REQUIRING TESTING AND THE NECESSARY LIMITS WITH WHICH TO COMPLY.

THE FREQUENCY BAND 40.5 TO 42.5 GHZ DESIGNATED FOR USE IN THE UK COMPLIES WITH CEPT RECOMMENDATION T/R 52-01 DESIGNATION OF A HARMONISED FREQUENCY BAND FOR MULTIPOINT VIDEO DISTRIBUTION SYSTEMS IN EUROPE, AS ADOPTED BY THE EUROPEAN RADIOCOMMUNICATIONS COMMITTEE (ERC), ATHENS 1990.

10. Reference Documents - Basic Texts DRAFT DOCUMENT:

DRAFT PERFORMANCE SPECIFICATION
CEPT RECOMMENDATION T/R 52-O1E - 1 COPY

11. Invocation of the Emergency Procedure



EUROPEAN COMMISSION GROWTH DIRECTORATE-GENERAL

Single Market for goods Prevention of Technical Barriers

| NO |
|---------------------------------|
| 12. Grounds for the Emergency |
| - |
| |
| D. WILLIAMSON COMEUR NNNN |