



Knowledge Vault

The Main Guide Book



A complete, plain-language guide to using Knowledge Vault

Chapters 1–18 · flow diagrams · plans, Knowledge Coins & the Knowledge Base portal


2026-07-28

Knowledge Vault — The Main Guide Book

A complete, plain-language guide to using Knowledge Vault, for end users.

Knowledge Vault is your organization's training and knowledge platform. It maps your company as a living **constellation of roles**, delivers the right courses to the right people, keeps a proper **library** of your documents, and shows you — in real time — who has completed what. Everything stays in **your** custody.

This book walks through every feature the way you actually meet it in the product, one chapter at a time. Every screen you see here comes from a real sample organization, **Aurora Robotics**, so you can follow along and recognise exactly what you'll see.



How to read this book

- **New to the platform?** Read Chapters 1–4 in order — they take you from creating a profile to understanding the constellation.
- **Setting up your company?** Chapters 3, 5, 6 and 14 cover founding an organization, building its structure, placing people, and safeguarding it.
- **Publishing knowledge?** Chapters 7, 8 and 9 cover courses, the Studio and the library.
- **A learner or team member?** Chapters 10 and 13 are for you — My Learning and Notifications.
- **A manager?** Chapters 11 and 12 cover Requests and Compliance.
- **Paying for it — or just trying it out?** Chapter 17 explains Knowledge Coins, how pricing works, how many people each plan allows, and the free Demo plan you use as a testing environment.

- **Knowledge Base staff?** Chapter 18 is the administration console.

Each chapter is self-contained, with a short **"What it is"**, a step-by-step **"How to use it"**, and **Tips** at the end.

Table of contents

#	Chapter	What you'll learn
1	Getting started — your profile	Register, sign in, manage your account
2	The big idea — core concepts	Constellation, roles, custody, classifications
3	Founding an organization	Create an org and set the Supreme password
4	The Constellation — your org map	Read, navigate and act on the star map
5	Building your structure	Roles, sub-groups, visibility
6	People & governance	Owners, members and least-privilege rights
7	Courses — publishing knowledge	Publish, classify and assign courses
8	The Document Studio	Build documents visually, block by block
9	The Library	Browse, filter and request courses
10	My Learning & the viewer	Complete your assigned courses
11	Requests — ask & approve	The ask-and-approve centre
12	Compliance tracking	See who's done what, and nudge
13	Notifications	Stay on top of what needs you
14	The Supreme zone — custody & recovery	Backups, <code>.main</code> , <code>.bkp</code> , deletion
15	Help & support	Where to find answers in-app
16	Flow diagrams — every setting at a glance	A diagram + screenshot for each owner action, member capability & request flow
17	Plans, pricing & Knowledge Coins	Coins, how pricing works, member limits, the free Demo plan, access codes, the org timer & restore
18	The Knowledge Base portal	For platform staff: organizations, requests & codes, coins, plans & admins
A	Appendix — Glossary & quick reference	Every term and code, at a glance

Looking for flow diagrams? Every feature chapter now ends with a **"Flows at a glance"** section (flow diagrams shown next to the screenshots, topic by topic), and **Chapter 16** collects them all in one place —

a diagram paired with a screenshot for *each* setting an owner can do, each capability a member can have, and each request-and-response flow.

The printable edition

The whole book — every chapter, screenshot and diagram — is also exported as a single file: [Knowledge-Vault-Main-Guide-Book.pdf](#).

The Markdown chapters are the source of truth; the PDF is generated from them, so after editing a chapter, rebuild it:

```
cd "Main Guide Book/tools"
npm install                # once
npx playwright install chromium # once
node build-pdf.mjs
```

The sample organization used throughout this book

Every screenshot in this guide comes from **Aurora Robotics (#100)**, a fictional robotics company set up specifically to demonstrate the platform:

```
Executive Office          ← the top role (its owners hold the "Supreme")
├─ Engineering
|   ├─ Firmware Team
|   └─ Robotics QA
├─ Operations
|   └─ Safety & Compliance
├─ People & Culture
└─ Research Lab          ← a hidden (private) branch
```

The people you'll meet in the screenshots:

Person	Where they sit	Their role
Avery Stone	Executive Office	Founder & Supreme owner
Priya Raman	Executive Office + Engineering	Co-owner / Engineering lead
Noah Kim	Engineering	Member
Marco Diaz	Firmware Team	Member (can create content)
Jade Li	Robotics QA, People & Culture	Member
Sam Okoro	Operations	Owner
Lena Novak	Safety & Compliance	Member

Aurora Robotics runs on the **Organisation** plan (12 months, 250 seats). Chapters 17 and 18 also show two other sample tenants, so you can see the plan states side by side: **Northwind Logistics (#101)** on the free **Demo** plan, and **Helios Health (#102)**, whose **Monthly** plan has expired.

A note on names and data: everything here is sample data. When you use Knowledge Vault, you'll see your own organization, people and courses in exactly these screens.

Chapter 1 — Getting started: your profile


What it is

Everything in Knowledge Vault begins with **one global profile**. That profile is a single **username** and **password** — there is **no email involved**. Your username is your identity across the whole platform: it's how administrators add you to an organization, how your name appears on courses you author, and how you sign in from any device.

One profile lets you **join or found any number of organizations**. You never need a second account.

Creating your profile

From the welcome screen, choose **Get started free** (or **Create profile**). You'll see the registration form:

The screenshot shows the 'Create your profile' registration form in the Knowledge Vault application. The form is centered on a dark blue background. At the top, it says 'Create your profile' with a subtitle 'One global profile — join or create any number of organizations with it.' Below this are four input fields: 'Name', 'Username', 'Password', and 'Retype password'. The 'Username' field has a note: 'Your unique identity on the platform — admins add you to organizations by this exact username'. The 'Password' field has a note: 'At least 10 characters'. The 'Retype password' field has a note: 'Type it again to confirm you got it right'. At the bottom of the form is a large blue 'Create profile' button and a link that says 'Already have a profile? Sign in'. The top of the screen shows the 'Knowledge Vault' logo and 'Help' and 'Sign in' links.

Fill in three fields:

1. **Name** — your display name, shown to teammates (e.g. *Avery Stone*).
2. **Username** — your unique handle (e.g. *avery.stone*). Choose it carefully: this is the **exact** name an administrator types to add you to an organization. It must be at least 3 characters.
3. **Password** — at least **10 characters**. You'll be asked to **retype it** to confirm you got it right — a safeguard you'll see every time you set or change a password on the platform.


Select **Create profile** and you're in.

Why retype-to-confirm? Because there's no email-based password reset, the platform is careful to make sure you never lock yourself out with a typo. Every new-password field asks for confirmation.

New profiles are also credited with **Knowledge Coins** — 150 by default. You spend them on the plan an organization runs on, and your balance is shown on the **Pricing** page. [Chapter 17](#) explains coins, plans and the free Demo plan in full.

Signing in


Returning users select **Sign in** and enter their username and password:



Your session stays signed in securely and refreshes itself in the background, so you're not constantly asked to log in again.


Managing your account

Open the **Account** page from the top navigation at any time:



Here you can:

- **See your profile** — display name, `@username`, and the date you joined.
- **Upload a profile picture** — choose any image; it's automatically resized to a small square, so it stays lightweight.
- **Jump to your organizations** with the **Open** button.
- **Read your messages from the Super Admin** — access codes, plan decisions and coin gifts land in their own panel here and stay for 30 days, so you can find your code any time ([Chapter 17](#)).
- **Delete your profile** from the **Danger zone**. Deleting removes you from *every* organization and cannot be undone, so the platform asks you to confirm.



Tips

- **Pick a memorable username.** Administrators add people by exact username — if yours is hard to spell, you may be added incorrectly, or an admin may reserve the wrong handle.
- **You can be added before you register.** If an administrator enters a username that doesn't exist yet, it's *reserved*; the placement attaches automatically the moment you register with that username.
- **Switch light/dark theme and accent colour** any time from the palette control in the top-right corner — it's purely visual and personal to you.

Next: [Chapter 2 — The big idea: core concepts](#) →


Chapter 2 — The big idea: core concepts

Before diving into individual screens, it helps to understand the five ideas that Knowledge Vault is built on. Everything else in this book is an application of these.

1. An organization is a tree of roles

A Knowledge Vault organization isn't a flat list of employees — it's a **structure of roles**, drawn as a top-down tree. At the very top sits one root role (in our sample, *Executive Office*). Beneath it grow branches and sub-branches — *Engineering*, then *Firmware Team* and *Robotics QA*, and so on.

Knowledge flows down this tree. A course placed on a role can be set to **inherit** to every branch beneath it, so publishing once at the right level reaches everyone below automatically.



2. People are placed on roles, as owners or members

Every person in an organization occupies one or more **positions** on the tree. Each position is one of two kinds:

- **Member** — they *learn* from that branch. Courses reaching that role appear in their **My Learning**.
- **Owner** — they *manage* that branch: add people, publish courses, create sub-groups, and so on. An owner is a manager for their part of the tree.

A single person can hold several positions — e.g. an owner of *Engineering* who is also a member of a company-wide *Safety* branch.

3. Least-privilege governance

Ownership is not all-or-nothing. Owners hold **only the specific rights they've been granted** — for example, "may create sub-groups" or "may appoint co-owners" — and, crucially, **an owner can never grant a right they don't hold themselves**. This keeps authority flowing safely down the tree and prevents anyone from quietly escalating their own power.

Deleting a branch needs sign-off from the level above; branches are **public by default** but can be **hidden**, cascading privacy down the subtree. Chapter 6 covers all of this.

4. Custody — your data is yours

Knowledge Vault is built so that the platform **holds nothing it could hold hostage**. The top of every organization is protected by a **Supreme password** that only you know — the platform stores no copy. That password:

- authorises owner-level changes to the top of the structure, and
- encrypts your organization's **.main file** — the single, offline key that can revive your organization even after it's been deleted and purged.

If you ever leave the platform, your **.main** file (and per-branch **.bkp** backups) mean your structure and knowledge remain **in your custody**, not locked inside someone else's system. Chapter 14 covers this in full.

5. Standardized, classified documents

Every piece of knowledge you publish is treated as a proper document. On publish, Knowledge Vault automatically wraps it in a **standard cover** (organization, title, version, date, author), a **scope page**, and a header/footer — so every document looks consistent and auditable.

Every document also carries a compulsory **classification**:

Classification	Meaning
Public	Anyone in the org may see it
Confidential	Sensitive; shared on a need-to-know basis
Private	Restricted to a specific group
Secret	The most tightly held material

You'll see these classification badges throughout the library, courses and viewer.

The vocabulary you'll meet

Term	Quick meaning
Constellation	Your organization drawn as a star map of roles
Role / branch / node	A position in the tree (used interchangeably)
Owner	Manages a branch
Member	Learns from a branch
Course	Any published knowledge — document, book, link, audio or video
Supreme	The protected root of your org, guarded by the Supreme password
Request	A formal ask that someone with authority approves
Classification	The sensitivity label every document must carry

A fuller glossary is in the [Appendix](#).

Next: [Chapter 3 — Founding an organization](#) →

Chapter 3 — Founding an organization


What it is

Founding an organization creates a brand-new constellation with **you as its first owner** and sets its **Supreme password** — the single most important credential in Knowledge Vault. This is how a company, team or department comes into existence on the platform.

You need a plan and an access code first. Every organization runs on a plan, and creating one needs a one-time 8-character code from the Knowledge Base team. Pick a plan on the **Pricing** page (the free **Demo** plan costs nothing), and your code arrives in your notifications. [Chapter 17](#) walks through it end to end.

Your organizations home

The **Organizations** page lists every organization you belong to. Each card shows the organization's name, its number (e.g. `#100`), and your position inside it.



From here you can:

- **Open** any organization by selecting its card.

- **Create organization** — the button in the top-right.
- **Revive a deleted organization from a `.main` file** — the expandable option at the bottom (covered in Chapter 14).

Creating the organization

Select **Create organization** to open the founding form:

Knowledge Vault Organizations Pricing Account Help

Create an organization

This creates the organization's Supreme — its root object — and its first role, with you as the first owner.

You need an access code to create an organization.

Pick a plan on the right → the Knowledge Base team approves it → your one-time code arrives in your notifications. Paste it below.

Access code

8-character code from your notifications

The super-admin sends this after approving your plan request.

Organization name

First role name

Owner / CEO / Principal...

The role at the top of your structure — you become its first occupant

Supreme password

At least 12 characters

Repeat Supreme password

This password cannot be recovered. By anyone. Ever.

The platform stores no copy — it protects owner-level changes and encrypts your organization's `.main` revival file. If it is lost, changing the owner structure and reviving a deleted organization become permanently impossible.

☐ I understand the Supreme password is unrecoverable

Create organization

Choose a plan 200 coins

Request a plan here; the code arrives in your notifications. Full details on the Pricing page.

Demo Free

60 days · up to 10

Try Knowledge Vault free

Request this plan

Monthly 50

30 days · up to 1000

Keep your organization running month to month

Request this plan

Organisation 150

Custom duration · custom limit

For established teams — duration set with the admin

Propose terms

The page has the founding form on the left and a **plan chooser** on the right — your coin balance, every plan, and a button to request one without leaving the page.

Fill in the fields:

1. **Access code** — the 8-character code the Knowledge Base team sent you (it's in your notification bell and on your Account page). It's valid for 24 hours and works once.
2. **Organization name** — your company or team name (e.g. *Aurora Robotics*).
3. **First role name** — the name of the top role you'll occupy. This is the root of your whole structure.
Common choices: *Owner*, *CEO*, *Principal*, *Executive Office*.
4. **Supreme password** — at least **12 characters**. Retype it to confirm.

The Supreme password — read this carefully

The form shows a prominent warning, and it means every word of it:

This password cannot be recovered. By anyone. Ever.

The platform stores **no copy** of your Supreme password. It is used to:

- protect owner-level changes to the top of your structure, and
- encrypt your organization's `.main` revival file.

If it is lost, changing the owner structure and reviving a deleted organization become **permanently impossible**. Because of this, you must tick the acknowledgement box — **"I understand the Supreme password is unrecoverable"** — before you can continue.

Select **Create organization**, and you'll land on your new, empty constellation with a single star: your top role, with you as its owner. The platform checks your code, deducts the plan's coins, and starts the plan's countdown — visible from then on as the chip above the organization's card.

Tips


- **Store the Supreme password somewhere durable and offline** — a password manager or a sealed record. Treat it like the master key to a safe, because that's exactly what it is.
- **Choose the top role name thoughtfully**. It's the label everyone sees at the crown of your constellation. You can grow everything else beneath it later.
- **You don't need everything ready on day one**. Found the org first; add roles, people and courses whenever you're ready — the next chapters show how.
- **Trying the platform out?** Found a **Demo** organization — free, full-featured, 2 months, up to 10 people — and rehearse there before you build the real one ([Chapter 17](#)).

Next: [Chapter 4 — The Constellation: your org map](#) →

Chapter 4 — The Constellation: your org map

What it is

The **Constellation** is your organization's main page — the home you land on when you open an org. It draws your entire structure as a **top-down star map**: the top role at the crown, branches spreading downward, connected by glowing links. It's beautiful, but it's also functional: this single screen is where owners do almost everything.



Reading the map

- **The diamond at the top** is your root role. Bigger, brighter stars sit higher in the structure.
- **Lines** connect each role to its parent — knowledge and authority flow down these lines.
- **Your own positions glow brighter**, and your reporting path (the chain from you up to the top) is highlighted so you can always find yourself.

The **legend** in the bottom-right explains every marker:

Marker	Meaning
◆ Gold diamond	Your role — as an owner
● Bright dot	Your role — as a member
● Ringed dot	A role on your reporting path
○ Dashed ring	A public branch you can ask to join
· Faint dot	Another role you're not part of

Moving around

The hint at the top of the stage says it all: **drag to pan** · **scroll or pinch to zoom** · **click a star to act on it**.


- **Drag** anywhere to pan the map.
- **Scroll or pinch** to zoom in and out.
- Use the **+** / **–** **and reset** buttons in the bottom-left for precise control.
- Live updates mean that when anyone changes the structure, your map updates **instantly** — no refresh needed.

Acting on a star

Click a star to open its action panel. What you can do depends on your relationship to that role:

- **A role you govern** → the full action panel opens (see below).
- **One of your own positions** → a short panel with a link to your **My Learning**.
- **A public branch you're not in** → an option to send a **Join request**.
- **A role you have no access to** → the app simply tells you so; it never sends you somewhere unexpected.

When you click a role you govern, you first see a **section chooser** — "What do you want to do here?" — with four options:



Section	What it's for
Group configuration	Visibility, sub-groups, deletion — and the Supreme zone on the root
People	The owners and members of this branch
Courses	Publish and configure knowledge for this branch
Backup	Export or restore this branch as an encrypted <code>.bkp</code>

The panel header also shows quick counts — how many owners, members and sub-roles the branch has. The next chapters take each of these sections in turn.

Tips

- **Everything happens on the constellation.** There's no separate "admin console" — clicking a star is how owners manage their part of the organization.
- **Can't find yourself?** Your positions glow and your path is lit; zoom out with the reset button to see the whole picture, then follow the highlight.
- **The map is shared and live.** If a colleague adds a role while you're looking, it appears on your screen the moment they save it.


Next: [Chapter 5 — Building your structure](#) →

Chapter 5 — Building your structure

What it is

Your structure is the shape of your organization — the roles and sub-roles that knowledge and people hang from. You grow and shape it from the **Group configuration** section of any role you govern. This chapter covers **sub-groups**, **visibility**, and **deleting a branch**.


Open it by clicking a star you govern on the constellation, then choosing **Group configuration**.



Adding a sub-group (sub-role)

Branches only ever grow **downward**. To add a new role beneath the one you're on:

1. In **Group configuration**, find the **Sub-groups** row.
2. Select **+ Sub-role**.
3. Enter the new role's name (e.g. *Firmware Team* under *Engineering*).
4. Optionally tick **Hidden (private)** to make the new branch private from the start (see visibility below).
5. Select **Create**.



The new star appears immediately on the constellation, connected beneath the current role.

You'll only see the **+ Sub-role** option if you hold the *"may create sub-groups"* right on that branch. Least-privilege governance (Chapter 6) decides who can grow the tree.

Visibility: public by default, hidden on purpose

Every branch is **public by default** — meaning every member of the organization can see it and send a **Join request** to it. You control this with a single checkbox:

- Leave it unticked → the branch is **public**.
- Tick **Hidden (private) branch** → the branch is hidden from people on the same layer and below. Hiding cascades: **everything beneath a hidden branch is hidden too**, all the way down.

Two important rules:

- **Owners above a hidden branch always keep seeing it.** Hiding never blinds the people responsible for that part of the tree.
- If your branch is marked public but a **level above** is hidden, your branch stays hidden too. In that case the panel tells you, and — if you have the right — offers a **Request visibility** button to ask the level above to unhide the chain.

In the sample *Aurora Robotics*, the **Research Lab** branch is hidden — it doesn't appear to ordinary members, only to the executives above it.

Deleting a branch


A branch can be removed only when it is **completely empty** — no sub-roles and no people. How you delete depends on your authority:

- **If you own the level above**, you can delete the branch **directly** — the **Delete** button appears in Group configuration.
- **If you own the branch itself** (but not the level above), deletion needs sign-off. You'll see **Request deletion** instead, which files a **Deletion request** with the level above; they approve or reject it from their Requests inbox (Chapter 11).


The platform always confirms before deleting.

Flows at a glance


Creating a sub-role:



Setting visibility:



Deleting a branch:



Tips

- **Design top-down.** Create the big divisions first (Engineering, Operations, People), then add teams beneath them. Courses placed high can inherit down to everything you add later.
- **Use hidden branches for sensitive teams** — a security team, an M&A workstream, an unannounced project. Remember the whole subtree inherits the privacy.
- **Empty before you delete.** Move or remove people and sub-roles first; the branch must be empty for deletion to succeed.


Next: [Chapter 6 — People & governance](#) →

Chapter 6 — People & governance

What it is

The **People** section of a role is where you place and manage the humans on that branch — its **owners** (who manage it) and its **members** (who learn from it). It's also where Knowledge Vault's **least-privilege governance** becomes concrete: you decide exactly which rights each owner holds.


Open it by clicking a role you govern, then choosing **People**.



The panel groups people into **Owners** and **Members**, each with a count, and gives every person a card with their name, `@username`, and any special rights shown as small green chips.

Adding a person

1. Select **+ Add person**.
2. Choose whether to add a **member** ("they learn from this branch") or a **co-owner** ("they help manage this branch"). The co-owner option only appears if you're allowed to appoint co-owners.



3. Enter their **username**.

- Unknown usernames are **reserved** — when that person registers, they're attached automatically.

4. Set any rights (see below), then confirm.

If something goes wrong (for example, a typo'd username), the form stays open and tells you — it never closes silently.

How many people you can add

Your organization's **plan** sets how many people it may hold. The count is per **person**, not per position — placing someone who is already in the organization onto another role costs nothing. Only a brand-new face uses a seat.

When the organization is full, adding someone (or approving their Join request) is refused with the reason:


This organization's plan allows up to 250 members. Upgrade the plan to add more.

Nobody is removed and nothing breaks — you either free a seat or move to a bigger plan. See [Chapter 17](#) for the limits each plan carries.

The two kinds of person

Members

Members receive the branch's courses in their **My Learning**. You can additionally grant a member the right to **create content** — meaning they can *propose* documents. Their documents don't go live immediately; they publish only after an owner approves them through **Document review** (see Chapter 7). In the sample, *Marco Diaz* is a Firmware member with this content-creation grant.



Owners (and co-owners)


Owners manage the branch. When you appoint a co-owner, you choose which rights they get — and here's the golden rule of the whole platform:

You can only grant a right you hold yourself. An owner can never hand out a capability they don't have.

The grantable rights are:

Right	What it lets the owner do
May create sub-groups	Grow the branch downward with new sub-roles
May appoint further co-owners	Add other owners to the branch
May create content (<i>members</i>)	Propose documents for manager review

When you add a co-owner, you tick only the rights you want them to hold — and you'll only be *offered* the rights you hold yourself:



In the People panel, these appear as chips like **sub-groups** and **appoints co-owners** on an owner's card — in the screenshot, *Priya Raman* holds both.


Managing existing people


Each person's card carries quick actions:

- **Toggle their rights** — e.g. *Allow / Revoke sub-groups*, *Allow / Revoke co-owner rights*, or *Allow / Revoke content* for members. Changes take effect immediately.
- **Remove** — take the person off this branch (with a confirmation). Removing someone from a branch doesn't delete their profile or their other positions.

Flows at a glance


Adding a person (member or co-owner):





Appears under Owners or Members

Least-privilege granting (the golden rule):



A member proposing content:



Tips

- **Grant the minimum that gets the job done.** A team lead who only needs to add members doesn't need the "appoint co-owners" right. Least privilege keeps your structure safe.
- **Delegate downward.** Give division owners the "create sub-groups" right so they can build out their own teams without coming back to you.
- **Content rights are powerful but safe.** Letting a member create content speeds up authoring, and the mandatory review step means nothing publishes without an owner's approval.


Next: [Chapter 7 — Courses: publishing knowledge](#) →

Chapter 7 — Courses: publishing knowledge

What it is

A **course** is any piece of knowledge you publish to a branch — a document, a book, an external link, an audio file or a video. Courses are the heart of Knowledge Vault: you place them on roles, decide whether they're mandatory, and let them **inherit** down the tree so the right people are trained automatically.

Open the **Courses** section by clicking a role you govern, then choosing **Courses**.




The panel has two parts: buttons to **add** a course, and a list of the **courses already on this role**, each shown with its code, type, classification and placement settings.

Publishing a course

You have two ways to create one:

- **+ Upload course** — bring in an existing file, or point to an external URL.
- **Create in Studio** — build an interactive document from scratch (Chapter 8).

Choosing **Upload course** opens a form:



The key fields:

Field	What it does
Title	The course name (also the document's cover title)
Short description	One or two sentences — shown in the library and on the cover
Scope	Who it applies to and what it covers — added to the standard cover
Classification (required)	Public / Confidential / Private / Secret
Library shelf (category)	A tag like <i>Compliance</i> , <i>Safety</i> , <i>Engineering</i>
Kind	Document, Book, Link, Audio or Video
External URL or File	The content itself (a link, or a file up to 10 MB)
Deadline (days)	How long people have to complete it
Retake every N days	For recurring/annual training
Prerequisite codes	Courses that must be completed first

There are also checkboxes for **Allow download**, **Publish to the library**, **Mandatory**, **Inherit to lower branches**, and **Updates reset completion**.

Smart shelf suggestions: as you type a title and description, Knowledge Vault suggests an existing library shelf where similar content already lives — so related material stays together. You can always

accept the suggestion or keep your own tag.

Select **Publish course** and it appears on the branch, in members' My Learning, and (if you chose) in the library.

Placement settings: mandatory & inherit

Every course on a role shows two toggles you can flip any time:

- **mandatory** ✓ / **opt-in** — whether people *must* complete it, or may choose to.
- **inherits** ↓ ✓ / **this role only** — whether the course reaches every branch beneath this role, or stays put.

This is how one course, placed once at *Executive Office*, can become mandatory training for the whole company. In the sample, **Code of Conduct & Ethics** and **Information Security Essentials** are both mandatory and inherit down from the top.

Other actions per course: **Unplace** (remove from this branch only — the course still exists elsewhere), **Archive** (keep it but stop new assignments), and **Delete** (remove it everywhere; completion history is preserved).

Classifications

Every course must carry a classification, shown as a coloured badge everywhere it appears:


Badge	Classification	Typical use
 Public	Public	Anyone in the org
 Confidential	Confidential	Need-to-know
 Private	Private	A specific group
 Secret	Secret	The most sensitive material


Members proposing content


If you granted a member the **create content** right (Chapter 6), the documents they author arrive as a **draft** and enter **Document review**. As an owner, you approve or reject the draft; only on approval does it publish. This lets teams contribute knowledge while keeping a manager in the loop.

Flows at a glance


Publishing a course:







Configuring a placed course (owner controls, anytime):



Tips

- **Place high, inherit down.** For company-wide training, publish once at the top with *inherit* on — you won't have to repeat yourself for every team.
- **Use deadlines and recurrence for compliance courses.** A 14-day deadline plus an annual retake keeps mandatory training current, and feeds the Compliance dashboard (Chapter 12).
- **Prerequisites build learning paths.** Require *Embedded C Best Practices* before the *Firmware Release Checklist*, and people are guided through in the right order.


Next: [Chapter 8 — The Document Studio](#) →

Chapter 8 — The Document Studio

What it is

The **Studio** is a visual, drag-and-drop document builder. Instead of uploading a file, you compose a document right in the browser from a palette of **blocks** — headings, text, tables, checklists, callouts, images and media — and watch it render live in your organization's standard document frame.

You reach the Studio from a role's **Courses** panel via  **Create in Studio**, or from any of your own positions via  **Propose a document**.



The layout

The Studio has three parts:

1. **Blocks palette (left)** — the building blocks you can add. Click one to drop it in, or drag it onto the page.
2. **The canvas (middle)** — your document, as a stack of editable cards. Drag the handle on a card to reorder it; use the **×** to remove it.
3. **Preview & Publish (top-right)** — see the finished document in its standard frame, then publish.

The note at the top of the canvas is a helpful reminder: **"Cover, header & footer are added automatically on publish."** You focus on content; the platform handles the professional wrapping.

The blocks

Block	Use it for
Heading	Section titles (with heading levels)
Text	Rich paragraphs — bold, italic, underline, bullet and numbered lists
Table	Rows and columns of data
Checklist	Steps to tick off
Callout	A highlighted note that draws the eye
Image	A picture by URL
Media	Embedded audio or video
Divider	A section break
New page	A page break — useful for longer books

Building and publishing

1. Add blocks in the order you want them, and fill in their content.
 2. Reorder by dragging the handle; remove anything with ✕.
 3. Set the document's **title** and **classification** (compulsory, as with all courses).
 4. Select **Preview** to check how it looks in the standard frame — cover page, scope, header and footer all included.
 5. Select **Publish**.
 - **Owners publish directly** — the document goes live on the branch straight away.
 - **Members with the content grant submit for review** — the document becomes a draft that an owner approves before it publishes (see Chapters 6 and 7).
-

Tips

- **Preview before you publish.** The live preview shows the exact cover, classification banner and footers members will see — it's the fastest way to catch a wrong heading level or a missing section.
- **Use checklists for procedures.** Release gates, safety steps and onboarding tasks read beautifully as tickable checklists.
- **Break long books into pages.** The *New page* block keeps multi-section handbooks tidy.


Next: [Chapter 9 — The Library](#) →

Chapter 9 — The Library

What it is

The **Library** is your organization's whole catalogue of published knowledge in one place — a real library, with **shelves** grouped by category. Where the constellation shows knowledge by *who* it's assigned to, the library shows it by *subject*, so anyone can browse, search and discover what exists.

Open it from the **Library** tab in the top navigation.



Browsing the shelves

Courses are grouped into **shelves** by their category tag — in the sample you can see *Compliance*, *Engineering* and more, each with an item count. Every entry is a card showing:

- its **type** (Document, Book, Link, Audio, Video),
- its **classification** badge,
- its **rating** (or "not rated yet"),
- a short description, and
- where it lives (e.g. how many branches it's published on).

Finding something specific

The toolbar across the top gives you full control:

Control	What it does
Search	Match a title, description, category or code
Type	Filter to Documents, Books, Links, Audio or Video
Shelf	Jump to a single category
Class	Filter by classification (Public → Secret)
Rating	Show only well-rated material
Show archived	Include courses that have been archived
Sort	Newest, and other orders

Opening an entry

Select any card to open its detail view. There you can:

- read its **full description and scope**,
- see its **ratings and member comments**,
- find "**where it's published**" — which jumps you back to the constellation with those branches **spotlighted** and the rest dimmed, so you can see its reach at a glance, and
- **request the course for your branch** — this files a Course request with that branch's handler, who configures it (mandatory, deadline, recurrence) before approving. See Chapter 11.

Ratings & reviews

After completing a course, learners can **rate it out of five and leave a comment**. Those reviews surface here in the library, helping everyone find the material that's genuinely useful. (You'll rate a course from the in-app viewer — Chapter 10.)

Tips

- **Shelves keep themselves tidy.** Because publishing suggests an existing shelf for similar content, your library naturally groups related material instead of sprawling.
- **Use "where it's published" to audit reach.** It's the quickest way to check that an important policy actually reaches every team it should.
- **Filter by classification when sharing screens.** Switch to *Public* only if you're demonstrating the library to an audience who shouldn't see sensitive titles.


Next: [Chapter 10 — My Learning & the viewer →](#)

Chapter 10 — My Learning & the in-app viewer

What it is

My Learning is the page every learner lives in. It gathers **every course that reaches your position** — from any branch you're a member of — and shows what's pending, what's done, and what's overdue. It's the answer to "what do I need to complete?"

Open it from the **My Learning** tab in the top navigation.



Reading your dashboard

At the top, three stat cards summarise your status:

- **Pending courses** — assigned to you and not yet complete.
- **Completed** — everything you've finished.
- **Overdue** — anything past its deadline (shown in red when it matters).

Below, courses are listed **pending first, completed below**. Each row shows the title, its **code**, its **type**, whether it's **mandatory** or **opt-in**, a **status badge**, and where it came from (e.g. *via Executive Office*), plus any **deadline** or **recurrence**.

In the sample, *Marco Diaz* has three pending courses — Information Security Essentials (mandatory, repeats yearly, 30-day deadline), Embedded C Best Practices, and the Firmware Release Checklist — and one completed: the Code of Conduct.


Opening and completing a course

Each row has two actions:

- **Open** — launches the course in the **in-app viewer** (see below).
- **Mark complete** — records your completion. If a course has **prerequisites** that aren't done yet, the button is locked until you finish them first.

The in-app viewer

Courses **always open inside the app** — never in a distracting second browser tab. The viewer presents the document in your organization's **standard frame**:



Every document opens on its **standardized cover page**, showing:


- the **organization** name and the **classification** banner,
- the **title**,
- the **published date**, **version**, and **author**, and
- the document's **reference code**.

Scroll past the cover (or use **Skip to content**) for the **description & scope**, then the content itself. From the viewer you can also:

- mark the course **complete**,
 - go **fullscreen** for focused reading,
 - see **related documents**, and
 - after completing, **rate & review** it — feeding the ratings shown in the library.
-

Flow at a glance

Completing a course:



Tips

- **Do prerequisites first.** If *Mark complete* is locked, open the course to see what's required — finishing the prerequisite unlocks it.
- **Watch the recurrence note.** "Repeats every 365 days" means the course will re-appear as pending when it expires — that's annual compliance working as intended.
- **Everything stays in one place.** Because the viewer is in-app, you never lose your spot or hunt through browser tabs — open, read, complete, move on.


Next: [Chapter 11 — Requests: ask & approve](#) →

Chapter 11 — Requests: ask & approve

What it is

Requests is the platform's ask-and-approve centre. Rather than letting anyone change the structure directly, Knowledge Vault routes certain actions through a request that someone with the right authority approves. It keeps governance clean and auditable.

Open it from the **Requests** tab. A **live badge** on the tab shows how many requests need your attention, so you never miss one.



The two views

The page is split in two:

Inbox — waiting on you

Requests **you have the authority to decide**. In the sample, *Avery Stone* sees *Lena Novak*'s request to join *Robotics QA* as a member, complete with her message. Each inbox card lets you **Approve**, **Reject**, or **Delete** it.

My requests

Everything **you've** asked for, with its live status (**pending**, **approved** or **rejected**), so you can track your own asks.

The four kinds of request

Kind	Who raises it	What approval does
Course	Someone who wants a library course on their branch	The decider configures it (mandatory, inheritance, deadline, recurrence) <i>before</i> approving
Join	Someone who wants to join a public branch	Adds them to the branch — as a member or sub-owner, whichever they asked for
Deletion	A branch's own owner who wants it removed	Lets the level above authorise the deletion
Visibility	An owner whose branch is hidden by a level above	Asks that level to unhide the chain

Course requests are special: because the decider configures placement at approval time, the course arrives on the branch correctly set up, not as a raw drop-in.


How it flows

1. Someone raises a request — from the library (Course), a public star (Join), or a Group configuration panel (Deletion, Visibility).
2. It lands in the **inbox** of whoever has authority — the branch's handler or the level above.
3. That person **decides**. Approvals take effect immediately; the requester sees the status change live.
4. Decided requests **clean themselves up automatically after 7 days**, keeping inboxes tidy.


You can always **withdraw** a request you raised while it's still pending.

Flows at a glance


The request lifecycle (all types share this shape):




Course request — configured *before* approval:




Join request — carries the desired position:



Deletion request — needs the level above:



Visibility request — unhide a chain:



Tips

- **Watch the badge.** The live count on the Requests tab is your cue that a colleague is waiting on you — decisions unblock people.
- **Configure course requests thoughtfully.** Approving one is your chance to set the right deadline and recurrence for *your* branch, not just accept a default.
- **Join requests carry intent.** They state whether the person wants to be a *member* or a *sub-owner* — check that before approving.


Next: [Chapter 12 — Compliance tracking](#) →

Chapter 12 — Compliance tracking

What it is

Compliance is the manager's view of "who has completed what." For any branch you govern, it shows per-course completion across the whole subtree, highlights who's behind, and lets you **remind** them with one click. It's how you turn mandatory training from a hope into a number.

The **Compliance** tab appears in the navigation only if you're an owner somewhere. Open it to begin.



Choosing a branch

At the top, a **Branch** selector lets you pick any branch you govern — and because ownership can sit on several levels at once, you may have several to choose from. Pick one, and the dashboard reports on that branch and everything beneath it.

Three summary cards give you the headline:

- **people in this branch** — the population being measured.
- **overall compliance** — the single percentage that says how you're doing.
- **overdue items** — assignments past their deadline.

Per-course breakdown

Below the summary, every course in scope gets a row showing:

- the course **title** and **code**,
- whether it's **mandatory** or **opt-in**,
- where it comes from (e.g. *via Executive Office*, *via Engineering*), and
- a **progress bar** with a count like **1 / 7 compliant**.

Select a course row to expand it and see the **list of people** — who's compliant and who isn't.

Reminding the non-compliant

This is the part that saves managers time. Once a course is expanded:

1. **Select the people** who still need to complete it (or select all non-compliant).
2. Choose to send a **reminder**.
3. Use the **default message**, or write your **own**.

Each reminder lands as a notification for that person, deep-linked to the exact course — so they're one click from doing it. No spreadsheets, no chasing by email.

Tips

- **Start at the top for a company-wide picture, drill down to act.** Select *Executive Office* to see overall compliance; switch to a team branch to chase specific people.
- **Zero overdue is the goal.** Pair deadlines (Chapter 7) with periodic reminder sweeps to keep that number at zero.
- **Recurring courses re-open automatically.** When an annual course expires, previously compliant people become pending again — the dashboard reflects it, and a reminder gets them back on track.


Next: [Chapter 13 — Notifications](#) →

Chapter 13 — Notifications

What it is

Notifications keep you informed the moment something needs you — a new request to decide, a course assigned to you, a reminder from a manager, a decision on something you asked for. They're categorised, informative, and clickable, so each one takes you straight to the thing it's about.

The **bell** lives in the top-right corner of every screen. A small dot marks unread messages; select the bell to open the panel.



Reading a notification

Each message tells you **what happened** and belongs to a **category** (shown as a chip — e.g. *Requests*, *Courses*, *Inbox*). In the sample, *Avery Stone* has a **Requests** notification: "New request waiting on you — Join request for Robotics QA."

- **Select a message** to jump directly to the relevant place — the request, the course, the branch. No hunting.
- **Dismiss a single message** with its X.
- **Clear all** with the button at the top of the panel.

How they behave

- **Live** — notifications arrive in real time; you don't need to refresh. The bell's dot appears the instant something lands.
 - **Deep-linked** — clicking a message opens the exact request or course it refers to.
 - **Self-cleaning** — messages **auto-clear after 7 days**, so the panel never becomes a graveyard.
 - **A gentle nudge** — if your unread count climbs past ten, the platform prompts you to tidy up.
-

What generates a notification?

Common triggers include:

- a **request** you have the authority to decide (Join, Course, Deletion, Visibility),
 - a **decision** on a request you raised (approved or rejected),
 - a **course assigned** to your position,
 - a **reminder** sent from the Compliance dashboard, and
 - a **document review** waiting for your approval.
-

Tips

- **Treat the bell dot as your to-do light.** If it's lit, someone or something is waiting on you — clearing it usually means unblocking a colleague.
- **Click, don't search.** Every notification is a shortcut; use it rather than navigating manually to the request or course.
- **Let them expire.** You don't need to clear everything by hand — informational messages tidy themselves after a week.


Next: [Chapter 14 — The Supreme zone: custody & recovery](#) →

Chapter 14 — The Supreme zone: custody & recovery

What it is

The **Supreme zone** is the most powerful — and most protected — area in Knowledge Vault. It lives on the **root role** of your organization and is the practical expression of the **custody** promise from Chapter 2: your organization's existence, ownership and revival are all in *your* hands, guarded by the **Supreme password** that only you know.

You reach it by clicking the **root star**, choosing **Group configuration**, and scrolling to the **Supreme zone** (visible only to the organization's top-level owners).



Because these actions are so consequential, they require you to enter the **Supreme password**, which unlocks a 10-minute window of Supreme access.

What lives in the Supreme zone

Top-level owners

The Supreme zone lists the owners of the root role — the people who hold ultimate authority. In the sample, that's *Avery Stone* and *Priya Raman*. From here you can:

- **Add a supreme co-owner** by username, and
- **Remove** an owner (you can't remove the last one).

Adding or removing a top-level owner is exactly the kind of change the Supreme password protects.

The `.main` existence backup

Your organization's `.main` file is its **existence backup** — a single encrypted file, keyed to your Supreme password, that can **revive the entire organization** even after it's been deleted and the retention period has passed.

Select **↓ Download** to export it. **Keep it somewhere safe and offline.**

Deleting the organization


The **Delete organization** action begins a **30-day retention** period, after which the org is purged and **only the `.main` file can bring it back**. The platform insists you download the `.main` file *first* and confirms before proceeding.

The other backup: per-branch `.bkp` files

Separate from the org-wide `.main`, every branch can be backed up on its own from the **Backup** section of its action panel. A `.bkp` file is an **encrypted snapshot of that branch** — its roles, people and course placements — that you can restore later.

To create one:

1. Click a branch you govern → **Backup**.
2. Choose **↓ Download .bkp of this branch** and set a backup password (you'll need it to restore).



To restore, upload a `.bkp` into a node and enter its password; the platform shows a report of what was **applied** and what was **skipped**.

Reviving a deleted organization


If an organization has been deleted, its founder can bring it back from the **Organizations** page:

1. Expand **Revive a deleted organization from a `.main` file**.
2. Upload the `.main` file and enter the **Supreme password** that encrypted it.


Without both the file and the password, revival is impossible — which is precisely what keeps your organization in your custody and no one else's.

Flows at a glance


Supreme-protected actions (on the root):



Branch backup and restore (.bkp):



Reviving a deleted organization:



Tips

- **Back up the `.main` the day you found the org, and after big structural changes.** It is your ultimate insurance policy.
- **Never store the Supreme password with the `.main` file.** Together they're the keys to the kingdom; keep them separately.
- **Use `.bkp` before risky edits.** About to restructure a division? Export its `.bkp` first so you can roll back cleanly.


Next: [Chapter 15 — Help & support](#) →

Chapter 15 — Help & support

What it is

Knowledge Vault includes a built-in **Help** page — a plain-language guide to every part of the platform. It's **public**, so both prospective and signed-in users can read it, and it's linked from the app sidebar so it's always a click away.

Open it from the **Help** link in the navigation (available on the landing page and inside the app).



What Help covers

The page walks through each component of the platform in short, friendly topics, including:

- **Profile & signing in** — your one global username-and-password identity, and how admins add you by username.
- **Organizations & the Supreme** — what an organization is, and the Supreme password that protects its root.
- **The constellation, roles and people** — how the tree works and how positions are placed.
- **Courses, the library and learning** — publishing, browsing and completing knowledge.
- **Requests, compliance and notifications** — the day-to-day flows for managers and learners.

Each topic is written for people, not engineers — no setup or code, just how to use the product.

Where to look when you're stuck

If you want to...	Go to...
Understand a term	The Appendix glossary , or in-app Help
Change your name or picture	Account (Chapter 1)
See what you must complete	My Learning (Chapter 10)
Add a person or role	The constellation → People / Group configuration (Chapters 5–6)
Publish a course	A role's Courses panel, or the Studio (Chapters 7–8)
Find an existing document	The Library (Chapter 9)
Approve something	Requests , or the notifications bell (Chapters 11, 13)
Check who's trained	Compliance (Chapter 12)
Back up or recover your org	The Supreme zone and Backup (Chapter 14)

Tips

- **Bookmark the Help page** — it's the fastest in-product reference and it's always current with the live app.
- **Share Help with newcomers** before their first sign-in — because it's public, they can read it while their profile is being set up.
- **This guide book goes deeper.** Help is the quick tour; the chapters here are the full walkthrough with real screenshots.

Next: [Chapter 16 — Flow diagrams: every setting at a glance](#) →

Chapter 16 — Flow diagrams: every setting at a glance


This chapter is the **visual reference** for the whole platform. It pairs a **flow diagram** with a **screenshot** for each setting, grouped into three topics:

- **A. What an owner can do** — every management setting.
- **B. What a member can have / do** — the learner side.
- **C. Request ↔ response flows** — ask-and-approve.
- **D. Plans, coins & access codes** — how an organization is paid for, sized and renewed.

The flow diagrams below are drawn with Mermaid and render automatically on GitHub. Each setting also links back to the chapter where it's explained in full.



A — Owner settings & actions

Owners act from the **constellation**: click a star you govern to open its action panel, then choose a section (Group configuration · People · Courses · Backup).




A1 · Create a sub-role

Where: Group configuration → + Sub-role · [Chapter 5](#)




A2 · Set visibility (public / hidden)

Where: Group configuration → Visibility · [Chapter 5](#)




A3 · Delete a branch (direct or by request)


Where: Group configuration → Delete / Request deletion · [Chapter 5](#)



A4 · Add a person (member or co-owner)


Where: People → + Add person · [Chapter 6](#)






A5 · Grant a co-owner's rights (least privilege)


Where: People → Add a co-owner · [Chapter 6](#)






A6 · Grant a member the "create content" right


Where: People → Add a member · [Chapter 6](#) & [7](#)






A7 · Publish a course


Where: Courses → + Upload course / Create in Studio · [Chapter 7](#)







A8 · Configure a placed course

Where: Courses → per-course controls · [Chapter 7](#)





A9 · Back up / restore a branch (.bkp)

Where: Backup section · [Chapter 14](#)



A10 · The Supreme zone (root only)

Where: root → Group configuration → Supreme zone · [Chapter 14](#)





B — What a member can have / do

A member *learns* from the branches they're placed on. Everything assigned to them gathers in **My Learning**.

B1 · Complete assigned courses


Where: *My Learning* · [Chapter 10](#)



B2 · Read in the in-app viewer


Where: *My Learning / Library* → *Open* · [Chapter 10](#)


The viewer opens every document in the organization's standard frame (cover, classification, version, author) — never in a second tab.



B3 · Propose content (if granted)


Where: Studio → Propose a document · [Chapter 8](#)






B4 · Ask to join a public branch

Where: *click a public star* → *Send Join request* · [Chapter 11](#)




Member capability map




C — Request ↔ response flows


Requests route sensitive actions to whoever has the authority. Deciders act from the **Requests inbox**; everyone is kept informed by **notifications**.




C0 · The lifecycle every request shares




C1 · Course request




C2 · Join request



C3 · Deletion request




C4 · Visibility request



C5 · How you hear about it — notifications

Every request, decision, assignment and reminder arrives as a **live, clickable notification** that deep-links to the exact item.



D — Plans, Knowledge Coins & access codes

Every organization runs on a **plan**, bought with **Knowledge Coins** and unlocked with a one-time **access code**. Full detail in [Chapter 17](#); the staff side is [Chapter 18](#).

Knowledge Vault

[Help](#)
200 coins
[Buy coins](#)
[My organizations](#)

PRICING

Choose a plan to found your organization

Every organization runs on a plan. Pick one, and the Knowledge Base team sends you a one-time access code to create it.

Free

Demo

Try Knowledge Vault free

Free

60 days

Up to 10 members

One demo organization per profile. Expires after 2 months.

- ✓ Full features for evaluation
- ✓ 2-month time limit
- ✓ No Knowledge Coins required

Request this plan

Monthly

Keep your organization running month to month

50 coins

30 days

Up to 1000 members

Renew every 30 days.

- ✓ 30 days of full access
- ✓ Renewable
- ✓ Priority in the roadmap

Request this plan

Best value

Organisation

For established teams — duration set with the admin

150 coins

Custom duration

Custom member limit


Duration agreed with the Knowledge Base team.

- ✓ Admin-set duration
- ✓ Custom terms
- ✓ Expiry reminders

Propose terms

D1 · Choose a plan and get an access code

Where: Pricing → Request this plan / Propose terms · [Chapter 17](#)



Your requests

CUSTOM_PLAN


organisation

pending

Withdraw

D2 · Create the organization with the code

Where: Create organization · [Chapter 3](#)



Knowledge Vault

Organizations

Pricing

Account

Help

Create an organization

This creates the organization's Supreme — its root object — and its first role, with you as the first owner.

You need an access code to create an organization.

Pick a plan on the right → the Knowledge Base team approves it → your one-time code arrives in your notifications. Paste it below.

Access code

8-character code from your notifications

The super-admin sends this after approving your plan request.

Organization name

First role name

Owner / CEO / Principal...

The role at the top of your structure — you become its first occupant

Supreme password

At least 12 characters

Repeat Supreme password

This password cannot be recovered. By anyone. Ever.

The platform stores no copy — it protects owner-level changes and encrypts your organization's `.main` revival file. If it is lost, changing the owner structure and reviving a deleted organization become permanently impossible.

☐ I understand the Supreme password is unrecoverable

Create organization

Choose a plan

200 coins

Request a plan here; the code arrives in your notifications. Full details on the Pricing page.

Demo

Free

60 days · up to 10

Try Knowledge Vault free

Request this plan

Monthly

50

30 days · up to 1000

Keep your organization running month to month

Request this plan

Organisation

150

Custom duration · custom limit

For established teams — duration set with the admin


Propose terms

Knowledge Vault — The Main Guide Book

83


D3 · Knowledge Coins — where they come from and go

Where: Pricing (balance) · Buy coins · [Chapter 17](#)




D4 · How many people a plan allows


Where: People → + Add person · [Chapter 6](#)



D5 · Expiry and restoring


Where: the countdown chip above each org card · [Chapter 17](#)





D6 · The staff side, in one picture

Where: Knowledge Base portal · [Chapter 18](#)



Knowledge Base Portal - signed in as @adminbase

Sign out

OrganizationsRequestsCoinsAdmins

All organizations

Live view — auto-refreshes every 8s - updated 11:23:16 AM.

Search name, #, owner, plan..Refresh

Name	Owners	Plan	Status	Expires	Members	Roles	Depth	Last activity		
Aurora Robotics	@priya.raman, @avery.stone	organisation	active	2027-07-28	7 / 250	8	3	today	Set plan	Delete
Northwind Logistics	@sam.okoro	demo	demo	2026-09-26	2 / 10	3	3	today	Set plan	Delete
Helios Health	@priya.raman	monthly	expired	2026-07-26	2 / 1000	2	2	today	Set plan	Delete

Master index — setting → where → screenshot

Setting	Who	Chapter	Screenshot
Create a sub-role	Owner	5	sub-role-form.png
Set visibility (public/hidden)	Owner	5	group-configuration.png
Delete / request branch deletion	Owner	5	group-configuration.png
Add a person (member/co-owner)	Owner	6	add-person-choose.png
Grant co-owner rights	Owner	6	add-coowner-form.png
Grant member "create content"	Owner	6	add-member-form.png
Publish a course	Owner	7	upload-course-form.png
Configure placement (mandatory/inherit/archive)	Owner	7	courses-panel.png
Back up / restore a branch (.bkp)	Owner	14	backup-panel.png
Supreme zone (owners, .main , delete)	Top owner	14	group-configuration.png
Complete assigned courses	Member	10	my-learning.png
Read in the in-app viewer	Member	10	course-viewer.png
Propose content	Member	8	studio.png
Send a join request	Member	11	requests.png
Decide a request (inbox)	Decider	11	requests.png
Notifications	Everyone	13	notifications.png
Choose a plan / see your coin balance	Anyone	17	pricing-page.png
Track a plan request	Anyone	17	pricing-my-requests.png
Read your access code	Anyone	17	account-admin-messages.png
Create an org with a code	Founder	17	create-organization.png
Read the plan countdown	Owner	17	org-plan-timer.png
Buy coins (coming soon)	Anyone	17	buy-coins-coming-soon.png
Approve a request & issue a code	KB staff	18	admin-requests.png
Set a plan, duration & member limit	KB staff	18	admin-set-plan.png
Default coins & gifts	KB staff	18	admin-coins.png
Manage administrators	KB staff	18	admin-admins.png

Back to: [Table of contents](#) · **Reference:** [Appendix — Glossary & quick reference](#)

Chapter 17 — Plans, pricing & Knowledge Coins

What it is

Creating an organization is not open to everyone by default — it is gated behind a **plan** and a one-time **access code**. Plans are bought with **Knowledge Coins**, the platform's virtual currency (some teams call them *education coins* — same thing).

This chapter covers the whole money-and-access side of Knowledge Vault: what a coin is, how pricing works, how many people a plan lets you have, the **free Demo plan** you use as a testing environment, how to get your access code, how to read the countdown timer on your organization, and what happens when a plan runs out.

Who does what: everything in this chapter is *your* side — the Pricing page, your code, your organization's timer. The Knowledge Base team's side (approving requests, issuing codes, gifting coins, setting plans) is [Chapter 18](#).

1. Knowledge Coins

A **Knowledge Coin** is the unit Knowledge Vault prices plans in. Coins are not money and they don't expire — think of them as tokens sitting in your profile's wallet, spent when you found or restore an organization.

Question	Answer
How many do I start with?	150 coins , granted the moment you register. (The Knowledge Base team can change the starting amount for <i>future</i> sign-ups — it never touches balances that already exist.)
Where do I see my balance?	On the Pricing page, as the  200 coins chip in the top bar — and on the Buy coins page. It's deliberately kept off every other screen.
What can I spend them on?	Plans. The Demo plan costs nothing; paid plans cost whatever the card says.
When are they taken?	Only when you use your access code — never when you send a request, and never when it's approved. If you never redeem the code, you never pay.
Can I get more?	The Knowledge Base team can gift or adjust your balance at any time; you get a message when they do. Buying coins with real money is coming soon.
Is there a record?	Yes — every grant, gift, adjustment and spend is written to a ledger with the resulting balance.

Knowledge Vault

Help
200 coins
Buy coins
My organizations

PRICING

Choose a plan to found your organization

Every organization runs on a plan. Pick one, and the Knowledge Base team sends you a one-time access code to create it.

Free

Demo

Try Knowledge Vault free

Free

60 days

Up to 10 members

One demo organization per profile. Expires after 2 months.

- ✓ Full features for evaluation
- ✓ 2-month time limit
- ✓ No Knowledge Coins required

Request this plan

Monthly

Keep your organization running month to month

50 coins

30 days

Up to 1000 members

Renew every 30 days.

- ✓ 30 days of full access
- ✓ Renewable
- ✓ Priority in the roadmap

Request this plan

Best value

Organisation

For established teams — duration set with the admin

150 coins

Custom duration

Custom member limit

Duration agreed with the Knowledge Base team.

- ✓ Admin-set duration
- ✓ Custom terms
- ✓ Expiry reminders

Propose terms

Buying coins (coming soon)

The **Buy coins** button next to your balance opens the top-up page. The payment gateway isn't live yet, so today the page explains that coins are granted by the Knowledge Base team — ask them if you need more.

Knowledge Vault

Help
Pricing

KNOWLEDGE COINS

Buying coins is coming soon

Soon you'll be able to top up your Knowledge Coins with real money and use them to buy plans. For now, coins are granted by the Knowledge Base team — reach out if you need more.

Back to pricing

2. How pricing works

Open **Pricing** from the site footer, the home page, or the 🏠 item in the app's navigation. Plans are shown as cards, grouped into **tabs**, and are managed centrally by the Knowledge Base team — so the page always reflects what's actually on offer, including limited-time offers that appear and disappear on their own dates.

Each card tells you five things:

1. **Price** — in coins, or **Free**.
2. **Duration** — e.g. *60 days*, *30 days*, or *Custom duration* (agreed with the team).
3. 👥 **People** — how many members the organization may hold. See §3.
4. **Criteria** — any conditions (e.g. *"One demo organization per profile"*).
5. **Highlights** — what you get, in plain words.

The starter plans every deployment ships with:

Plan	Price	Duration	People	Best for
Demo	Free	60 days (2 months)	up to 10	Evaluating and testing — see §4
Monthly	50 coins	30 days, renewable	up to 1 000	Keeping a real organization running month to month
Organisation	150 coins	Agreed with the team	Agreed with the team	Established teams on an annual or custom agreement

The page wins over this table. Prices, durations and member limits are edited centrally and can change; whatever the Pricing page shows is what you'll be charged.

There are two buttons on a card, depending on the plan:

- **Request this plan** — for fixed plans (Demo, Monthly). One click sends the request.
- **Propose terms** — for custom plans (Organisation). You enter **the days you want** and **the coins you offer**, and the team replies with the final terms.

3. How many people can I have? (member limits)

Every plan carries a **member limit** — the maximum number of *people* in one organization.

- The limit counts **people, not positions**. Someone who already belongs to the organization can be placed on as many roles as you like without using another seat.
- The Knowledge Base team can set a **per-organization limit** that overrides the plan's (for example, 250 seats on an annual agreement). A blank override means "use the plan's number"; some plans are unlimited.

- The limit is enforced the moment a **new** person would join — when an owner adds someone to a role, and when a **Join request** is approved. If the organization is full you'll see:

This organization's plan allows up to 250 members. Upgrade the plan to add more.

- Nothing is deleted when you hit the ceiling — existing people keep working normally. You either remove someone or move to a bigger plan.

If you're planning a rollout, count **every person who will need a login inside that one organization**, and pick the plan from that number. Separate organizations have separate limits — a person in two organizations occupies a seat in each.

4. The free plan — your testing environment

The **Demo** plan is the sandbox. It is:

- **Free** — 0 coins, so it works even with an empty wallet;
- **Full-featured** — the constellation, courses, Studio, library, requests, compliance, backups and `.main` custody all behave exactly as they do on a paid plan;
- **Time-boxed to 2 months** (60 days) and **capped at 10 members**;
- **One per profile** — the criteria line on the card says so.

That makes it the right way to trial a structure, rehearse a rollout, or train the people who will run the platform, before anyone pays anything.

Two things to plan for before you start:


1. **It ends.** At 60 days the organization's timer lapses and the card turns red.
2. **A lapsed Demo cannot be restored for free.** If you delete it (or lose it) after expiry, bringing it back needs a plan and a restore code — §7. If the trial content matters, move the organization onto a paid plan *before* the two months are up.

Tip: treat a Demo organization as disposable. Build the shape you want, learn from it, then found the real organization on a paid plan and build it properly.

5. Getting an access code

Because organization creation is controlled, you **request** a plan and the Knowledge Base team sends you a one-time code.

You choose a plan → the team approves (with final terms) → you get an 8-character code



valid 24 hours · single use

1. On **Pricing**, choose a plan and select **Request this plan** — or **Propose terms** for a custom plan, entering the days you want and the coins you offer.
2. Your request lands with the Knowledge Base team.
3. They **approve** it (setting the final duration, price and a message) or **decline** it (with a reason).
4. On approval you receive an **8-character access code** as a message **from the Super Admin**, valid for **24 hours** and usable **once**.

Tracking your requests

The Pricing page lists **Your requests** underneath the cards, with their live status — *pending*, *approved*, *denied* or *used* — plus any reply from the team. While a request is still pending you can **Withdraw** it.


Your requests

CUSTOM_PLAN organisation **pending**

Withdraw

Your code lives on your Account page

The code arrives in your notification bell **and** in a dedicated **"Messages from the Super Admin"** panel on your **Account** page — so you can read it any time, even before you belong to any organization. These messages stay for **30 days**.



6. Creating the organization with your code

Go to **Create organization**. The page has two halves:

- **Left — the founding form:** your access code, the organization name, the first role name, and the Supreme password (with its unrecoverable-password acknowledgement — see [Chapter 3](#)).
- **Right — the plan chooser:** your coin balance and every plan, so you can request one without leaving the page. Each plan shows its status once you've asked: *requested* — *awaiting approval*, then *approved* — *code in your* 🛎️.

Knowledge Vault

Organizations

Pricing

Account

Help

Create an organization

This creates the organization's Supreme — its root object — and its first role, with you as the first owner.

You need an access code to create an organization.

Pick a plan on the right → the Knowledge Base team approves it → your one-time code arrives in your notifications. Paste it below.

Access code

8-character code from your notifications

The super-admin sends this after approving your plan request.

Organization name

First role name

Owner / CEO / Principal...

The role at the top of your structure — you become its first occupant

Supreme password

At least 12 characters

Repeat Supreme password

This password cannot be recovered. By anyone. Ever.

The platform stores no copy — it protects owner-level changes and encrypts your organization's `.main` revival file. If it is lost, changing the owner structure and reviving a deleted organization become permanently impossible.

☐ I understand the Supreme password is unrecoverable

Create organization

Choose a plan

200 coins

Request a plan here; the code arrives in your notifications. Full details on the Pricing page.

Demo

Free

60 days · up to 10

Try Knowledge Vault free

Request this plan

Monthly

50

30 days · up to 1000

Keep your organization running month to month

Request this plan

Organisation

150

Custom duration · custom limit

For established teams — duration set with the admin

Propose terms

On submit the platform verifies the code, deducts the plan's coins, stamps the organization with the plan and its expiry date, and marks the code **used**. If your balance is short, nothing is created and you're told exactly how many coins the plan costs and how many you have.

7. The countdown timer, expiry and restoring


The timer

Every organization card carries a **countdown chip** above its name:

Knowledge Vault — The Main Guide Book

95

Chip	Meaning
🕒 organisation · 364d 23h left	Time remaining on the plan
🕒 Demo · 12h left	Under a day — the chip turns red inside the last 3 days
🕒 monthly expired — upgrade to keep it	The plan has lapsed
organisation · no expiry	An open-ended plan



When a plan expires

The organization and its data stay where they are — expiry does not delete anything. What changes is your ability to bring the organization **back** once it's gone:

- Deleted organizations sit in a **30-day retention** list and can be restored with the Supreme password.
- If the plan has **expired** (or it was a **Demo**), restoring is blocked with a clear message that sends you to the **Pricing page**.
- Choose a plan there and the team issues a **restore code**. Enter it when you restore — you may need to upload the `.main` file again — and the organization comes back on the new plan, with the coins deducted then.

Why the plan travels inside your `.main` file

Your `.main` file (Chapter 14) carries an encrypted, **server-signed** snapshot of the plan. On revival the platform checks that signature:

- **Active and unexpired** → the organization revives directly.
- **Demo, expired, or a file made before plans existed** → you're told plainly that the plan has lapsed and pointed at Pricing for a restore code.

The signature is what stops an expired file being edited into a "paid forever" one — custody of your organization and the truth about its plan stay together in the same file.

8. Tips

- **Request early.** Codes expire in 24 hours, so ask for your plan shortly before you intend to create the organization — not days ahead.
- **Your code is always on your Account page** for 30 days; no need to hunt through the bell.
- **Coins leave your wallet only at redemption.** Requesting and being approved cost nothing.
- **Size the plan by people, not roles.** Roles are free; people occupy seats.
- **Watch the chip.** Inside the last three days it turns red — upgrade before it lapses and you'll never need the restore path at all.
- **Use the Demo as a rehearsal, not as the real thing.** It's free and complete, but it ends after two months and can't be restored for free once it does.

Next: [Chapter 18 — The Knowledge Base portal](#) → · **Back to:** [Table of contents](#)

Chapter 18 — The Knowledge Base portal (platform staff)

What it is


The **Knowledge Base portal** is the administration console for the people who *run* the platform — the Knowledge Base team. It is a **separate realm** from the product: its own login, its own accounts, its own token. Nothing you do as a customer ever takes you here, and nothing here needs your organization's Supreme password.

From the portal, staff can see every organization on the platform, decide plan requests and issue access codes, gift Knowledge Coins, set the starting balance for new sign-ups, change an organization's plan and member limit, and manage the administrator accounts themselves.

Customers: you never need this chapter. Your whole experience is the Pricing page, your access code and the timer on your organization card — [Chapter 17](#).

Signing in

The portal is reached from the small "**Knowledge base employee login**" link in the site footer, which opens the employee sign-in page.




- The first administrator account is created automatically when the platform is deployed, and is **forced to change its password at first login** — the bootstrap password only ever works once.
- Sign-in is username + password. Accounts can be **deactivated**, and a deactivated account is refused on every request, not just at login.

- The URL is not the security boundary — the login is. The footer link exists only so staff can find the door.

Organizations — the god view

The first tab lists **every organization on the platform**, live.




Column	What it tells you
#	The organization number (100 , 101 , ...)
Name	Its name; deleted organizations are shown faded, with a <code>deleted</code> badge
Owners	The usernames holding the root role
Plan / Status / Expires	The plan it runs on, whether it's <code>active</code> , <code>demo</code> , <code>expired</code> or <code>none</code> , and the expiry date
Members	People used / the limit in force (e.g. 7 / 250)
Roles / Depth	How big and how deep the constellation is
Last activity	The most recent sign of life — governance, learning, publishing or someone joining

Working with the table:

- **Live** — it refreshes itself every 8 seconds, and the header shows when it last updated. There's a manual **Refresh** too.
- **Search** — one box filters by name, number, owner username, plan or status.
- **Sort** — click any underlined heading to sort; click again to reverse.
- The table is wider than its panel on smaller screens — it scrolls sideways.

Set plan — plan, duration and member limit

Set plan on a row opens the plan editor for that organization.



- **Plan key** — which plan the organization runs on.
- **Duration (days)** — blank means "use the plan's own duration" (or unlimited if it has none). Any number here starts the countdown again from today.
- **Member limit** — blank means "use the plan's limit". A number here is a **per-organization override**, which is how custom agreements ("250 seats") are honoured.
- **Message to owners** — an optional note delivered with the notification.

Applying it notifies every root-role owner that their plan changed, and writes the change to the audit log.


This is the authoritative way to change a plan. The server never learns an organization's Supreme password, so plan state lives on the organization record itself — not inside a file only the owner can open.

Delete — permanent and immediate

Delete purges an organization **now**, skipping the 30-day retention window. It asks for an inline confirmation first ("Delete forever?") and, once done, the only way back is the owner's own `.main` file. Use it for genuine mistakes and abandoned test tenants, not as a routine cleanup.

Requests — approve, deny and issue codes

The **Requests** tab is the inbox for everything customers ask for: `CREATE_ORG`, `CUSTOM_PLAN` and `RESTORE_ORG`. It refreshes every 8 seconds, so new asks appear on their own.



Each row shows who is asking, their current coin balance, what they want (plan, days offered, coins offered, target organization for a restore) and their message. Pending rows carry a decision form:

Field	Effect
Granted days	The duration you're actually granting — defaults to what they asked for
Price (coins)	What you'll charge — defaults to what they offered
Message	A custom note delivered with the decision

- **Approve + issue OTP** mints an **8-character access code**, valid **24 hours** and usable **once**. The code is shown to you on screen a single time (so you can relay it out of band if you want to) and is delivered to the customer's notifications and Account page, where it stays for 30 days.
- **Deny** closes the request with your message. Denied and expired requests are simply re-requested by the customer — there's one round of negotiation, not a thread.

Coins are **not** taken at approval. They're deducted when the customer redeems the code — so an unused approval costs them nothing.

Coins — the starting balance and gifts

The screenshot shows the 'Knowledge Base Portal' interface. At the top, it says 'signed in as @adminbase'. There are tabs for 'Organizations', 'Requests', 'Coins' (selected), and 'Admins'. The main content area is titled 'Knowledge Coins'. It has two sections: 'Default coins for new users' and 'GIFT / ADJUST A USER'. The first section has a text input with '150' and a 'Save default' button. The second section has a description: 'Gift or adjust a user's coin balance (top-up from your end). Positive adds, negative deducts.' It includes a 'Username' input with 'their-username', an 'Amount (+/-)' input with '150', and a 'Note (optional)' input. There is an 'Apply' button at the bottom.

Default coins for new users sets how many Knowledge Coins every *newly registered* profile starts with (150 out of the box). Changing it applies to sign-ups from that point on — it never rewrites balances that already exist.

Gift / adjust a user changes one person's balance by any amount: positive adds, negative deducts. Enter the username, the amount and an optional note. The user is notified ("You received Knowledge Coins" / "Your Knowledge Coins were adjusted") and the movement is recorded in the coin ledger with the resulting balance. A deduction that would take someone below zero is refused.

Admins — who else can do all this

The screenshot shows the 'Knowledge Base Portal' interface. At the top, it says 'signed in as @adminbase'. There are tabs for 'Organizations', 'Requests', 'Coins', and 'Admins' (selected). The main content area is titled 'Administrators'. It has a description: 'Anyone on the project can be added as a super-admin with full portal access.' Below this, there is a list of administrators. One is shown: '@adminbase Knowledge Base Admin · last in 2026-07-28' with a 'Deactivate' button. Below the list is a section titled 'Add an administrator' with three input fields: 'Username', 'Display name', and 'Temporary password'. There is an 'Add admin' button at the bottom.

Any project member can be made a super-admin. Adding one takes a username, a display name and a temporary password — and, like the first account, the new administrator **must change that password at first**

login.

Existing administrators can be **deactivated** and **reactivated** at any time; you cannot deactivate the account you're signed in with. The list shows each admin's display name and when they last signed in.

Every action taken anywhere in the portal — approvals, denials, gifts, plan changes, purges, password changes, admin changes — is written to an **append-only audit log**.

Tips for staff

- **Read the Members column before granting a plan.** `7 / 250` tells you instantly whether a customer asking for more seats actually needs them.
- **Set the member limit at the same time as the duration.** Both live on the same form, and a custom agreement usually changes both.
- **Say why in the message field.** It's delivered to the customer verbatim and saves a round trip — especially on a denial.
- **Prefer expiry over deletion.** An expired organization is harmless; a purge is permanent.
- **Rotate the bootstrap password immediately** and add named administrator accounts rather than sharing one.

Back to: [Table of contents](#) · **Reference:** [Appendix — Glossary & quick reference](#)

Appendix — Glossary & quick reference

A one-stop reference for the terms, codes and rules you'll meet across Knowledge Vault.

Glossary

Term	Meaning
Profile	Your single global identity — a username and password, no email. Works across every organization.
Organization	A company/team on the platform, structured as a tree of roles. Has a number, e.g. #100 .
Constellation	The organization's main page: its structure drawn as a top-down star map.
Role / branch / node	A position in the tree. The three words are used interchangeably.
Root role	The single role at the top of the tree; its owners hold the Supreme.
Owner	Someone who <i>manages</i> a branch (adds people, publishes courses, etc.).
Co-owner	An additional owner appointed to a branch, with specific granted rights.
Member	Someone who <i>learns</i> from a branch — its courses appear in their My Learning.
Supreme	The protected root of your organization.
Supreme password	The unrecoverable password that guards top-level changes and encrypts the <code>.main</code> file.
Course	Any published knowledge: Document, Book, Link, Audio or Video.
Classification	The compulsory sensitivity label on every course (Public/Confidential/Private/Secret).
Category / shelf	The tag that groups a course on a library shelf (e.g. <i>Safety</i>).
Mandatory	A course people <i>must</i> complete (vs. <i>opt-in</i>).
Inherit	A course setting that pushes it down to every branch beneath the one it's placed on.
Prerequisite	A course that must be completed before another can be started.
Placement	A course's presence on a particular role, with its mandatory/inherit settings.
Studio	The visual drag-and-drop document builder.
Library	The org-wide catalogue of published courses, shelved by category.
My Learning	A learner's page of assigned, completed and overdue courses.
Viewer	The in-app reader that opens courses in the standard document frame.
Request	A formal ask (Course, Join, Deletion, Visibility) that an authorised person approves.
Compliance	The manager dashboard showing per-course completion across a branch.
Notification	A live, categorised, clickable message about something needing your attention.
<code>.main</code> file	The encrypted existence backup that can revive an entire organization.
<code>.bkp</code> file	An encrypted backup of a single branch (roles, people, placements).
Custody	The principle that your data and your org's existence stay in your hands, not the platform's.

Term	Meaning
Knowledge Coin	The platform's virtual currency (sometimes called an <i>education coin</i>). 150 per new profile; spent on plans.
Plan	What an organization runs on — its price, duration and member limit. Demo, Monthly, Organisation, or a custom one.
Demo plan	The free plan: 2 months, up to 10 people, full features. The testing environment.
Member limit	The maximum number of <i>people</i> one organization may hold, set by its plan (or a per-org override).
Access code	The one-time 8-character code that unlocks organization creation. Valid 24 hours, single use.
Restore code	The same kind of code, issued to bring back an organization whose plan expired.
Plan status	<code>active</code> , <code>demo</code> , <code>expired</code> — shown as the countdown chip above an org card.
Super Admin	The Knowledge Base team member who approves plan requests and issues codes.
Knowledge Base portal	The staff-only administration console (Chapter 18).

Course codes

Every course has a code like `100-101-0001` . Read it as:

```

100      -   101      -   0001
|         |         |
org #    uploading   sequence
         role #      number

```

- `100` — the organization number.
- `101` — the number of the role the course was uploaded from.
- `0001` — a running sequence number.

So `100-100-0002` is the second course uploaded from *Aurora Robotics'* root role.

Classifications at a glance

Badge colour	Classification	Use it for
 Green	Public	Anyone in the organization
 Amber	Confidential	Need-to-know material
 Purple	Private	A specific, restricted group
 Red	Secret	The most tightly held material

Request types at a glance

Request	Raised from	Decided by	On approval
Course	The Library	The target branch's handler	Configured, then placed on the branch
Join	A public star on the constellation	The branch's owners / level above	Person added as member or sub-owner
Deletion	Group configuration	The level above	The branch is deleted
Visibility	Group configuration	The level above	The hidden chain is unhidden

Decided requests auto-clean after 7 days. You can withdraw your own while still pending.

Owner rights (least privilege)

Right	Lets an owner...	Rule
Create sub-groups	Add sub-roles beneath the branch	—
Appoint co-owners	Add other owners to the branch	—
Create content (<i>members</i>)	Propose documents for review	Publishes only after owner approval

The golden rule: an owner can only grant a right they hold themselves.

Plans at a glance

Plan	Price	Duration	People	Notes
Demo	Free	60 days	up to 10	One per profile; can't be restored free once lapsed
Monthly	50 coins	30 days	up to 1 000	Renewable
Organisation	150 coins	Agreed with the team	Agreed with the team	Propose your own terms

Plans are managed centrally — the Pricing page is always the authority on current prices, durations and limits.

Knowledge Coins at a glance

Rule	Value
Starting balance for a new profile	150 (staff can change it for future sign-ups)
Where the balance is shown	The Pricing page and the Buy coins page — nowhere else
When coins are deducted	Only when an access code is redeemed
Demo plan cost	0
Buying coins with money	Coming soon — staff gift coins today

Automatic housekeeping

Thing	Behaviour
Decided requests	Auto-clean after 7 days
Notifications	Auto-clear after 7 days ; nudge past 10 unread
Messages from the Super Admin	Kept 30 days (Account page)
Access / restore codes	Expire after 24 hours ; usable once
Deleted organization	30-day retention, then purged (revive with <code>.main</code>)
Plan countdown chip	Turns red inside the last 3 days , then reads <i>expired</i>
Sessions	Refresh automatically in the background

The sample organization (for reference)

Aurora Robotics (#100) — used in every screenshot in this book.

Executive Office	Avery Stone (owner), Priya Raman (co-owner)
└─ Engineering	Priya Raman (owner), Noah Kim (member)
└─ Firmware Team	Marco Diaz (member, creates content)
└─ Robotics QA	Jade Li (member)
└─ Operations	Sam Okoro (owner)
└─ Safety & Compliance	Lena Novak (member)
└─ People & Culture	Jade Li (member)
└─ Research Lab	(hidden / private branch)

Sample courses include *Code of Conduct & Ethics* (100-100-0001 , Confidential, mandatory), *Information Security Essentials* (100-100-0002 , Public, video, annual), *Embedded C Best Practices*, *Firmware Release Checklist*, *Workplace Safety Induction* and the *New Joiner Handbook*.

Aurora Robotics runs on the **Organisation** plan — 12 months, 250 seats. Two more sample tenants appear in the plan and portal screenshots (Chapters 17–18): **Northwind Logistics (#101)** on the free **Demo** plan (2/10 seats used) and **Helios Health (#102)**, whose **Monthly** plan has lapsed — the red *expired* state.

End of the Main Guide Book. Return to the [table of contents](#).