



Knowledge Vault

The Super Admin Guide Book

The administration console behind Knowledge Vault

Requests & codes · organizations · users · coins & plans · administrators · glossary

2026-08-05

**INTERNAL — Knowledge Base team only. Not for customers,
and not published with the product.**

Knowledge Vault — The Super Admin Guide Book

For the Knowledge Base team only.

This book covers the administration console that sits behind Knowledge Vault: the portal where plan requests are decided, access codes are issued, Knowledge Coins are granted, plans are set, organizations are inspected and messaged, and administrator accounts are managed.

Why this is a separate book. The end-user manual — *The Main Guide Book* — is published with the product and downloadable from the Help page by anybody. Nothing in *this* book appears there. Details of the staff console, its sign-in door, its capabilities and its bootstrap behaviour are of no use to a customer and of considerable use to someone probing the platform, so the two audiences get two books.

Do not publish this book, link to it from the product, or attach it to a customer conversation. Keep it with the team.

Who this is for

Anyone with a Knowledge Base administrator account: the people who answer plan requests, run the pricing table, and look after organizations on the platform. It assumes you already know the product from a customer's side; if you don't, read the Main Guide Book first — you will be answering questions about it.

Table of contents

#	Chapter	What it covers
1	The portal & signing in	What the console is, how to reach it, how it is laid out, and the rules of the account realm
2	Requests & access codes	The one-click approval flow, what a code grants, upgrades, denials
3	The organizations console	Searching and filtering, the five-tab drawer, editing every property, bulk actions, broadcasts
4	Users	Profiles, where they belong, moving coins, suspending, deleting
5	Coins, plans & the pricing table	Granting coins, setting plans, editing the ladder
6	Administrators, audit & safety	Accounts, the audit trail, and the things to be careful with
7	The Glossary & definitions on hover	How every property explains itself, and the definitions that settle arguments

The three rules

1. **Every action is audited.** Approvals, denials, coin movements, plan changes, property edits, purges and broadcasts all write a permanent record naming the administrator. Work as though someone will read it, because they can.
 2. **A purge is final.** Deleting an organization from this console bypasses the customer's 30-day Recycle Bin. The only way back is the customer's own `.main` file — which you do not have and cannot make.
 3. **You cannot read a Supreme password, and neither can the platform.** If a customer has lost theirs, there is no back door here to offer them. Say so plainly.
-

If you read nothing else

Every label with a dotted underline and a small `?` explains itself. Point at it. The console is built so that no figure in it is a number you are expected to already understand — and Chapter 7 collects all of those definitions in one searchable page.


Knowledge Vault — Super Admin Guide Book. Internal.

Chapter 1 — The portal & signing in

What it is

The **Knowledge Base portal** is the administration console for the people who *run* the platform. It is a **separate realm** from the product: its own login page, its own accounts, its own token, its own session storage. Nothing a customer does ever takes them here, and nothing here needs any organization's Supreme password.

From the portal you can see every organization on the platform, decide plan requests and issue access codes, gift Knowledge Coins, set the starting balance for new sign-ups, change an organization's plan and every one of its limits, message owners, and manage the administrator accounts themselves.



Finding your way around

The console is a **section rail** down the left and one working surface to the right of it. Seven sections, in the order you tend to need them:

Section	What it answers
Overview	"What is the state of the platform, and is anything waiting on me?"
Organizations	"Show me every organization, and let me change one."
Users	"Who is this person, where do they belong, and what can I do about them?"
Requests	"Who is blocked on a decision from me?"
Coins	"Move a balance, or change what new profiles start with."
Administrators	"Who can open this portal?"
Glossary	"What does that number actually mean?"

Knowledge Base

SUPER-ADMIN CONSOLE

Overview

Organizations

Users

Requests 3

Coins

Administrators

Glossary

Overview

The platform at a glance

Verbose

Compact

The platform right now

Every figure below is read live from the API and refreshes on its own every fifteen seconds. Point at any label to see exactly what it counts — the same definitions are collected under Glossary.

ORGANIZATIONS ?

9

1 in a Recycle Bin

ON A PAID PLAN ?

5

1 employee perk

EXPIRED ?

1

routed to Pricing on sign-in

EXPIRING ≤ 14 DAYS ?

1

worth a message before they lapse

REQUESTS WAITING ?

3

someone is blocked on you

PROFILES ?

7

1 suspended

DORMANT ≥ 30 DAYS ?

2

no activity at all

STORAGE WE HOLD ?

219 MB

inline files in our database

Needs a decision

Requests sit here until someone approves or denies them. A user waiting on a code cannot create their organization at all, so this list is the one thing in the console that is genuinely urgent.

Create an organization @j.rasmussen yesterday

Custom / organizational plan @h.tanaka 2 days ago

Restore an organization @r.achebe 3 days ago

Open requests

Worth a look

Not urgent, but not nothing: plans about to lapse, and organizations nobody has touched in a month. Both are conversations to start before they become cancellations.

Northgate Logistics #1011 9 days left

Beaumont Chambers #1019 last active 1 month ago

Silverbrook Care #1026 last active 1 month ago

Open organizations


@adminbase

Sign out

The rail badges **Requests** with the number waiting, from whichever section you are in, and the count keeps itself current without a refresh. The section you were last in is remembered, so a reload puts you back where you were.

Everything explains itself

Any label with a **dotted underline** and a small **?** is a definition. Point at it — or focus it with the keyboard, or tap it on a touch screen — and the console tells you what it counts and what changing it does.



You never have to remember which of *documents* and *uploads* is metered separately, or what blank means in a limit field. The same definitions are collected in Chapter 7, searchable, if you would rather read them all at once.

Verbose or Compact

Top right of every section. **Verbose** is the default and shows the explanatory paragraph on every panel. **Compact** hides that prose — and *only* that prose. No figure, no control and no row ever disappears with it. The choice is remembered per device, so your second week can look different from your first.

It works in a small window

The console is built to be used in a quarter-screen window beside a support ticket, not only full-screen. Below a laptop width the rail folds into a sheet behind the hamburger, the toolbars stack, and every table stops being a table — each row becomes its own card with the column names attached, so nothing is cut off and nothing scrolls sideways.



Organizations

Every organization, live

Verbose

Compact

All organizations

Every organization on the platform. Open one to read and edit everything the console knows about it; tick several to message their owners or purge them together. Point at any label to see what it counts.

● **Live** ? · 7:56:48 AM

↻ Refresh

Search name, number, owner or plan...

Show: everything ▼

Sort: number ▼



Cards

Table

10 of 10 organizations shown



Knowledge Vault Team

#1002 · @adminbase



active

yearly


KVEP

PEOPLE

11 / ∞

DOCS

64 / ∞



Signing in

The portal is reached from the small "**Knowledge base employee login**" link in the site footer, which opens the employee sign-in page.

- The first administrator account is created automatically when the platform is deployed, and is **forced to change its password at first login** — the bootstrap password only ever works once.
- Sign-in is username + password, hashed with Argon2id. Accounts can be **deactivated**, and a deactivated account is refused on *every request*, not just at login.
- **The URL is not the security boundary — the login is.** The footer link exists only so staff can find the door. Treat the address as public knowledge and the credentials as the entire defence.

Two sessions, side by side

An administrator token lives under its own key in the browser, separate from any customer session. You can be signed in as an administrator and as an ordinary user in the same browser without the two interfering — which is how you test a customer's report against your own account.

If you are locked out

There is a deployment-level reset for the first administrator, driven by an environment variable, which restores the bootstrap password and forces a change at next login. It requires access to the service's configuration — that is, someone who could already deploy code against the same database — so it grants nothing that person did not already have. **Remove the variable immediately afterwards.**

What the portal is not

- **It is not a way into a customer's data.** You can see the *shape* of an organization — counts, roles, depth, plan, owners — and you can change its plan and limits. You cannot read its documents or exam papers from here.
 - **It is not a password recovery service.** Supreme passwords are not stored in any recoverable form. If a customer has lost one, the honest answer is that it is gone, and their `.main` file (encrypted with that same password) cannot help them either.
 - **It is not exempt from the audit trail.** See Chapter 6.
-

Tips


- **Sign out on shared machines.** The token is long-lived by design so you are not fighting the login all day; that cuts both ways.
- **Use a real display name.** The audit trail names accounts, and "admin2" tells a future reader nothing.
- **Never paste an access code into a public channel.** It is single-use, but it is also someone's organization.

Chapter 2 — Requests & access codes

What it is

The **Requests** tab is the channel between a customer and the team. Four kinds of ask arrive here:

Kind	What the customer wants
Create an organization	Permission to found a new organization on a plan they chose
Upgrade a plan	To move an organization they already own onto a higher plan
Custom / organizational plan	Terms they have proposed themselves — days, people, document counts, and the coins they offer
Restore an organization	A key to bring back an expired or purged organization from its .main



1. Approving is one click

You do not have to design the customer's plan. Every request arrives carrying the terms of the plan the customer chose, resolved from the pricing table and laid out on the card as a labelled block — days, people, custom documents, uploads, and what it costs — with the requester's **coin balance** printed above it and a warning in red when that balance will not cover the price.

Select **Approve** and exactly those terms are what happens. Days, price, people, documents and uploads all default to the plan's own numbers — or, on a custom proposal, to the numbers the customer stated in their form. Nothing has to be re-typed, and nothing can drift between what the Pricing page promised and what you granted.

When you *do* want to change something

Adjust terms opens the override fields. Every one is optional and every one is blank by default, meaning *use what the plan says*. Fill in only what you mean to change — a longer trial, a discount, a specific seat count for a negotiated agreement.

The message box

Whatever you write is delivered to the customer with the decision, as the body of a high-priority message in their mailbox. Use it. "Approved — this covers the two sites you mentioned" saves a follow-up conversation.

2. What a code is, and what it does

Approving a **create** or **restore** request mints an **8-character alphanumeric code**.

- It is **hashed** before storage. The plain code is shown to you **once**, on screen, so you can relay it out of band if you want to — and it is delivered to the customer's mailbox at the same time, flagged high priority, where it stays readable for 30 days.
 - It is **valid 24 hours** and **single use**.
 - **Coins are taken when the code is redeemed**, never when the request is filed or approved. A customer who never redeems never pays.
 - Redeeming it carries the terms you granted onto the new organization: plan key, expiry, member limit, document and upload limits.
-

3. Upgrades are applied immediately

An **upgrade** request names an organization that already exists, so there is nothing for a code to unlock.

Approving it:

1. Applies the new plan, expiry and limits to that organization **at once**.
2. Marks the request as used.
3. Sends every owner a high-priority message naming the new plan and its expiry date.

The customer sees the change the next time a page loads — usually within seconds, because the message arrives live.

The server checks ownership when the request is *filed*: only an owner of the root role can ask to upgrade an organization. You do not need to verify it yourself.

4. Denying

Deny records the decision and sends the customer a high-priority message. The reason you type is the whole of what they see, so write a real one — "the free plan is one per profile, and you already have one on @sam" is useful; a blank denial is not.

A denied request keeps its record for 30 days and then clears itself.

5. Housekeeping

- **Withdrawn requests are deleted immediately** — a customer who changes their mind leaves nothing in your inbox.
 - **Served requests** (used, denied, expired, withdrawn) are swept **after 30 days** by the nightly job. The *Recently served* list under the inbox is a rolling window, not an archive; the audit trail is the archive.
-


Tips

- **Approve first, adjust only when asked.** The plan the customer picked is the agreement they already read on the Pricing page — changing it silently is a surprise on their invoice.
- **Read the custom form as a specification.** Days, people, document counts and upload counts are exactly the fields you would otherwise have had to invent.
- **A 24-hour code is deliberate.** If a customer misses the window, deny nothing — approve a fresh request. It costs them nothing.

Chapter 3 — The organizations console

What it is

The **Organizations** section is the god view: every organization on the platform, live, and a drawer that opens onto everything the console knows about any one of them. It refreshes itself every ten seconds, so counts, plan states and expiry dates stay current while you work.



1. Finding the organization you want

Four controls sit above the grid, and they compose — a filter and a search apply together.

Control	What it does
Search	Matches name, organization number, owner username, plan key and plan status.
Show	Everything · on a paid plan · expired · dormant ≥ 30 days · employee perk (KVEP) · in a Recycle Bin.
Sort	Any column: number, name, plan, status, expiry, people, documents, uploads, storage, roles, tree depth, last activity.
↑ / ↓	Ascending or descending, independent of which column you sorted by.
Cards / Table	Cards to browse, table to compare. The line under the toolbar always says how many of how many you are looking at.

Each card carries only what you scan a grid for: who it is, whether it is healthy, how busy it is, and when anyone last touched it. Everything else is one click away in the drawer.


Sort by last activity to find dead trials. Anything untouched for months on a lapsed plan is a purge candidate — after you have messaged its owners. The **dormant ≥ 30 days** filter is the same question asked in one click.

2. Opening one — the drawer

Selecting a card opens a drawer over the grid with five tabs.

At a glance


The four metered allowances as *used / limit*, each with a bar showing how close to the ceiling it is, then the organization's shape and history: roles and depth, plan, expiry with the days remaining, created, last activity, and the organization ID.



An allowance with no ceiling reads ∞ . A bar that has gone amber is at 80%; red is 95%.

Properties — everything, editable in place

Every property the API holds, in an editable field. Changed fields are **outlined until you save**, and the save button counts them, so you always know what you are about to commit.



Property	Notes
Name	Free text. Not unique — identify an organization by its number.
Organization number	Read-only, permanent, never reused.
Plan	Any key from the pricing table.
Plan status	NONE · DEMO · ACTIVE · EXPIRED .
Expires on	A date, or blank for no expiry.
People limit	Blank = use the plan's limit.
Custom-document limit	Blank = the plan's limit (unlimited on every paid plan).
Upload limit	Blank = the plan's limit.
Storage limit (MB)	Blank = the plan's limit.
People / documents / uploads / storage used	Read-only, live.
Roles, depth, created	Read-only.

Blank means "inherit", not "zero". Clearing a limit hands the decision back to the plan. To actually forbid something, set it to 0 .

Check used before you lower a limit. Setting a ceiling below what an organization already holds does not delete anything, but it does stop them adding more — which is a surprise if they did not ask for it.

Storage

Where this organization's documents actually live: connection status and when it was last checked, the address, the bucket and prefix, the region, the masked access key, the encryption posture, how many objects and how many bytes, and anything still waiting to migrate out of our database.

- **Test connection** re-runs the health check right now and tells you what it found. It changes no settings.
- **Unreachable is not data loss.** It means new uploads have nowhere to go until the organization's storage comes back. Say that to a worried customer, in those words.
- A **KVEP** organization says so instead of showing a form: its content is on our storage, there is nothing to configure, and it can never go unreachable.

Owners

Everyone on the organization's root role, with their coin balance and their profile ID — which is what a support ticket or an audit query keys on. An organization with **no owners** gets a warning here: nobody can govern it, and it needs an owner restored from its own `.main` file or a purge.

Activity

The audit trail for this organization — what was done, and when.

The footer

Pinned to the bottom of the drawer, reachable however far down you have scrolled: **Save**, **Discard**, **Message owners**, and **Purge**.

3. Selecting several

Each card has a checkbox. Tick two or more and a selection bar appears with two actions:

- ☒ **Message their owners** — one message to every owner of every selected organization.
- **Purge selected** — a permanent purge of all of them, behind an inline confirmation.

This is how you run a campaign ("the yearly plan now includes two free months") or clear a batch of abandoned trials, without repeating yourself once per organization.

4. Messaging owners

The message form asks for a **subject**, a **body** and a **priority**.

- It lands in every recipient's mailbox under **Knowledge Base**, labelled *Announcement*.
- **High priority** pins it to the top of their mailbox and turns their bell red. Use it for things that block someone, not for offers.
- Delivery is live — an owner with a page open sees it arrive.

- Messages expire after **30 days** like all Knowledge Base mail, so a campaign does not accumulate in customers' mailboxes forever.
- The broadcast is audited with the subject and the recipient count.

Advertising is legitimate here; nagging is not. These are your customers' working mailboxes. One message about a real change beats four about the same one.

5. Deleting an organization

Two very different things share the word "delete":

	Customer's delete	Your purge
Where	Their Supreme zone	This console
Effect	Soft — goes to their Recycle Bin	Permanent, immediate
Reversible	One click, for 30 days	Only from their own <code>.main</code> file
Needs	Their Supreme password	Your admin account

A purge from this console bypasses the 30-day retention entirely. There is no undo on this side. Before you use it, be certain the organization is what you think it is — check the number, not just the name, because names repeat and numbers never do.

6. Reading the structure

`/admin/orgs/:orgNumber/tree` returns an organization's role tree — names, numbers, depth, public/hidden, and owner and member counts per node. It is read-only and carries no document content. Use it when a customer describes a structural problem and you need to see the shape they are describing.


Tips

- **Fix the limit, not the plan, for a one-off.** A customer who needs 40 seats on a plan that says 10 does not need a bespoke plan row; they need a per-organization override.
- **The Overview does the triage for you.** Expiring within a fortnight, and dormant for a month, are both already counted there — start from those tiles rather than from a sort.
- **Point at anything you are unsure of.** Every label in the drawer carries its own definition, so you never have to guess whether *documents* includes uploads. (It does not.)

Chapter 4 — Users

What it is

The **Users** section is people rather than organizations: every profile on the platform, across every organization it belongs to. One profile is one identity everywhere — there is no per-organization account, and there is no email address, so the **username is the identity**.



The search box matches username and display name, and it debounces as you type, so you can paste a name straight out of a support ticket.

Each row tells you four things: who they are, how many organizations they belong to and whether they own any, their coin balance, and whether they are active or suspended.

1. Opening someone

Selecting **Open** slides in a drawer with everything the console holds about that profile.

Profile

The **profile ID** — the platform-wide UUID that support tickets and audit queries key on — plus the username, when they joined, their balance and their last activity. Click the ID once to select the whole thing.

Organizations

Where they belong, and whether they are an **owner** or a **member** of each. This is the single most useful panel in the section: "why can't I see the library?" is nearly always answered by which organizations are in this list, and in what capacity.

Coins

One field, one button. A **positive** number grants; a **negative** number revokes.

- The balance never goes below zero — revoking more than they hold empties it and stops.
- Either direction lands in their **wallet history** and their **mailbox**, so the movement is never a mystery to them.
- Use it to top up someone who has paid outside the platform, or to claw back a mistake.

Access — suspending

Suspending signs them out everywhere and refuses their next sign-in. It is the reversible answer, and it is nearly always the right one:

- Their completion records, exam results and audit entries stay exactly as they were.
- Lifting it is one click, and they are back with everything intact.
- Use it while something is being investigated, not as a punishment you have to remember to undo.

Delete

Deleting removes the profile, its memberships and its wallet history. Completion records and audit entries **stay**, because they record what happened inside an organization rather than who is welcome in it.

Deletion is refused while they own an organization. Removing the last owner would leave an organization nobody can govern, which the platform does not permit at all. The drawer names the organizations to deal with first, and the delete button is simply not offered until they are handled — hand ownership over from inside the organization, or purge it from Chapter 3.

2. Choosing between suspend and delete

	Suspend	Delete
Can sign in	No	No — the account is gone
Reversible	Yes, one click	No
Their history	Kept, and still theirs	Profile and wallet gone; org records stay
Owens an organization	Allowed	Refused
Good for	Investigations, disputes, a compromised account	A genuine deletion request, or a test account

When in doubt, suspend. A suspension you did not need costs someone an hour; a deletion you did not need costs them everything they had.

Tips

- **Check the balance before approving a paid plan.** The Requests section shows the requester's coins and warns when they will not cover the plan — but if you are gifting first, do it here, then approve.
- **Suspension is not a mailbox block.** A suspended profile still has a mailbox, and messages sent to organizations they own still arrive. Suspending is about sign-in, not about silence.
- **Two profiles with the same display name are ordinary.** The username is unique; the display name is not. Act on the username, or on the profile ID.

Chapter 5 — Coins, plans & the pricing table

What it is

The **Coins** section, and the pricing table behind it. Two panels sit side by side: the starting balance every newly registered profile gets, and the gift/adjust form for any single user.

The screenshot shows the 'Coins' section of the Knowledge Base Super-Admin Console. The left sidebar contains navigation links: Overview, Organizations, Users, Requests (with a red badge '3'), Coins (highlighted in red), Administrators, and Glossary. The main content area is titled 'Coins' with a subtitle 'Knowledge Coins and defaults'. It features two panels. The first panel, 'Default coins for new profiles', explains that this is the starting balance for new profiles and includes a text input field with '150' and a 'Save default' button. The second panel, 'Gift or adjust a balance', explains how to top up or deduct coins from a specific user. It includes a table with columns 'USERNAME' and 'AMOUNT (+ / -)', a 'NOTE (OPTIONAL)' field, and an 'Apply' button. The bottom of the sidebar shows the user '@adminbase' and a 'Sign out' button.

USERNAME	AMOUNT (+ / -)
their-username	150

1. Knowledge Coins

A coin is the unit plans are priced in. Coins are not money; they are tokens in a profile's wallet, spent when an organization is founded or restored.

Default for new sign-ups

One number: how many coins a **newly registered** profile starts with. Changing it affects **future sign-ups only** — it never touches a balance that already exists.

Gifting and adjusting

Enter a username, an amount (positive to grant, negative to deduct) and an optional note.

What happens:

1. The balance moves.
2. A **ledger entry** is written with the delta, the resulting balance, the reason and your account.
3. The user gets a **high-priority message** naming the amount, your note and their new balance — delivered live, wherever they are in the product.

The balance can never be driven below zero; the attempt is refused.

The message is not optional and should not be. A balance that changes without explanation is indistinguishable from a bug, and you will get the support ticket.

2. Setting a plan directly

The screenshot shows the 'Organizations' page in the Knowledge Vault Super Admin interface. A modal drawer for 'Meridian Health Trust' is open, displaying the 'Properties' tab. The form contains the following fields:

- NAME:** Meridian Health Trust
- ORGANIZATION NUMBER:** 1004 (read-only)
- PLAN:** yearly (dropdown)
- PLAN STATUS:** ACTIVE (dropdown)
- EXPIRES ON:** 03/05/2027 (calendar icon)
- PEOPLE LIMIT:** blank = the plan's limit
- CUSTOM-DOCUMENT LIMIT:** blank = the plan's limit
- UPLOAD LIMIT:** blank = the plan's limit
- STORAGE LIMIT (MB):** blank = the plan's limit
- PEOPLE:** 486 (read-only)
- CUSTOM DOCUMENTS:** 312 (read-only)
- UPLOADS:** 1204 (read-only)
- STORAGE USED (MB):** 42 (read-only)
- ROLES:** 37 (read-only)

At the bottom of the drawer are buttons for 'Saved', 'Message owners', and 'Purge'.

The everyday route is the **Properties** tab of the organization drawer (Chapter 3), where the plan, its status, its expiry and every limit are edited in place. Beyond it there is a direct plan-upgrade action: pick an organization number and a plan key, optionally override the duration and the limits, and apply. Every root owner is messaged with the new plan and expiry.

Use it after a confirmed payment made outside the request flow.

3. The pricing table

The Pricing page is **entirely data-driven**. Every card is a row; adding a row adds a card, and adding a new `category` adds a tab — with no code change and no deploy.

Each row carries:

Field	Meaning
<code>key</code>	Stable identifier. Never reuse or repurpose one — organizations reference it.
<code>name</code> , <code>tagline</code> , <code>badge</code> , <code>highlights</code>	What the card says.
<code>category</code>	The tab it sits under.
<code>priceCoins</code> , <code>durationDays</code>	Cost and length. <code>null</code> days = unlimited / by agreement.
<code>memberLimit</code> , <code>documentLimit</code> , <code>uploadLimit</code> , <code>storageLimitMb</code>	Ceilings. <code>null</code> = unmetered.
<code>tier</code>	Rung on the upgrade ladder — what the comparison panel treats as "above".
<code>allowDrafts</code>	Whether authors may park Studio drafts on the server.
<code>isCustom</code>	Turns the card's button into the custom-proposal form.
<code>active</code> , <code>validFrom</code> , <code>validUntil</code>	Visibility and offer windows.
<code>sortOrder</code>	Order within the tab.

The current ladder

Key	Name	Price	Days	People	Documents	Uploads	Storage	Tier
<code>demo</code>	Free	50	30	10	30	30	150 GB	1
<code>bimonthly</code>	Bi-monthly	100	60	∞	∞	∞	∞	2
<code>quarterly</code>	Quarterly	150	130	∞	∞	∞	∞	3
<code>yearly</code>	Yearly	500	425	∞	∞	∞	∞	4
<code>organisation</code>	Custom / Organizational	by agreement	—	—	—	—	—	5

Only `demo` is metered. Every paid plan is unlimited on documents and uploads by design; per-organization overrides remain available for the exceptions.

The superseded `monthly` row is kept but **inactive** — organizations still on it resolve their plan normally, and no new customer is offered it. That is the pattern for retiring any plan: deactivate, never delete.

Retiring or changing a plan

- **Changing a price or a limit** takes effect for *future* grants. Organizations already on the plan keep the terms recorded on their own row.
 - **Deactivating** removes the card from the Pricing page without breaking anything.
 - **Deleting a row** whose key an organization still references will leave that organization unable to resolve its plan. Don't.
-


Tips

- **Set tier deliberately.** It is what the customer's upgrade comparison calls "above" — a wrong tier makes a downgrade look like an upgrade.
- **Use validFrom / validUntil for seasonal offers** rather than remembering to switch a card off by hand.
- **Write the note on every coin adjustment.** It is the only context the ledger and the customer will ever have.

Chapter 6 — Administrators, audit & safety

What it is

The last tab, and the rules that make the rest of this book safe to use.



1. Administrator accounts

Any member of the team can be given a portal account.

- **Adding one** takes a username, a display name and a temporary password. The new account is **forced to change that password at first sign-in**.
- **Deactivating** blocks the account everywhere — not only at the login, but on every request it would otherwise make. Reactivating restores it.
- **You cannot deactivate yourself.** The console refuses, so the last person standing cannot lock the team out by accident.
- There is no permission ladder inside the portal. **Every administrator can do everything in this book.** Grant an account the way you would grant a production database password.

2. The audit trail

Every action writes a permanent record naming the administrator, the action and its details:

Action	Recorded
grant_otp	Which request, days granted, price
deny_request	Which request
gift_coins	Username and delta
upgrade_plan	Organization number, plan key, days
set_org_properties	Organization number and which fields changed
broadcast_message	Organization numbers, subject, recipient count
purge_org / bulk_purge_orgs	Organization numbers and names
create_plan / update_plan	Plan key
add_admin / toggle_admin	Username
set_default_coins	The new value
change_password	Who

The trail is append-only. Work as though it will be read, because it can be.

Separately, each organization keeps its **own** audit log of governance actions — people added, courses deleted, requests decided, exams reset — which the nightly job trims at 90 days.

3. The things to be careful with

A purge is final

Deleting from the console bypasses the customer's Recycle Bin. Their `.main` file is the only way back, and you do not have it. **Check the organization number, not the name.**

A bulk delete is final, several times over

The selection bar makes it as easy to purge twelve organizations as one. Read the count in the confirmation.

You cannot recover a Supreme password

It is hashed with Argon2id and nothing on the platform can reverse it. The `.main` backup is encrypted with the same password, so it does not help either. The honest answer to "we've lost it" is that the organization cannot be recovered — and the sooner you say so, the sooner they can plan around it.

Access codes are single-use, but they are still credentials

Do not paste one into a group chat, a ticket a customer can see, or a screenshot.

Lowering a limit does not delete anything

An organization already over a new ceiling keeps everything it has; it simply cannot add more. That is usually what you want — but it is a surprise if the customer did not ask for it.

The bootstrap reset is a deployment lever, not a support tool

It requires access to the service's environment. Anyone who has that could already deploy arbitrary code against the same database, so it grants nothing new — but leaving the variable set after use leaves a known password in place. **Remove it immediately.**

4. What the nightly job does

An external scheduler calls a protected endpoint once a day. It:

- deletes every **expired mailbox message** (each carries its own expiry);
- deletes **decided requests** and **served platform requests** past their windows;
- expires **completion records** past their validity and re-assigns those courses;
- sends **overdue** notices and escalates them;
- warns owners a week before a **plan expires**, marks it expired on the day, and messages them;
- trims Supreme verification audits and spent refresh tokens at 15 days, and the organization audit log at 90;
- **purges organizations** soft-deleted more than 30 days ago.

If the job stops running, nothing breaks immediately — but mail stops expiring and lapsed plans stop being marked. Check it if a customer reports stale state.


Tips

- **Two administrators minimum.** One is a single point of failure with no reset path that doesn't involve the deployment.
- **Deactivate, don't delete.** A deactivated account keeps its name attached to its audit history.
- **When in doubt, message the owners first.** Almost nothing in this console needs to happen in the next five minutes, and almost everything is easier to explain before than after.

Chapter 7 — The Glossary & definitions on hover

What it is

Everything the console can show you is defined, once, in one register — and the console reads from that register everywhere the term appears. Point at a label and you get the definition there and then; open the **Glossary** section and you get all of them as a searchable page.




There is no separate list to keep in step. The hover card in the organization drawer, the label on an Overview tile, and the entry in the Glossary are literally the same sentence.

1. Using a definition where you are

Any label with a **dotted underline** and a small **?** carries one.

How	What happens
Point at it	The card opens beside the label.
Tab to it	Same card — the keyboard is not a second-class route.
Tap it	On a touch screen, a tap opens it and a second tap closes it.
Escape	Closes it.

Each card gives you the term, one sentence on **what it is**, and usually a second on **what changing it does or costs** — which is the part that matters when your hand is already on the field.



The card is drawn above everything else on the screen, so a definition inside a scrolling drawer is never clipped by the drawer.

2. Using the Glossary section

Search matches the term, the short definition and the long one, so you can look something up by what you half-remember about it rather than by its exact name. Fifty-plus terms, alphabetical.

Worth reading end to end **once**, on your first week. Everything after that is lookup.

3. The definitions that most often settle an argument

A few entries carry more weight than the rest, because they are the ones people get wrong:

Term	The part that matters
Custom documents vs Uploads	Studio-authored documents and uploaded files are metered separately . A customer at their document limit may still have upload allowance left, and vice versa.
A blank limit	Means <i>inherit from the plan</i> , not zero. <code>0</code> is how you actually forbid something.
Storage used	Only counts bytes we hold. Content on an organization's own storage costs us nothing and is reported under Storage instead.
Purge	Permanent and immediate, bypassing the customer's 30-day Recycle Bin. Their own <code>.main</code> file is the only way back.
Suspended	Reversible, and it keeps their records. Deletion is neither.
Owns an organization	While true, the profile cannot be deleted at all — the platform refuses to leave an organization ungoverned.
Last activity	The single best signal of an abandoned trial, and the reason the Overview counts dormant organizations for you.
Unreachable storage	Not data loss. New uploads have nowhere to go until it returns.

4. When a definition is missing

If a property arrives from the API that the register does not know, the console falls back to whatever hint the API sent with it, and failing that says plainly that no definition has been recorded yet. That is a bug, not a feature — **report it**, with the property name. A number in this console that nobody can explain is exactly what the register exists to prevent.

Tips

- **Point before you ask.** Most "what does this mean?" questions between administrators are already answered on the screen where they were asked.
- **Quote the definition to customers.** The wording is deliberately plain and deliberately honest about costs; it is safe to paste into a reply.
- **Compact mode does not hide definitions.** It hides the explanatory paragraphs on panels. Every `?` still works.