



Knowledge Vault

The Super Admin Guide Book

The administration console behind Knowledge Vault

Requests & access codes · organizations · coins & plans · administrators

2026-08-04

**INTERNAL — Knowledge Base team only. Not for customers,
and not published with the product.**

Knowledge Vault — The Super Admin Guide Book

For the Knowledge Base team only.

This book covers the administration console that sits behind Knowledge Vault: the portal where plan requests are decided, access codes are issued, Knowledge Coins are granted, plans are set, organizations are inspected and messaged, and administrator accounts are managed.

Why this is a separate book. The end-user manual — *The Main Guide Book* — is published with the product and downloadable from the Help page by anybody. Nothing in *this* book appears there. Details of the staff console, its sign-in door, its capabilities and its bootstrap behaviour are of no use to a customer and of considerable use to someone probing the platform, so the two audiences get two books.

Do not publish this book, link to it from the product, or attach it to a customer conversation. Keep it with the team.

Who this is for

Anyone with a Knowledge Base administrator account: the people who answer plan requests, run the pricing table, and look after organizations on the platform. It assumes you already know the product from a customer's side; if you don't, read the Main Guide Book first — you will be answering questions about it.

Table of contents

#	Chapter	What it covers
1	The portal & signing in	What the console is, how to reach it, and the rules of the account realm
2	Requests & access codes	The one-click approval flow, what a code grants, upgrades, denials
3	The organizations console	Cards, the property table, bulk actions, broadcast messages
4	Coins, plans & the pricing table	Granting coins, setting plans, editing the ladder
5	Administrators, audit & safety	Accounts, the audit trail, and the things to be careful with

The three rules

1. **Every action is audited.** Approvals, denials, coin movements, plan changes, property edits, purges and broadcasts all write a permanent record naming the administrator. Work as though someone will read it, because they can.

2. **A purge is final.** Deleting an organization from this console bypasses the customer's 30-day Recycle Bin. The only way back is the customer's own `.main` file — which you do not have and cannot make.
 3. **You cannot read a Supreme password, and neither can the platform.** If a customer has lost theirs, there is no back door here to offer them. Say so plainly.
-


Knowledge Vault — Super Admin Guide Book. Internal.

Chapter 1 — The portal & signing in

What it is

The **Knowledge Base portal** is the administration console for the people who *run* the platform. It is a **separate realm** from the product: its own login page, its own accounts, its own token, its own session storage. Nothing a customer does ever takes them here, and nothing here needs any organization's Supreme password.

From the portal you can see every organization on the platform, decide plan requests and issue access codes, gift Knowledge Coins, set the starting balance for new sign-ups, change an organization's plan and every one of its limits, message owners, and manage the administrator accounts themselves.



Signing in

The portal is reached from the small "**Knowledge base employee login**" link in the site footer, which opens the employee sign-in page.

- The first administrator account is created automatically when the platform is deployed, and is **forced to change its password at first login** — the bootstrap password only ever works once.
- Sign-in is username + password, hashed with Argon2id. Accounts can be **deactivated**, and a deactivated account is refused on *every request*, not just at login.
- **The URL is not the security boundary — the login is.** The footer link exists only so staff can find the door. Treat the address as public knowledge and the credentials as the entire defence.

Two sessions, side by side

An administrator token lives under its own key in the browser, separate from any customer session. You can be signed in as an administrator and as an ordinary user in the same browser without the two interfering — which

is how you test a customer's report against your own account.

If you are locked out

There is a deployment-level reset for the first administrator, driven by an environment variable, which restores the bootstrap password and forces a change at next login. It requires access to the service's configuration — that is, someone who could already deploy code against the same database — so it grants nothing that person did not already have. **Remove the variable immediately afterwards.**

What the portal is not

- **It is not a way into a customer's data.** You can see the *shape* of an organization — counts, roles, depth, plan, owners — and you can change its plan and limits. You cannot read its documents or exam papers from here.
 - **It is not a password recovery service.** Supreme passwords are not stored in any recoverable form. If a customer has lost one, the honest answer is that it is gone, and their `.main` file (encrypted with that same password) cannot help them either.
 - **It is not exempt from the audit trail.** See Chapter 5.
-

Tips


- **Sign out on shared machines.** The token is long-lived by design so you are not fighting the login all day; that cuts both ways.
- **Use a real display name.** The audit trail names accounts, and "admin2" tells a future reader nothing.
- **Never paste an access code into a public channel.** It is single-use, but it is also someone's organization.

Chapter 2 — Requests & access codes

What it is

The **Requests** tab is the channel between a customer and the team. Four kinds of ask arrive here:

Kind	What the customer wants
Create an organization	Permission to found a new organization on a plan they chose
Upgrade a plan	To move an organization they already own onto a higher plan
Custom / organizational plan	Terms they have proposed themselves — days, people, document counts, and the coins they offer
Restore an organization	A key to bring back an expired or purged organization from its .main



1. Approving is one click

You do not have to design the customer's plan. Every request arrives carrying the terms of the plan the customer chose, resolved from the pricing table, printed on the card:

Will grant: 130 days · unlimited people · unlimited custom documents · unlimited uploads · costs 150 coins

Select **Approve** and exactly that is what happens. Days, price, people, documents and uploads all default to the plan's own numbers — or, on a custom proposal, to the numbers the customer stated in their form. Nothing has to be re-typed, and nothing can drift between what the Pricing page promised and what you granted.

When you *do* want to change something

Adjust terms opens the override fields. Every one is optional and every one is blank by default, meaning *use what the plan says*. Fill in only what you mean to change — a longer trial, a discount, a specific seat count for a negotiated agreement.

The message box

Whatever you write is delivered to the customer with the decision, as the body of a high-priority message in their mailbox. Use it. "Approved — this covers the two sites you mentioned" saves a follow-up conversation.

2. What a code is, and what it does

Approving a **create** or **restore** request mints an **8-character alphanumeric code**.

- It is **hashed** before storage. The plain code is shown to you **once**, on screen, so you can relay it out of band if you want to — and it is delivered to the customer's mailbox at the same time, flagged high priority, where it stays readable for 30 days.
 - It is **valid 24 hours** and **single use**.
 - **Coins are taken when the code is redeemed**, never when the request is filed or approved. A customer who never redeems never pays.
 - Redeeming it carries the terms you granted onto the new organization: plan key, expiry, member limit, document and upload limits.
-

3. Upgrades are applied immediately

An **upgrade** request names an organization that already exists, so there is nothing for a code to unlock.

Approving it:

1. Applies the new plan, expiry and limits to that organization **at once**.
2. Marks the request as used.
3. Sends every owner a high-priority message naming the new plan and its expiry date.

The customer sees the change the next time a page loads — usually within seconds, because the message arrives live.

The server checks ownership when the request is *filed*: only an owner of the root role can ask to upgrade an organization. You do not need to verify it yourself.

4. Denying

Deny records the decision and sends the customer a high-priority message. The reason you type is the whole of what they see, so write a real one — "the free plan is one per profile, and you already have one on @sam" is useful; a blank denial is not.

A denied request keeps its record for 30 days and then clears itself.

5. Housekeeping

- **Withdrawn requests are deleted immediately** — a customer who changes their mind leaves nothing in your inbox.
 - **Served requests** (used, denied, expired, withdrawn) are swept **after 30 days** by the nightly job. The *Recently served* list under the inbox is a rolling window, not an archive; the audit trail is the archive.
-


Tips

- **Approve first, adjust only when asked.** The plan the customer picked is the agreement they already read on the Pricing page — changing it silently is a surprise on their invoice.
- **Read the custom form as a specification.** Days, people, document counts and upload counts are exactly the fields you would otherwise have had to invent.
- **A 24-hour code is deliberate.** If a customer misses the window, deny nothing — approve a fresh request. It costs them nothing.

Chapter 3 — The organizations console

What it is

The **Organizations** tab is the god view: every organization on the platform, live, as a grid of cards. It refreshes itself every eight seconds, so counts, plan states and expiry dates stay current while you work.



Each card shows, at a glance:

- **Name and organization number** (permanent, never reused), and a *deleted* badge if it is sitting in its owner's Recycle Bin;
- **Owners**, by username;
- **Plan, status and expiry date**;
- **People, custom documents, uploads and storage** — each as *used / limit*, with ∞ where the plan does not meter it;
- **Roles and tree depth**;
- **Last activity** — the most recent thing anyone did there, which is how you spot an abandoned organization.

Search matches name, number, owner, plan and status. The sort control orders by any column.

1. Opening a card — the property table

Select a card and it expands into a **property/value table**. Everything metered or dated is **editable in place**:

Property	Notes
Name	Free text.
Organization number	Read-only, permanent.
Plan	Any key from the pricing table.
Plan status	NONE · DEMO · ACTIVE · EXPIRED .
Expires on	A date, or blank for no expiry.
People limit	Blank = use the plan's limit.
Custom-document limit	Blank = the plan's limit (unlimited on every paid plan).
Upload limit	Blank = the plan's limit.
Storage limit (MB)	Blank = the plan's limit.
People / documents / uploads / storage used	Read-only, live.
Roles, depth, created	Read-only.

Change what you need and select **Save changes**. This is the manual override for every count on the platform: a per-organization number always beats the plan's.

Blank means "inherit", not "zero". Clearing a limit hands the decision back to the plan. To actually forbid something, set it to 0 .

The panel also lists the organization's **owners** (with their coin balances) and its **recent activity**, so you can see what has been happening without leaving the card.

2. Selecting several

Each card has a checkbox. Tick two or more and a selection bar appears with two actions:

- ✉ **Send message** — one message to every owner of every selected organization.
- Delete selected** — a permanent purge of all of them, behind an inline confirmation.

This is how you run a campaign ("the yearly plan now includes two free months") or clear a batch of abandoned trials, without repeating yourself once per organization.

3. Messaging owners

The message form asks for a **subject**, a **body** and a **priority**.

- It lands in every recipient's mailbox under **Knowledge Base**, labelled *Announcement*.

- **High priority** pins it to the top of their mailbox and turns their bell red. Use it for things that block someone, not for offers.
- Delivery is live — an owner with a page open sees it arrive.
- Messages expire after **30 days** like all Knowledge Base mail, so a campaign does not accumulate in customers' mailboxes forever.
- The broadcast is audited with the subject and the recipient count.

Advertising is legitimate here; nagging is not. These are your customers' working mailboxes. One message about a real change beats four about the same one.

4. Deleting an organization

Two very different things share the word "delete":

	Customer's delete	Your purge
Where	Their Supreme zone	This console
Effect	Soft — goes to their Recycle Bin	Permanent, immediate
Reversible	One click, for 30 days	Only from their own <code>.main</code> file
Needs	Their Supreme password	Your admin account

A purge from this console bypasses the 30-day retention entirely. There is no undo on this side. Before you use it, be certain the organization is what you think it is — check the number, not just the name, because names repeat and numbers never do.

5. Reading the structure

`/admin/orgs/:orgNumber/tree` returns an organization's role tree — names, numbers, depth, public/hidden, and owner and member counts per node. It is read-only and carries no document content. Use it when a customer describes a structural problem and you need to see the shape they are describing.


Tips

- **Sort by last activity to find dead trials.** Anything untouched for months on a lapsed plan is a purge candidate — after you have messaged its owners.
- **Fix the limit, not the plan, for a one-off.** A customer who needs 40 seats on a plan that says 10 does not need a bespoke plan row; they need a per-organization override.
- **Check `used` before you lower a limit.** Setting a ceiling below what an organization already holds does not delete anything, but it does stop them adding more — which is a surprise if they did not ask for it.

Chapter 4 — Coins, plans & the pricing table

What it is

Two tabs, and the table behind them: **Coins**, where balances are granted and adjusted, and the **pricing table**, which is what every customer sees on the Pricing page.



The screenshot shows the 'Knowledge Base Portal' interface. At the top, it says 'signed in as @adminbase' with a 'Sign out' button. Below this are tabs for 'Organizations', 'Requests', 'Coins' (which is selected), and 'Admins'. The main content area is titled 'Knowledge Coins'. It has two sections: 'Default coins for new users' and 'GIFT / ADJUST A USER'. The first section has a text input with '150' and a 'Save default' button. The second section has a 'Username' input with 'their-username', an 'Amount (+/-)' input with '150', and a 'Note (optional)' input. There is an 'Apply' button at the bottom of the second section.

1. Knowledge Coins

A coin is the unit plans are priced in. Coins are not money; they are tokens in a profile's wallet, spent when an organization is founded or restored.

Default for new sign-ups

One number: how many coins a **newly registered** profile starts with. Changing it affects **future sign-ups only** — it never touches a balance that already exists.

Gifting and adjusting

Enter a username, an amount (positive to grant, negative to deduct) and an optional note.


What happens:

1. The balance moves.
2. A **ledger entry** is written with the delta, the resulting balance, the reason and your account.
3. The user gets a **high-priority message** naming the amount, your note and their new balance — delivered live, wherever they are in the product.

The balance can never be driven below zero; the attempt is refused.

The message is not optional and should not be. A balance that changes without explanation is indistinguishable from a bug, and you will get the support ticket.

2. Setting a plan directly



Beyond the property table in Chapter 3, there is a direct plan-upgrade action: pick an organization number and a plan key, optionally override the duration and the limits, and apply. Every root owner is messaged with the new plan and expiry.

Use it after a confirmed payment made outside the request flow.

3. The pricing table

The Pricing page is **entirely data-driven**. Every card is a row; adding a row adds a card, and adding a new category adds a tab — with no code change and no deploy.

Each row carries:

Field	Meaning
key	Stable identifier. Never reuse or repurpose one — organizations reference it.
name, tagline, badge, highlights	What the card says.
category	The tab it sits under.
priceCoins, durationDays	Cost and length. <code>null</code> days = unlimited / by agreement.
memberLimit, documentLimit, uploadLimit, storageLimitMb	Ceilings. <code>null</code> = unmetered.
tier	Rung on the upgrade ladder — what the comparison panel treats as "above".
allowDrafts	Whether authors may park Studio drafts on the server.
isCustom	Turns the card's button into the custom-proposal form.
active, validFrom, validUntil	Visibility and offer windows.
sortOrder	Order within the tab.

The current ladder

Key	Name	Price	Days	People	Documents	Uploads	Storage	Tier
demo	Free	50	30	10	30	30	150 GB	1
bimonthly	Bi-monthly	100	60	∞	∞	∞	∞	2
quarterly	Quarterly	150	130	∞	∞	∞	∞	3
yearly	Yearly	500	425	∞	∞	∞	∞	4
organisation	Custom / Organizational	by agreement	—	—	—	—	—	5

Only `demo` is metered. Every paid plan is unlimited on documents and uploads by design; per-organization overrides remain available for the exceptions.

The superseded `monthly` row is kept but **inactive** — organizations still on it resolve their plan normally, and no new customer is offered it. That is the pattern for retiring any plan: deactivate, never delete.

Retiring or changing a plan

- **Changing a price or a limit** takes effect for *future* grants. Organizations already on the plan keep the terms recorded on their own row.
- **Deactivating** removes the card from the Pricing page without breaking anything.

- **Deleting a row** whose key an organization still references will leave that organization unable to resolve its plan. Don't.
-


Tips

- **Set tier deliberately.** It is what the customer's upgrade comparison calls "above" — a wrong tier makes a downgrade look like an upgrade.
- **Use validFrom / validUntil for seasonal offers** rather than remembering to switch a card off by hand.
- **Write the note on every coin adjustment.** It is the only context the ledger and the customer will ever have.

Chapter 5 — Administrators, audit & safety

What it is

The last tab, and the rules that make the rest of this book safe to use.



1. Administrator accounts

Any member of the team can be given a portal account.

- **Adding one** takes a username, a display name and a temporary password. The new account is **forced to change that password at first sign-in**.
- **Deactivating** blocks the account everywhere — not only at the login, but on every request it would otherwise make. Reactivating restores it.
- **You cannot deactivate yourself.** The console refuses, so the last person standing cannot lock the team out by accident.
- There is no permission ladder inside the portal. **Every administrator can do everything in this book.** Grant an account the way you would grant a production database password.

2. The audit trail

Every action writes a permanent record naming the administrator, the action and its details:

Action	Recorded
grant_otp	Which request, days granted, price
deny_request	Which request
gift_coins	Username and delta
upgrade_plan	Organization number, plan key, days
set_org_properties	Organization number and which fields changed
broadcast_message	Organization numbers, subject, recipient count
purge_org / bulk_purge_orgs	Organization numbers and names
create_plan / update_plan	Plan key
add_admin / toggle_admin	Username
set_default_coins	The new value
change_password	Who

The trail is append-only. Work as though it will be read, because it can be.

Separately, each organization keeps its **own** audit log of governance actions — people added, courses deleted, requests decided, exams reset — which the nightly job trims at 90 days.

3. The things to be careful with

A purge is final

Deleting from the console bypasses the customer's Recycle Bin. Their `.main` file is the only way back, and you do not have it. **Check the organization number, not the name.**

A bulk delete is final, several times over

The selection bar makes it as easy to purge twelve organizations as one. Read the count in the confirmation.

You cannot recover a Supreme password

It is hashed with Argon2id and nothing on the platform can reverse it. The `.main` backup is encrypted with the same password, so it does not help either. The honest answer to "we've lost it" is that the organization cannot be recovered — and the sooner you say so, the sooner they can plan around it.

Access codes are single-use, but they are still credentials

Do not paste one into a group chat, a ticket a customer can see, or a screenshot.

Lowering a limit does not delete anything

An organization already over a new ceiling keeps everything it has; it simply cannot add more. That is usually what you want — but it is a surprise if the customer did not ask for it.

The bootstrap reset is a deployment lever, not a support tool

It requires access to the service's environment. Anyone who has that could already deploy arbitrary code against the same database, so it grants nothing new — but leaving the variable set after use leaves a known password in place. **Remove it immediately.**

4. What the nightly job does

An external scheduler calls a protected endpoint once a day. It:

- deletes every **expired mailbox message** (each carries its own expiry);
- deletes **decided requests** and **served platform requests** past their windows;
- expires **completion records** past their validity and re-assigns those courses;
- sends **overdue** notices and escalates them;
- warns owners a week before a **plan expires**, marks it expired on the day, and messages them;
- trims Supreme verification audits and spent refresh tokens at 15 days, and the organization audit log at 90;
- **purges organizations** soft-deleted more than 30 days ago.

If the job stops running, nothing breaks immediately — but mail stops expiring and lapsed plans stop being marked. Check it if a customer reports stale state.

Tips

- **Two administrators minimum.** One is a single point of failure with no reset path that doesn't involve the deployment.
- **Deactivate, don't delete.** A deactivated account keeps its name attached to its audit history.
- **When in doubt, message the owners first.** Almost nothing in this console needs to happen in the next five minutes, and almost everything is easier to explain before than after.